

Catalog No. 2

THE FRANKLIN INSTITUTE

THE
ENZOR-HOEL
COMPANY

Distributors

ELECTRIC FIXTURES
and SUPPLIES

Illuminating Glassware

COLUMBUS, OHIO

THE
ENZOR-HOEL
COMPANY

Distributors

ELECTRIC FIXTURES
and SUPPLIES

Illuminating Glassware

COLUMBUS, OHIO


COLUMBUS YOUR MARKET

THE CITY WITH A FUTURE

Columbus is recognized as one of the most strategic railroad centers in the United States.

Three fourths of the people in the United States are within 18 hours by rail of Columbus.

A good market for buyers because of its diversified industries and substantial business institutions.



The greatest country in the world recognizes the strategic location of Columbus. The United States government has located in the city its largest Army Recruiting Station.

The greatest railroad corporation in the world recognizes the strategic location of Columbus. One of the largest Pennsylvania Railroad Shops is operated in Columbus.

Henry Ford, world's greatest manufacturer, recognizes the strategic location of Columbus, and recently completed a \$300,000 factory building in the city.

The greatest State in the Union has always recognized the strategic location of Columbus. Ohio has made it the Capital City, and has constructed eight of its largest institutions in the city, including the Ohio State University and the State Fair Grounds.

THE ENZOR-HOEL COMPANY

ELECTRIC FIXTURES

TRADE INFORMATION

Fixtures Are Quoted:

BARE—Fixture only, no glassware, sockets or crow-feet, unless otherwise noted. Socket covers are furnished where shown.

WIRED—Fixture is furnished wired with sockets, crow-feet and shade holders when shown. No glassware or lamps. Extra charge for insulating joint.

COMPLETE AS SHOWN—Fixture is equipped wired, with crow-feet, sockets, shade holders, and glassware, as shown. No lamps or bulbs. When we are unable to furnish glassware as shown, we will substitute glass as near as possible in design and value.

FINISH—All Fixtures, where marked "carried in stock" in a specified finish, will be sold only in the finish designated. Fixtures designated in special finishes are priced including the finish.

EXTRA LENGTH—There will be an additional charge for Fixtures desired longer than length quoted. Changes of less than one foot are charged for as one foot.

LENGTH AND SPREAD—By "length" we mean the distance from top to bottom of metal parts. "Length over all," means the distance between top of Fixture and lowest point of glassware. By "spread," we mean the distance from nozzle to nozzle.

SHIPPING—Specify whether you desire goods sent by express or freight. When no instructions are given, our shipping department will use its discretion. If you prefer any routing, mention same on order.

PRICES—All prices are quoted, F. O. B., Columbus, Ohio. We make no charge for cartage or drayage. Boxing and packing charges at cost.

TERMS—To parties having no account or satisfactory rating, we would suggest that you send us cash with order. If you prefer, however, we will ship by Express C. O. D., or by freight, with Sight Draft and Bill Lading Attached, providing you accompany order with deposit amounting to 25% of total purchase.

The Enzor-Hoel Company

ELECTRIC FIXTURES

To meet the need of the trade for a complete and up-to-date line of designs that can be secured on short notice, we illustrate in this catalogue Lighting Fixtures CARRIED in STOCK for PROMPT SHIPMENT.

To secure this special delivery service, Fixtures ordered from this "Carried in stock" catalogue must be ordered in the finishes specified.

A test of this service will demonstrate its reliability and value, carrying out the policy that has made our Lighting Fixtures a standard with the trade.

The Enzor-Hoel Company
Columbus, Ohio

NOTICE!

No matter how carefully packed, fragile wares are easily broken. If breakage is found when goods are received whether package shows rough handling or not, call in the transportation company's agent to inspect the breakage.

They are required to make this inspection and make notation on expense bill covering concealed damage. If damage shows on outside of package, a notation of this damage must be insisted on when goods are received from the carrier.

Claim can then be filed with your local agent, using freight receipt with notation of damage, original bill of lading, and copy of invoice, from the shipper.

If this procedure is followed out very little difficulty will be had in collecting from the transportation company.

We cannot allow claims for breakage or damage to shipments while in transit, as we use every precaution in seeing that goods are carefully packed.

Our responsibility ceases when goods are delivered to the carrier, but we stand ready to assist in any way we can, in collecting claims.

THE ENZOR-HOEL COMPANY

GLASSWARE

WE aim to show illuminating glassware in this catalog to meet the requirements of the trade.

A large volume of business on fixtures using glassware will be done the next two or three years.

We are carrying a large stock of glass to meet this demand and we will give the trade prompt service on salable goods in this line.

Try Us

Order glassware in standard packages and save money. Package charge at cost.

THE ENZOR-HOEL COMPANY
COLUMBUS, OHIO

Electric

Fixtures




No. 100 Fixture

Length 48 inches. Diameter Silk Shade 22 inches. 5 light. Finish, Antique Silver.
Blue Silk Shade. White Lined. Ruching.

Lamps are not included.

Electric

Fixtures



No. 101 Fixture.

Length 42 inches. Spread 19 inches. Finish, Antique Silver.

Lamps are not included.

Electric Fixtures



No. 102 Fixture

Length 42 inches. Spread 19 inches. 5 Light.
Finish, Antique Silver.

Lamps are not included.

Electric Fixtures



No. 103 Fixture

Length 42 inches. Spread 18 inches. 5 Light.
Finish, Antique Silver.

Lamps are not included.

Electric Fixtures



No. 104 Fixture

Length 42 inches. Spread 19 inches. 5 Light.

Finish, Antique silver

Lamps are not included.

Electric Fixtures



No. 105 Fixture

Length 42 inches. Spread 16 inches. 5 Light. Finish, Antique Silver.

Electric Fixtures



No. 106 Bracket

1 Light. Finish, Antique Silver.

No. 107 Bracket


2 Light. Finish, Antique Silver.

No. 108 Fixture

Length 42 inches. Spread 17 inches. 5 Light. Finish, Antique Silver.

Lamps are not included.

Electric Fixtures



No. 109 Fixture

Length 36 inches. Spread 16 inches. 5 Light.
Finish, Florentine and Grecian Antique. Jap Gold, 10% extra. Silver, 25% extra, Net.

Lamps are not included.

Electric Fixtures



No. 110 Fixture

Length 36 inches. Spread 16 inches. 5 Light.

Finishes, Florentine and Grecian Antique. Jap Gold, 10% extra. Antique Silver, 25% extra.

Lamps are not included.

Electric Fixtures



No. 111 Fixture

Length 36 inches. Spread 18 inches. 5 Light.
Finishes, Grecian Antique or Florentine.

Lamps are not included.

Electric Fixtures




No. 112 Fixture

5 Light.

Finishes, Grecian Antique or Florentine.

Lamps are not included.


Electric Fixtures



No. 113 Fixture

Length 12 inches. Spread 16 inches. 5 Light.
Finishes, Florentine or Grecian Antique. Jap Gold, 10% extra. Antique Silver, 25% Extra.

Electric Fixtures



No. 114 Fixture

Length 34 inches. Spread 16 inches. 4 Light.
Finishes, Grecian Antique or Florentine.

Lamps are not included.

Electric Fixtures



No. 115 Fixture


Length 42 inches. Spread 20 inches.

4 Light, 1 inside, 3 around. 5 Light, 1 inside, 4 around.

Finishes, Grecian Antique or Florentine.

Lamps are not included.


Electric Fixtures



No. 116 Fixture

Length 42 inches. Spread 18 inches. 5 Light, 1 inside, 4 around.
Finishes, Antique Gold or Polychrome.

Electric Fixtures



No. 117 Fixture

Length 6 inches. Spread 12 inches, 2 Light.
Finishes, Antique Gold or Polychrome.



No. 118 Fixture

Length 15 inches. Spread 15 inches. 5 Light
Finishes, Antique Gold or Polychrome.

Electric Fixtures



No. 119 Fixture

Length 36 inches. Spread 15 inches. 5 Light.

Finishes, Antique Gold or Polychrome.

Electric Fixtures



No. 120 Fixture

Length 30 inches. Spread 12 inches. 2 Light.
Finishes, Antique Gold or Polychrome.

Electric Fixtures



No. 121 Fixture


Length 30 inches. Spread 12 inches. 3 Lights.
Finishes, Antique Gold or Polychrome.

Electric Fixtures



No. 122 Fixture

Length, 32 inches. Spread, 16 inches.
4 Light.




No. 123 Fixture

Length, 32 inches. Spread, 16 inches.
4 Light.

Finishes, Flemish, Gold, Bronze with Gold high lights. Grey with Gold high lights.

Electric Fixtures



No. 124 Bracket

1 Light.



No. 125 Fixture

4 Light.

Length 32 inches. Spread 16 inches.

Finish, Bronze with gold high light.

Lamps are not included.

Electric Fixtures



No. 126 Fixture

Length 30 inches. Spread 14 inches.
2 Light.



No. 127 Fixture

Length 32 inches. Spread 16 inches.
4 Light.

Finishes, Flemish, Gold, Bronze with gold high light.

Lamps are not included.

Electric Fixtures



No. 128 Fixture

Length 30 inches. Spread 14 inches.
4 Light.




No. 129 Fixture

Length 30 inches. Spread 14 inches.
4 Light.


Finish, Bronze or Flemish.

Lamps not included.

Electric Fixtures



No. 132 Fixture



No. 135 Fixture

No.	LIGHT.	LENGTH.	SPREAD.
132	3	30"	12"
133	3	30"	14"
134	4	30"	14"

No.	LIGHT.	LENGTH.	SPREAD.
135	3	30"	12"
136	3	30"	14"
137	4	30"	14"

Finishes, Brush Brass, Flemish and Bronze.
 Bronze and Flemish 10% extra, Net.

Lamps are not included.

Electric Fixtures



No. 138 Fixture

4 Light, 1 inside, 3 around. Finish, Brush Brass. Flemish, 10% extra.


Lamps are not included.

Electric Fixtures



No. 139 Fixture

Length 32 inches. Spread 16 inches.
1 Light.



No. 140 Fixture


Length 32 inches. Spread 16 inches.
4 Light, 1 inside, 3 drops

No. 141 Fixture
5 Light, 1 inside, 4 drops.

Finish, Brush Brass or Flemish.

Lamps are not included.

Electric Fixtures



No. 142 Fixture

Length 36 inches. Spread 14 inches.
2 Light.
Finish, Flemish or Bronze.



No. 143 Fixture

Length 36 inches. Spread 14 inches.
2 Light.
Finish, Flemish or Bronze.

Electric Fixtures



No. 144 Fixture


Length 36 inches. Spread 16 inches.
4 or 5 Lights.
Finish, Flemish or Bronze.



No. 145 Fixture

Length 36 inches. Spread 16 inches.
4 Light.
Finish, Flemish or Bronze.

Electric Fixtures



No. 146 Fixture
Spread 16 inch. 4 or 5 Light.
Finish, Flemish or Bronze.



No. 147 Fixture
Spread 16 inches. 4 or 5 Light.
Finish, Flemish or Bronze.



No. 148 Fixture
Length 36 inches. Spread 16 inches.
3 or 4 Light.
Finish, Flemish or Bronze.

Electric Fixtures



No. 149 Fixture

Length 36 inches. Spread 36 inches.

5 Light.

Finish, Bronze or Flemish.




No. 150 Fixture

Length 36 inches. Spread 17 inches.

5 Light.

Finish, Bronze or Flemish.

Electric Fixtures



No. 151 Fixture

Length 36 inches. Spread 21 inches.

4 or 5 Light.

Finish, Flemish or Bronze.



No. 152 Fixture

Length 36 inches. Spread 16 inches.

3 or 4 Light.

Finish, Flemish or Bronze.

Electric Fixtures




No. 153 Fixture

Length 36 inches. Spread 17 inches.

4 or 5 Light.

Finish, Flemish or Bronze.




No. 154 Fixture

Length 36 inches. Spread 18 inches.

4 or 5 Light.

Finish, Flemish or Bronze.

Electric Fixtures



No. 155 Fixture

Length 36 inches. Spread 18 inches.

5 Light.

Finish, Flemish or Bronze.



No. 156 Fixture

Length 36 inches. Spread 18 inches.

5 Light.

Finish, Flemish or Bronze.

Electric Fixtures



No. 157 Fixture

2 Light. Spread 14 inches.
Finish, Jap Gold.




No. 158 Fixture

3 Light. Spread 16 inches.
Finish, Jap Gold.

Length 36 inches.
Solid Brass.

Electric Fixtures



No. 159 Fixture

4 Light. Spread 18 inches.
Finish, Jap Gold.



No. 160 Fixture

2 Light. Spread 16 inches.
Finish, Mobrico.

Length 36 inches.
Solid Brass.

Electric Fixtures



No. 161 Fixture

3 Light. Spread 14 inches.
Finish, Mobrico.




No. 162 Fixture

4 Light. Spread 14 inches.
Finish, Mobrico.

Length 36 inches.
Solid Brass.

Electric Fixtures




No. 163 Fixture

4 Light. Spread 14 inches.
Finish, Jap Gold.



No. 165 Bracket

Finish, Jap Gold, Flemish.



No. 164 Fixture

Finish, Jap Gold. 6 Light.
Spread 18 inches.




No. 166 Bracket

Finish, Jap Gold or Flemish.


Solid Brass.

Electric Fixtures




No. 167 Fixture

Finish, Roman Gold or Jap Gold.
3 Light. Spread 10 inches.




No. 168 Bracket

Finish, Roman Gold or Jap Gold.



No. 169 Fixture

Finish, Roman Gold or Jap Gold.
4 Light. Spread 14 inches.




No. 170 Bracket

Finish, Roman Gold or Jap Gold.


Solid Brass.

Electric Brackets




No. 205 Bracket

Finish, Antique Silver
or Antique Gold.




No. 206 Bracket

Finish, Antique Silver
or Antique Gold.



No. 207 Bracket


Finish, Antique Silver or
Antique Gold.



No. 208 Bracket

Finish, Antique Silver or
Antique Gold.

Electric Brackets




No. 209 Bracket

Finish, Brush Brass, Flemish, Nickel,
Jap Gold, or White Enamel.




No. 210 Bracket

Finish, Brush Brass, Flemish,
Nickel, Jap Gold, or
White Enamel.




No. 211 Bracket

Finish, Brush Brass, Flemish,
Nickel or Ivory.




No. 212 Bracket

Finish, Brush Brass,
Flemish or Nickel.



No. 213 Bracket


Finish, Brush Brass,
Flemish or Nickel.



No. 215 Bracket


Finish, Brush Brass,
Flemish or Nickel.

Beam Lights




No. 216 Beam Light

Finish, Mobrico.



No. 217 Beam Light

Finish, Jap Gold, Flemish or
Colonial Brass.




No. 218 Beam Light

Finish, Jap Gold, Colonial
Brass or Roman Gold.



No. 219 Beam Light

Finish, Mobrico,
or Jap Gold.



No. 220 Beam Light


Finish, Jap Gold,
or Mobrico.




No. 221 Beam Light

Finish, Jap Gold,
or Mobrico.


Electric Pendants



No. 222 Pendant



No. 223 Pendant



No. 224 Pendant

Finish, Brush Brass, Flemish, Mobrico and Jap Gold.


Length 36 inches.

Combination Fixtures and Brackets




No. 225 Bracket

1 x 1 Combination.
Finish, Brush Brass or Flemish.




No. 226 Fixture

1 x 1 Combination.
Finish, Brush Brass or Flemish.



No. 227 Fixture

1 x 1 Combination.
Finish, Brush Brass or Flemish.




No. 228 Fixture

1 x 1 Combination.
Finish, Brush Brass or
Flemish.

Fixture Parts



No. 251 Holder, Flemish
 $2\frac{1}{4}$ ", $3\frac{1}{4}$ ", or 4" Fitter.
 7" Diameter. 4" Deep.




No. 252 Oval Pan, Flemish
 Length 12". Width 6".



No. 253 Canopy, Flemish
 5" Diameter. $3\frac{3}{4}$ " Deep.
 6" Diameter. 4" Deep.



No. 254 Shower Band, Flemish
 14" Diameter. 10" Fitter. 16" Diameter. 10" Fitter.
 16" Diameter. 12" Fitter.



No. 255 Key Cover
 $2\frac{1}{4}$ " or $3\frac{1}{4}$ " Key
 Covers.
 Flemish.



No. 256 Pans, Flemish
 12", 14" or 16" Diameter.


Fixture Parts



No. 257 Shower Band, Flemish


14" Diameter. 10" Fitter.

16" Diameter. 10" Fitter.



No. 258 Canopy, Flemish

5" Diameter. 4" Deep.



No. 259 Pan, Flemish

12", 14" or 16" Diameter.



No. 260 2 1/4" Key Cover

Flemish.



No. 261 Oval Pan, Flemish.

Length 14". Width 7".



No. 262 3 1/4" Key Cover

Flemish.


Fixture Parts



No. 263 Canopy

6" Diameter. 3½" Deep.


Brush Brass. Flemish 10% extra.



No. 264 Canopy

5" Diameter. 4" Deep.

Brush Brass. Flemish 10% extra.



No. 265 Shower Band

12" Diameter. 8" Fitter.

14" Diameter. 10" Fitter.

16" Diameter. 10" Fitter.


Brush Brass. Flemish 10% extra.



No. 266 3¾" Key Cover

Brush Brass.

Flemish 10% extra.



No. 267 Pan

12", 14" or 16" Diam. Brush Brass.

Flemish 10% extra.



No. 268 2¼" Key Cover

Brush Brass.

Flemish 10% extra.

Hook Canopies Assembled

Made in 3 or 4 Lights



No. 269 Canopy



No. 270 Canopy



No. 271 Canopy



No. 272 Canopy



No. 273 Canopy



No. 274 Canopy



No. 275 Canopy

Finish, Brush Brass, Flemish,
Jap Gold or Mobrico.




No. 276 Canopy

Canopies



No. 278 Canopy, Flemish
5" Diameter. 4" Deep.



No. 279 Canopy
6" Diameter. 3½" Deep.
Brush Brass. Flemish.




No. 280 Canopy
6" Diameter. 4" Deep.
Brush Brass, Flemish 10% extra.



No. 281 Canopy, Flemish
5" Diameter. 3 " Deep.
6" Diameter. 3½" Deep.




No. 282 Canopy, Flemish
6" Diameter. 4" Deep.



No. 283 Canopy, Flemish
6" Diameter. 4 " Deep.
5" Diameter. 3½" Deep.


Canopies



No. 284 Canopy
5" Diameter. 4" Deep.
 $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ Slip Ring.
Flemish.



No. 285 Nipple Canopy
 $4\frac{1}{2}$ " Diameter. 3" Deep.
Brush Brass.
Flemish 10% extra.



No. 286 Canopy
5" Diameter. 3" Deep.
Brush Brass. Flemish 10% extra.



No. 287 Canopy
 $4\frac{1}{2}$ " Diameter. 3" Deep.
Brush Brass. Flemish 10% extra.



No. 288 Slip Canopy
 $4\frac{1}{2}$ " Diameter. 4" Deep.
 $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ Slip Ring.
Brush Brass. Flemish 10% extra.




No. 289 Slip Canopy
4" Diameter. 3" Deep.
 $\frac{5}{8}$, $\frac{3}{4}$ and $\frac{7}{8}$ Slip Ring.
Brush Brass. Flemish 10% extra.

Socket Covers, Holders and Husks



No. 290 Key Cover


2 1/4" or 3 1/4", Flemish.



No. 291 Key Cover


2 1/4", 3 1/4" or 4", Brush Brass.

Flemish 10% extra.




No. 292 Key Cover

2 1/4" or 3 1/4", Flemish.




No. 293 Keyless Holder

2 1/4", 3 1/4" or 4", Brush Brass.




No. 294 Keyless Holder

2 1/4", 3 1/4" or 4", Flemish.



No. 295 Husk


Bright.



No. 296 Husk

Brush Brass.


Flemish 10% extra.



No. 297 Husk

Flemish.

Holders and Accessories



No. 299 Holder

3 1/4", 4", 5", or 6" Fitter.

Brush Brass.


Flemish 10% extra.



No. 302 Seating Ring with Set Screw

5/8, 3/4 or 7/8" Brush Brass.

Flemish 10% extra.



No. 300 Ventilated Holder

3 1/4", 4", 5" or 6" Fitter.


Brush Brass.



No. 298 Seating Rings

5/8, 3/4 and 7/8" Brush Brass.

Flemish 10% extra.



No. 301 Nitrogen Holder

6", 8" or 9" Fitter.

Brush Brass.

Flemish 10% extra.



No. 303 Candle Socket Support Adjustable

Holder and Fixture Parts




No. 304 Shade Holder

2 1/4" Holder. Brush Brass.

3 1/4" Holder. Brush Brass.

Flemish 10% extra.
Nickel 15% extra.



No. 305 Holder

2 1/4".

Brush Brass or Nickel.



No. 306 Holder

For Weatherproof Sockets.

2 1/4", Brush Brass.

Flemish 10% extra.
Nickel 15% extra.



No. 307 Socket Attachment
Brass



No. 308 Running Thread Pipe

1/8". 1/4".

3 foot Lengths.




No. 309 Candle Cup
Brush Brass.



No. 310 Holder

3 1/4" Holders.


Brush Brass or Nickel.



No. 311 Bobeche
Brush Brass.



No. 312 Silk Shade Holder



No. 314 Electric Converter
To convert Candle Stick into
Electric Portable.



No. 501 Uno Holder, 2 1/4"

Brush Brass or Nickel.
Standard package 500.
Carton 50.

No. 505 Uno Holder, 3 1/4"
Standard Package 250.
Carton 25.

Ceiling Holders



No. 315 Holder


2 $\frac{1}{4}$ " , 3 $\frac{1}{4}$ " or 4" Fitter.
3 $\frac{3}{4}$ " Deep. 7" Diameter.



No. 318 Holder

2 $\frac{1}{4}$ " Fitter. 6" Diameter, B. B.
3 $\frac{1}{4}$ " Fitter. 6" Diameter, B. B.
4 " Fitter. 6" Diameter, B. B.

Flemish 10% extra, Net.
Nickel 15% extra, Net.



No. 316 Holder

2 $\frac{1}{4}$ " Fitter. B. B.
3 $\frac{1}{4}$ " Fitter. B. B.
Oxidized Copper 10% extra.




No. 319 Holder

2 $\frac{1}{4}$ " , 3 $\frac{1}{4}$ " or 4" Fitter. Brush Brass.
Flemish 10% extra.



No. 317 Holder

2 $\frac{1}{4}$ " , 3 $\frac{1}{4}$ " or 4" Fitter.
Brush Brass, Flemish, Nickel or White Enamel.
Less Receptacle.



No. 320 Holder

3 $\frac{1}{4}$ or 4" Fitter. B. B.
Oxidized Copper 10% extra. Flemish 10% extra.

Ceiling Lights and Holder




No. 321 Fixture
Brush Brass.



No. 322 Holder
With No. 998 Chain
Pull Receptacle.
Brush Brass.



No. 323 Fixture
Brush Brass.



No. 324 Fixture
 $3\frac{1}{4}$ " Fitter.
Iron Ring Black.



No. 325 Fixture
 $3\frac{1}{4}$ " Fitter. Brush
Brass. Brass Ring.



No. 326 Holder
 $3\frac{1}{4}$ " Polished Copper.
4 " Polished Copper.




No. 327 Holder
 $3\frac{1}{4}$ " Iron Black.
4 " Iron Black.

Bowl Hangers




No. 328 Single Bowl Hanger

Gilt or Flemish.



No. 329 Single Bowl Hanger

Gilt or Flemish.




No. 330 Double Bowl Hanger

Gilt or Flemish.




No. 331 Single Bowl Hanger

With Set Screw.
Gilt or Flemish.



No. 332 Double Bowl Hanger

Gilt or Flemish.




No. 333 Double Bowl Hanger

Gilt or Flemish.

Fixture Chain and Pliers




No. 336 Chain Plier
Made of the best pressed
steel.
Nickel Finish.



Fixture Chain
No. 337 Steel Chain.
No. 338 Brass Chain.
Brush Brass or Flemish.



Fixture Chain
No. 334 Steel Chain.
No. 335 Brass Chain.
Brush Brass or Flemish.



Fixture Chain
No. 339 Steel Chain.
No. 340 Brass Chain.
Brush Brass or Flemish.


Loops and Hooks



No. 365 Stem Hanger
 $\frac{3}{4}$ ". Brush Brass or Flemish.




No. 341 Male Hook
Brush Brass or Flemish.
100 in Carton.



No. 342 Female Loop
Brush Brass or Flemish.
100 in Carton.



No. 343 Loop
Brush Brass or Flemish.
100 in Carton.



No. 344 Hook with Rosette
Brush Brass or Flemish.
100 in Carton.



No. 345 Female Loop
Brush Brass or Flemish.
100 in Carton.



No. 346 Male Loop
Brush Brass or Flemish.
100 in Carton.

Fixture Fittings



No. 347
90° Angle Nozzle
 $\frac{1}{8}$ inch.



No. 348
45° Angle Nozzle
 $\frac{1}{8}$ inch.



No. 349
Brass Coupling
 $\frac{1}{8}$ inch.



No. 350 Turned
Brass Nozzle
 $\frac{1}{8} \times \frac{1}{8}$
 $\frac{1}{4} \times \frac{1}{8}$



No. 351
Brass Cap
 $\frac{1}{8}$ inch.



No. 352
Brass Nipples
 $\frac{1}{8} \times \frac{1}{2}$ $\frac{1}{8} \times \frac{3}{4}$
 $\frac{1}{8} \times \frac{7}{8}$ $\frac{1}{8} \times 1$



No. 353 Shoulder
Brass Nipples
 $\frac{1}{8}$ inch.



No. 354 Straight
Brass Nozzle
 $\frac{1}{8}$ inch.



No. 355
Brass Bushings
 $\frac{1}{8}$ inch.




No. 356
Rubber Bushings
 $\frac{1}{8}$ inch.



No. 357
Brass Knobs
 $\frac{1}{8} \times 2$ inch.
Brush Brass or Flemish.




No. 358
Male Rosette
 $\frac{1}{8}$ inch.
Flemish.



No. 359
Female Rosette
 $\frac{1}{8}$ inch.
Flemish.



No. 360
Knobs
Brush Brass
or Flemish.



No. 361
Bowl Hanger



No. 362
Knobs



No. 363
Brass or Steel Lock Nuts



No. 364
Knobs

Vibrators



No. 21 White Cross Vibrator

Speeds, One. Applicators, B-C-D-H.
Universal Motor.

Nickel and Black Finish.

Net Weight 4 lbs. Gross Weight 4½ lbs.

Card Board Case.

Treatment Book and Colored Chart.

Price 110 Volts, with 8 ft. cord, packed 1 in a carton.

Price 32 or 220 Volts, add \$1.50.



No. 25 White Cross Vibrator

Speeds, Three. Applicators, B-C-D-H.
J-S. Vibrator Chair Attachment.

Ebonized Handle. Universal Motor.

Nickel and Black Finish.

Practically Noiseless. Perfect Balance.

Net Weight 5 lbs. Gross Weight 5½ lbs.

Leatherette Carrying Case, Nickel Trimmings.

Treatment Book and Colored Chart.

Price 110 Volts, with 8 ft. cord, packed 1 in a carton

Price 32 or 220 Volts, add \$1.50.



No. 41 White Cross Hair Dryer

Watts, Hot Air 385, Watts, Cold Air, 33.

Ampere, Hot Air, 3.5. Ampere, Cold Air, .3.

Nickel and Black Finish.

Ebonized Handle. Perfect Balance.

Instantaneous Heat Change. Universal Motor.

Steel Constructed.

Net Weight 5½ lbs. Gross Weight 6¼ lbs.

The ideal dryer for all drying purposes.

Drys a heavy head of hair in a few minutes.

Nickel chromium wire element.

Furnished in a fine leatherette carrying case,
nickel trimmings.

Price 110 Volts, with 8 ft. cord.

Price 32 or 220 Volts, add \$2.00.



No. 22 White Cross Vibrator

Speeds, Three. Applicators, B-C-D-H.
Universal Motor.

Nickel and Black Finish.

Net Weight 4½ lbs. Gross Weight 5 lbs.

Leatherette Carrying Case.


Treatment Book and Colored Chart.

Price 110 Volts, with 8 ft. cord, packed 1 in a carton.

Price 32 or 220 Volts, add \$1.50.

Vibrators and Violet Rays

The Star Violet Ray



Model A

The Star Violet Ray operates on either alternating or direct current. It is the latest two-piece high frequency design. The adjusting mechanism allows a very fine regulation of current strength. It comes in a well made leatherette carrying case attractively finished. Guaranteed against mechanical defects for one year.


The Star Violet Ray



Model B

The Star Violet Ray is designed with the purpose of giving utmost service and durability. We have allowed no expense to interfere with the quality of this product.

Careful selection of materials, skilled workmanship and thorough inspection make the Star Violet Ray a superior product.



The Universal Vibrator

Motor Driven, Works on Any Current

Big, handsome, sturdily made, finished in sparkling nickel. Especially designed, high powered trouble proof motor that uses any current. Thoroughly efficient. Always ready.

Has start-and-stop switch in handle. Four special applicators, facial massage, hair and scalp, cold cream applicator and the body or general purpose applicator, make the "Universal" useful in dozens of ways. Comes in an attractive leatherized wooden box.



Star Vibrator

Equipped with three applicators.

A wonderful vibrator for the money.

Fully guaranteed.
A. C. Current only.

White Cross Violet Ray

Universal Current.

Noiseless Operation.

Polished Oak Coil Box.

Rubber handle.

Highly Finished.

Mechanically Perfect.

Heavy Insulated.

Absolutely Safe.

Surface Electrode Furnished.

Wide Current Regulation.

Fine Leatherette Carrying Case, Nickel Trimmings.
Treatment Book and Colored Chart.





All Cooking Vessels made of Aluminum—No Possibility of Rusting or Warping.

The large capacity, Heavy Aluminum Griddle adds the finishing touch of perfection to the most popular Table Grille made to-day.

Remember These Exclusive Points of Advantage Not Obtainable in Any Other Grille:

Three distinct cooking operations at the same time.

Toasts both sides of bread at same time.

Toasting does not interfere with other cooking operations.

Egg poaching attachment with four egg cups.

All cooking utensils made of Aluminum.

Broils, boils, toasts, fries, poaches, steams.

The Armstrong Table Stove is provided with a steel reflector, a griddle, one deep vessels with a grid for broiling and an egg poacher with four cups. Excepting the steel reflector, all cooking utensils are made of aluminum.

Toasting is done in the wire drawer which is between the two heating elements, so that both sides of the toast are at the same time exposed to the intense glow of the heating elements.


The deep vessel is used above the heating chamber for broiling, poaching, steaming, creaming, etc., just as you use a stew pan over a coal or gas fire.

The deep vessel is used below the heating chamber for broiling and for all cooking operations where heat is supplied from above.

Fry eggs in griddle on top, toast in the toaster drawer and broil bacon and chops in the deep vessel below—all at the same time.

The cost of cooking with the Armstrong Table Stove compares favorably with kerosene or gasolene. With current at 8 cents per unit, it will operate continuously at a cost of 4 cents an hour.

Electric Irons



No. 35 Tourist. 110 Volt

Weight $3\frac{1}{2}$ lbs. 1 in carton.
3 in standard package.




No. 6 D Dover Iron. 110 Volt

Weight 6 lbs.
1 in carton. 5 in standard package.
32 Volt, 1 in carton.
5 in standard package.

HEATING ELEMENT—The VEA heating element consists of many feet of alloy resistance wire embedded and hermetically sealed in a special refractory composition in the base of the iron. Over the top of heating element is clamped a heavy heat retaining plate.


GENERAL SPECIFICATIONS—Hood and shields are made of cold rolled strip steel highly polished and heavily nicked. Bolt running full length of rubberoid handle insures permanent attachment of handle to shields. Base of iron blued by attaching heating unit to current. Iron face is $3\frac{1}{2}$ inches $6\frac{1}{4}$ inches.

ACCESSORIES—The 6 D and Peerless irons are equipped with strong detachment plug at base of irons, rigid, heavy contact posts. The heater cords of all our irons are six feet long, are protected at base of iron by spiral steel springs, and have pull-apart attachment plugs at socket end. The 3-deck nicked stand which goes with the Dover has a groove in which a curling iron may be heated, and by means of two truss rods which can be inserted into holes in the stand, the iron in an inverted position can be made into a stove. Wax pad and cleaner.



Peerless Iron 110 Volt

Weight 6 lbs.
1 in carton.
5 in standard package.



Delite Iron 110 Volt

Weight 6 lbs. 1 in carton. 5 in standard package.
The cord of the Delite has the convenient 70-50 switch, and is permanently attached at base of the iron.

Tungsten and Nitrogen Lamps

TUNGSTEN LAMPS

Volts	Size of Lamp in Watts	Type of Bulb	Diam. of Bulb	Base Regularly Supplied	Standard Package Quantity
110 to 125	15			Med. Screw	100
	25			Med. Screw	100
	40			Med. Screw	100
	50			Med. Sc. Sk.	24
	60				
	100				
	25			Med. Screw	100
	50			Med. Screw	100
	60			Med. Screw	100
	100			Med. Screw	24
220 to 250	150			Med. Sc. Sk.	24
	250			Med. Sc. Sk.	12



G—18½




G—25

ROUND BULB LAMPS


110 to 125	15	G—18½	2¼	Med. Screw	125
	25	G—18½		Med. Screw	125
	40	G—18½		Med. Screw	125
	15	G—25	3⅛	Med. Screw	64
	25	G—25	3⅛	Med. Screw	64
	40	G—25	3⅛	Med. Screw	64

NITROGEN LAMPS

110 to 125	75			Med. Screw	50
	100			Med. Screw	24
	150			Med. Sc. Sk.	24
	200			Med. Screw	24
	300			Mog. Screw	24
	400			Mog. Screw	12
220 to 250	500			Mog. Screw	12
	750			Mog. Screw	8
	1000			Mog. Screw	8
	200			Mog. Screw	24
	300			Mog. Screw	24
	400			Mog. Screw	12
	500			Mog. Screw	12
	750			Mog. Screw	8
	1000			Mog. Screw	8



Tungsten Lamp



Nitrogen Lamp


Standard package discounts on all large style TUNGSTEN lamps can be given only on orders for exact standard package quantities or multiples thereof. It is allowable, however, to combine in one standard package all sizes of large style TUNGSTEN lamps having the same standard package quantity. Such lamps may be of different voltage and finish of bulb.

Stem and Plug Clusters



No. 849 Cluster
2 Light 2 Pull Chains

No. 850
3 Light 2 Pull Chains
Standard package 10.




No. 46 Stem Cluster
2 Light Brass Brass

No. 47
3 Light Brush Brass




No. 839 Stem Cluster
2 Light 1 Pull Chain.

No. 840
3 Light 1 Pull Chain.
Standard package 10.
 $\frac{1}{4}$ " inch Stem. Can
be furnished in $\frac{1}{8}$ ".
Brush Brass.



No. 95
Benjamin Pull Plug
Cluster
Standard package 10.




No. 92 Benjamin Plug
Cluster
2 Light.



No. 93 Benjamin Plug
Cluster
3 Light.

No. 94 Benjamin Plug
Cluster
4 Light.

Lamp Guards and Accessories



Rockbestos Heater Cord Sets

Fits any appliance terminal.



Style "O"

- 1429—for 40 watt lamp—std. soc.
- 1430—for 60 watt lamp—std. soc.
- 1432—for 40 watt lamp—w.p. soc.
- 1434—for 60 watt lamp—w.p. soc.

An exceptionally strong and rigid guard. The open bottom is convenient for quick and easy lamp change. Another good point is that you can stand or hang it anywhere. Fastens to socket with a metal band and set screw and hooks with bull-dog grip.



Style "H"

- 1431—for 40 watt lamp—std. soc.
- 1433—for 60 watt lamp—std. soc.
- 2532—for 40 watt lamp—w.p. soc.
- 2533—for 60 watt lamp—w.p. soc.

As the cut shows this guard completely surrounds the lamp, and in addition to saving lamps, reduces the fire hazard. It is easily and securely attached without the aid of tools.



Hemco Twin-Lite Plug

The Twin-Lite Plug can be used in any socket or baseboard receptacle.

It enables you to get double service from your present electrical household appliances or table or floor lamps.

Small, neat, light in weight.

Practically indestructible.



Plugall Plug

Will fit all makes of Heating Devices.

Dim-A-Lites and Hickeys



No. 478 Hickey

Sizes


$\frac{1}{8}$	Male	x	$\frac{1}{8}$	Female.
$\frac{1}{8}$	"	x	$\frac{1}{4}$	"
$\frac{1}{8}$	"	x	$\frac{3}{8}$	"
$\frac{1}{4}$	"	x	$\frac{1}{8}$	"
$\frac{1}{4}$	"	x	$\frac{1}{4}$	"
$\frac{1}{4}$	"	x	$\frac{3}{8}$	"
$\frac{3}{8}$	"	x	$\frac{1}{8}$	"
$\frac{3}{8}$	"	x	$\frac{1}{4}$	"
$\frac{3}{8}$	"	x	$\frac{3}{8}$	"



No. 476 Insulation Joint

Blank or Combination.

Sizes: $\frac{3}{8}$ x $\frac{3}{8}$, $\frac{3}{8}$ x $\frac{1}{4}$, $\frac{3}{8}$ x $\frac{1}{8}$,
 $\frac{1}{8}$ x $\frac{1}{8}$, $\frac{1}{4}$ x $\frac{1}{4}$.



No. 479 Hickey

Sizes

$\frac{1}{8}$	Male	x	$\frac{1}{8}$	Female.
$\frac{1}{8}$	"	x	$\frac{1}{4}$	"
$\frac{1}{8}$	"	x	$\frac{3}{8}$	"
$\frac{1}{4}$	"	x	$\frac{1}{8}$	"
$\frac{1}{4}$	"	x	$\frac{1}{4}$	"
$\frac{1}{4}$	"	x	$\frac{3}{8}$	"
$\frac{3}{8}$	"	x	$\frac{1}{8}$	"
$\frac{3}{8}$	"	x	$\frac{1}{4}$	"
$\frac{3}{8}$	"	x	$\frac{3}{8}$	"



No. 477 Hickey

Sizes:

$\frac{1}{8}$ x $\frac{1}{8}$, $\frac{1}{4}$ x $\frac{1}{8}$, $\frac{1}{4}$ x $\frac{1}{4}$,
 $\frac{3}{8}$ x $\frac{1}{8}$, $\frac{3}{8}$ x $\frac{1}{4}$, $\frac{3}{8}$ x $\frac{3}{8}$.



No. 31 Dim-A-Lite

12 on a card.



No. 475 Crow Foot

Sizes:

$\frac{1}{8}$, $\frac{1}{4}$ or $\frac{3}{8}$.



No. 23 Dim-A-Lite

12 on a card.

No. 903 Benjamin Swivel
Attachment Plug

Standard Package 100.
Carton 10.

No. 1400 Separable
Attachment Plug

Standard Package 100.
Carton 10.

No. 8300 Arrow E.
Separable Attachment Plug

Standard Package 100.
Carton 10.

Loom, Wire and Lamp Cord

All Colors of Silk Cord Carried in Stock



Black Fixture Wire

No. 20.....per 1000 ft.
No. 18.....per 1000 ft.
1000 ft. Coils.



Single Conductor Stranded Silk Fixture Wire.

No. 18.....per 1000 ft.
1000 ft. Coils.



Rubber Covered Wire

No. 14.....per 1000 ft.
No. 12.....per 1000 ft.
No. 10.....per 1000 ft.
500 ft. Coils.



Twisted Pair Silk Lamp Cord

No. 18.....per 1000 ft.
250 ft. Coils.



Reinforced Black Lamp Cord

No. 18.....per 1000 ft.
250 ft. Coils.



Paralleled Silk Lamp Cord

No. 18.....per 1000 ft.
250 ft. Coils.




No. 18 Twisted Pair Lamp Cord

Green and Yellow Cotton...per 1000 ft.
Coils of 250 ft.




No. 16 Asbestos Heater Cord

Per 1000 ft. 250 ft. Coils.




No. 18 Single Conductor Stranded Fixture Wire

Cotton, Oak Tan.....1000 ft.
1000 ft. Coils.



Wire Solder

Per pound.
1, 5 or 10 pound spools.




Alphaduct Loom

$\frac{7}{32}$ or $\frac{1}{4}$ ". 250 ft. Coils.



Annunciator Wire, 18 gauge
5 lb. spools. 1 lb. spools.

Porcelain, Switch Boxes, Fuse Plugs and Tape



No. 2—D L Switch Boxes

Less Loom Clamp per 100

With Loom Clamp per 100

Standard package 100.



Friction and Splicing Tape

Service Friction Tape—8 oz. Rolls.

Pure Gum Splicing Tape—8 oz. Rolls.




Fuse Plugs

Per 100.

Per 1000.

Carton 50



Cinch Split Knobs

Diameter $1\frac{3}{16}$ inches.

Height $1\frac{1}{4}$ inches.

Old Code Quantity in barrel 4600.

New Code Quantity in barrel 3100.



Drive-It Knobs

Old Code Quantity in barrel 3700.

New Code Quantity in barrel 2700.

Assembled with Nail and Washer.



Porcelain Tubes

$\frac{5}{16} \times 3$ Quantity in barrel 5300.

$\frac{5}{16} \times 6$ Quantity in barrel 3000.

Other sizes furnished from factory.



Two or Three Wire Cleats

Quantity in barrel 2150 Pair.


Switches and Flush Receptacles



No. 6802 Arrow E

Three Point.


Standard package 50.



No. 6800 Arrow E

Single Pole Push Switch.

Standard package 100.



No. 4077 Switch Plate

No. 4077—Single Gang.

No. 4078—Two Gang.

No. 4079—Three Gang.

No. 4054—Four Gang.




No. 17 Porcelain Switch Base

Per 100.



No. 16 Porcelain Switch Base

Per 100.



No. 6102 Single Pole

5 Ampere, 125 Volt.

3 Ampere, 250 Volt.


No. 6100 Open Base

No. 6101 Open Base Indicating

No. 6102 Closed Base

No. 6103 Closed Base Indicating

Standard package 250.




No. 415 Flush Receptacle Complete

No. 1708 Flush Receptacle

No. 1709 Plate Only

Standard package 100.



No. 6228 Three Point












































3 Ampere, 125 Volt.

1 Ampere, 250 Volt.

No. 6227 Open Base

No. 6228 Closed Base

Standard package 100.

FLUTO Parts (Patented) RATING: Key Devices on this page, 250 Watts, 250 Volts. Key Devices on next page, 660 Watts, 250 Volts. Keyless Devices, 660 Watts, 250 Volts. Pull Devices, 250 Watts, 250 Volts.	Part S18 26c-B-500 S. P. Key Socket 	Part S28 53c-L-100 S. P. <u>Shvrlok</u> Key Socket 	Part S19 26c-B-500 D. P. Key Socket 	Part S29 53c-L-100 D. P. <u>Shvrlok</u> Key Socket 
 Part CA 7c-B-500 1/8" Cap	 59480 CA-S18 B Std. Pkg. 500 List .33	 59480 <u>Shvrlok</u> CA-S28 L Std. Pkg. 100 List .60	 100421 CA-S19 B Std. Pkg. 500 List .33	 100421 <u>Shvrlok</u> CA-S29 L Std. Pkg. 100 List .60
Part CB 16c-B-100 1/4" Cap 	 7509 CB-S18 B Std. Pkg. 250 List .42	 7509 <u>Shvrlok</u> CB-S28 L Std. Pkg. 100 List .69	 60 CB-S19 B Std. Pkg. 250 List .42	 60 <u>Shvrlok</u> CB-S29 L Std. Pkg. 100 List .69
 Part CC 13c-B-250 3/8" Cap	 59481 CC-S18 B Std. Pkg. 250 List .39	 59481 <u>Shvrlok</u> CC-S28 L Std. Pkg. 100 List .66	 100423 CC-S19 B Std. Pkg. 250 List .39	 100423 <u>Shvrlok</u> CC-S29 L Std. Pkg. 100 List .66
Part CN 19c-B-50 1/2" Cap 	 59500 CN-S18 B Std. Pkg. 250 List .45	 59500 <u>Shvrlok</u> CN-S28 L Std. Pkg. 100 List .72	 100430 CN-S19 B Std. Pkg. 250 List .45	 100430 <u>Shvrlok</u> CN-S29 L Std. Pkg. 100 List .72
 Part CO 7c-B-100 1/8" Male Cap	 301 CO-S18 B Std. Pkg. 500 List .33	 301 <u>Shvrlok</u> CO-S28 L Std. Pkg. 100 List .60	 300 CO-S19 B Std. Pkg. 500 List .33	 300 <u>Shvrlok</u> CO-S29 L Std. Pkg. 100 List .60
Part CD 16c-B-100 3/8" Male Cap 	 59484 CD-S18 B Std. Pkg. 250 List .42	 59484 <u>Shvrlok</u> CD-S28 L Std. Pkg. 100 List .69	 306 CD-S19 B Std. Pkg. 250 List .42	 306 <u>Shvrlok</u> CD-S29 L Std. Pkg. 100 List .69
 Part CE 13c-B-100 1/8" Fixture Cap	 7546 CE-S18 B Std. Pkg. 250 List .39	 7546 <u>Shvrlok</u> CE-S28 L Std. Pkg. 100 List .66	 543 CE-S19 B Std. Pkg. 250 List .39	 543 <u>Shvrlok</u> CE-S29 L Std. Pkg. 100 List .66
Part CF 16c-B-100 1/4" Fixture Cap 	 7548 CF-S18 B Std. Pkg. 250 List .42	 7548 <u>Shvrlok</u> CF-S28 L Std. Pkg. 100 List .69	 546 CF-S19 B Std. Pkg. 250 List .42	 546 <u>Shvrlok</u> CF-S29 L Std. Pkg. 100 List .69

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Part S20
29c-B-500
660 Watt
Key Socket



Part S30
56c-L-100
660 Watt
Shvrlok
Key Socket



Part S21
23c-B-500
Keyless
Socket



Part S31
50c-L-100
Keyless
Shvrlok
Socket



Part S22
53c-B-250
Pull
Socket



Part S32
80c-L-100
Pull
Shvrlok
Socket



600
CA-S20
B
Std. Pkg.
500
List .36



600
Shvrlok
CA-S30
L
Std. Pkg.
100
List .63



59482
CA-S21
B
Std. Pkg.
500
List .30



59482
Shvrlok
CA-S31
L
Std. Pkg.
100
List .57



90
CA-S22
B
Std. Pkg.
250
List .60



90
Shvrlok
CA-S32
L
Std. Pkg.
100
List .87



606
CB-S20
B
Std. Pkg.
250
List .45



606
Shvrlok
CB-S30
L
Std. Pkg.
100
List .72



7510
CB-S21
B
Std. Pkg.
250
List .39



7510
Shvrlok
CB-S31
L
Std. Pkg.
100
List .66



120
CB-S22
B
Std. Pkg.
250
List .69



120
Shvrlok
CB-S32
L
Std. Pkg.
100
List .96



612
CC-S20
B
Std. Pkg.
250
List .42



612
Shvrlok
CC-S30
L
Std. Pkg.
100
List .69



59483
CC-S21
B
Std. Pkg.
250
List .36



59483
Shvrlok
CC-S31
L
Std. Pkg.
100
List .63



91
CC-S22
B
Std. Pkg.
250
List .66



91
Shvrlok
CC-S32
L
Std. Pkg.
100
List .93



654
CN-S20
B
Std. Pkg.
250
List .48



654
Shvrlok
CN-S30
L
Std. Pkg.
100
List .75



59501
CN-S21
B
Std. Pkg.
250
List .42



59501
Shvrlok
CN-S31
L
Std. Pkg.
100
List .69



93
CN-S22
B
Std. Pkg.
50
List .72



93
Shvrlok
CN-S32
L
Std. Pkg.
50
List .99



629
CO-S20
B
Std. Pkg.
500
List .36



629
Shvrlok
CO-S30
L
Std. Pkg.
100
List .63



302
CO-S21
B
Std. Pkg.
500
List .30



302
Shvrlok
CO-S31
L
Std. Pkg.
100
List .57



303
CO-S22
B
Std. Pkg.
250
List .60



303
Shvrlok
CO-S32
L
Std. Pkg.
100
List .87



616
CD-S20
B
Std. Pkg.
250
List .45



616
Shvrlok
CD-S30
L
Std. Pkg.
100
List .72



59485
CD-S21
B
Std. Pkg.
250
List .39



59485
Shvrlok
CD-S31
L
Std. Pkg.
100
List .66



310
CD-S22
B
Std. Pkg.
100
List .69



310
Shvrlok
CD-S32
L
Std. Pkg.
100
List .96



650
CE-S20
B
Std. Pkg.
250
List .42



650
Shvrlok
CE-S30
L
Std. Pkg.
100
List .69



7547
CE-S21
B
Std. Pkg.
250
List .36



7547
Shvrlok
CE-S31
L
Std. Pkg.
100
List .63



545
CE-S22
B
Std. Pkg.
100
List .66



545
Shvrlok
CE-S32
L
Std. Pkg.
100
List .93



651
CF-S20
B
Std. Pkg.
250
List .45



651
Shvrlok
CF-S30
L
Std. Pkg.
100
List .72



7549
CF-S21
B
Std. Pkg.
250
List .39



7549
Shvrlok
CF-S31
L
Std. Pkg.
100
List .66










































548
CF-S22
B
Std. Pkg.
100
List .69



















































548
Shvrlok
CF-S32
L
Std. Pkg.
100
List .96













































PARTS

FLUTO Parts (Patented) RATING: Key Devices on this page, 250 Watts, 250 Volts. Key Devices on next page, 660 Watts, 250 Volts. Keyless Devices, 660 Watts, 250 Volts. Pull Devices, 250 Watts, 250 Volts.	Part S18 26c-B-500 S. P. Key Socket 	Part S28 53c-L-100 S. P. <u>Shvrlok</u> Key Socket 	Part S19 26c-B-500 D. P. Key Socket 	Part S29 53c-L-100 D. P. <u>Shvrlok</u> Key Socket 
 Part CG 12c-B-100 1/8" Angle Cap	 7500 CG-S18 B Std. Pkg. 100 List .38	 7500 <u>Shvrlok</u> CG-S28 L Std. Pkg. 100 List .65	 474 CG-S19 B Std. Pkg. 100 List .38	 474 <u>Shvrlok</u> CG-S29 L Std. Pkg. 100 List .65
Part CH 21c-B-50 1/4" Angle Cap 	 7503 CH-S18 B Std. Pkg. 100 List .47	 7503 <u>Shvrlok</u> CH-S28 L Std. Pkg. 100 List .74	 572 CH-S19 B Std. Pkg. 100 List .47	 572 <u>Shvrlok</u> CH-S29 L Std. Pkg. 100 List .74
 Part CI 18c-B-50 3/8" Angle Cap	 7506 CI-S18 B Std. Pk. 100 List .44	 7506 <u>Shvrlok</u> CI-S28 L Std. Pkg. 100 List .71	 480 CI-S19 B Std. Pkg. 100 List .44	 480 <u>Shvrlok</u> CI-S29 L Std. Pkg. 100 List .71
Part CJ 18c-B-50 1/8" Angle Fixture Cap 	 7550 CJ-S18 B Std. Pkg. 100 List .44	 7550 <u>Shvrlok</u> CJ-S28 L Std. Pkg. 100 List .71	 549 CJ-S19 B Std. Pkg. 100 List .44	 549 <u>Shvrlok</u> CJ-S29 L Std. Pkg. 100 List .71
 Part CK 21c-B-50 1/4" Angle Fixture Cap	 7552 CK-S18 B Std. Pkg. 100 List .47	 7552 <u>Shvrlok</u> CK-S28 L Std. Pkg. 100 List .74	 550 CK-S19 B Std. Pkg. 100 List .47	 550 <u>Shvrlok</u> CK-S29 L Std. Pkg. 100 List .74
Part CL 7c-B-500 Pendent Cap 	 59486 CL-S18 B Std. Pkg. 500 List .33	 59486 <u>Shvrlok</u> CL-S28 L Std. Pkg. 100 List .60	 100425 CL-S19 B Std. Pkg. 500 List .33	 100425 <u>Shvrlok</u> CL-S29 L Std. Pkg. 100 List .50
 Part CM 7c-B-500 Strain Relief Cap	 59502 CM-S18 B Std. Pkg. 500 List .33	 59502 <u>Shvrlok</u> CM-S28 L Std. Pkg. 100 List .60	 100431 CM-S19 B Std. Pkg. 500 List .33	 100431 <u>Shvrlok</u> CM-S29 L Std. Pkg. 100 List .60




















































Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Part S20 29c-B-500 660 Watt Key Socket 	Part S30 56c-L-100 660 Watt <u>Shvrlok</u> Key Socket 	Part S21 23c-B-500 Keyless Socket 	Part S31 50c-L-100 Keyless <u>Shvrlok</u> Socket 	Part S22 53c-B-250 Pull Socket 	Part S32 80c-L-100 <u>Shvrlok</u> Pull Socket 
 624 CG-S20 B Std. Pkg. 100 List .41	 624 <u>Shvrlok</u> CG-S30 L Std. Pkg. 100 List .68	 7501 CG-S21 B Std. Pkg. 100 List .35	 7501 <u>Shvrlok</u> CG-S31 L Std. Pkg. 100 List .62	 476 CG-S22 B Std. Pkg. 50 List .65	 476 <u>Shvrlok</u> CG-S32 L Std. Pkg. 50 List .92
 628 CH-S20 B Std. Pkg. 100 List .50	 628 <u>Shvrlok</u> CH-S30 L Std. Pkg. 100 List .77	 7504 CH-S21 B Std. Pkg. 100 List .44	 7504 <u>Shvrlok</u> CH-S31 L Std. Pkg. 100 List .71	 507 CH-S22 B Std. Pkg. 50 List .74	 507 <u>Shvrlok</u> CH-S32 L Std. Pkg. 50 List 1.01
 626 CI-S20 B Std. Pkg. 100 List .47	 626 <u>Shvrlok</u> CI-S30 L Std. Pkg. 100 List .74	 7507 CI-S21 B Std. Pkg. 100 List .41	 7507 <u>Shvrlok</u> CI-S31 L Std. Pkg. 100 List .68	 482 CI-S22 B Std. Pkg. 50 List .71	 482 <u>Shvrlok</u> CI-S32 L Std. Pkg. 50 List .98
 652 CJ-S20 B Std. Pkg. 100 List .47	 652 <u>Shvrlok</u> CJ-S30 L Std. Pkg. 100 List .74	 7551 CJ-S21 B Std. Pkg. 100 List .41	 7551 <u>Shvrlok</u> CJ-S31 L Std. Pkg. 100 List .68	 553 CJ-S22 B Std. Pkg. 50 List .71	 553 <u>Shvrlok</u> CJ-S32 L Std. Pkg. 50 List .98
 653 CK-S20 B Std. Pkg. 100 List .50	 653 <u>Shvrlok</u> CK-S30 L Std. Pkg. 100 List .77	 7553 CK-S21 B Std. Pkg. 100 List .44	 7553 <u>Shvrlok</u> CK-S31 L Std. Pkg. 100 List .71	 554 CK-S22 B Std. Pkg. 50 List .74	 554 <u>Shvrlok</u> CK-S32 L Std. Pkg. 50 List 1.01
 614 CL-S20 B Std. Pkg. 500 List .36	 614 <u>Shvrlok</u> CL-S30 L Std. Pkg. 100 List .63	 59487 CL-S21 B Std. Pkg. 500 List .30	 59487 <u>Shvrlok</u> CL-S31 L Std. Pkg. 100 List .57	 92 CL-S22 B Std. Pkg. 250 List .60	 92 <u>Shvrlok</u> CL-S32 L Std. Pkg. 100 List .87
 655 CM-S20 B Std. Pkg. 500 List .36	 655 <u>Shvrlok</u> CM-S30 L Std. Pkg. 100 List .63	 59503 CM-S21 B Std. Pkg. 500 List .30	 59503 <u>Shvrlok</u> CM-S31 L Std. Pkg. 100 List .57	 94 CM-S22 B Std. Pkg. 250 List .60	 94 <u>Shvrlok</u> CM-S32 L Std. Pkg. 100 List .87








































Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

FLUTO Parts (Patented) RATING: Key Devices on this page, 250 Watts, 250 Volts. Key Devices on next page, 660 Watts, 250 Volts. Keyless Devices, 660 Watts, 250 Volts. Pull Devices, 250 Watts, 250 Volts.	Part S18 26c-B-500 S. P. Key Socket 	Part S28 53c-L-100 S. P. <u>Shvrlok</u> Key Socket 	Part S19 26c-B-500 D. P. Key Socket 	Part S29 53c-L-100 D. P. <u>Shvrlok</u> Key Socket 
 Part BO 27c-B-50 Attachment Plug Base	 1224 BO-S18 B Std. Pkg. 50 List .53	The data and cut are omitted, as the device is not practical.	 1225 BO-S19 B Std. Pkg. 50 List .53	The data and cut are omitted, as the device is not practical.
Part BA 23c-B-250 Cleat Base 	 7534 BA-S18 B Std. Pkg. 250 List .49	 7534 <u>Shvrlok</u> BA-S28 L Std. Pkg. 100 List .76	 7534 BA-S19 B Std. Pkg. 250 List .49	 7534 <u>Shvrlok</u> BA-S29 L Std. Pkg. 100 List .76
 Part BB 18c-B-250 Slotted Base	 132 BB-S18 B Std. Pkg. 250 List .44	 132 <u>Shvrlok</u> BB-S28 L Std. Pkg. 100 List .71	 132 BB-S19 B Std. Pkg. 250 List .44	 132 <u>Shvrlok</u> BB-S29 L Std. Pkg. 100 List .71
Part BC 18c-B-250 Small Concealed Base 	 61387 BC-S18 B Std. Pkg. 250 List .44	 61387 <u>Shvrlok</u> BC-S28 L Std. Pkg. 100 List .71	 61387 BC-S19 B Std. Pkg. 250 List .44	 61387 <u>Shvrlok</u> BC-S29 L Std. Pkg. 100 List .71
 Part BD 23c-B-100 Large Concealed Base	 60430 BD-S18 B Std. Pkg. 250 List .49	 60430 <u>Shvrlok</u> BD-S28 L Std. Pkg. 100 List .76	 60430 BD-S19 B Std. Pkg. 250 List .49	 60430 <u>Shvrlok</u> BD-S29 L Std. Pkg. 100 List .76
Part BE 23c-B-100 Angle Concealed Base 	 61455 BE-S18 B Std. Pkg. 100 List .49	 61455 <u>Shvrlok</u> BE-S28 L Std. Pkg. 100 List .76	 61455 BE-S19 B Std. Pkg. 100 List .49	 61455 <u>Shvrlok</u> BE-S29 L Std. Pkg. 100 List .76
 Part BF 18c-B-100 Wood Moulding Base	 7532 BF-S18 B Std. Pkg. 250 List .44	 7532 <u>Shvrlok</u> BF-S28 L Std. Pkg. 100 List .71	 7532 BF-S19 B Std. Pkg. 250 List .44	 7532 <u>Shvrlok</u> BF-S29 L Std. Pkg. 100 List .71
Part BG 23c-B-100 Condulet Base 	 7530 BG-S18 B Std. Pkg. 250 List .49	 7530 <u>Shvrlok</u> BG-S28 L Std. Pkg. 100 List .76	 7530 BG-S19 B Std. Pkg. 250 List .49	 7530 <u>Shvrlok</u> BG-S29 L Std. Pkg. 100 List .76

Note: Double Pole and Single Pole devices are given the same Trade Numbers. If you desire a particular type, use the Part Numbers. Standard length of Keys is $\frac{1}{8}$ -inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

<p>Part S20 29c-B-500 660 Watt Key Socket</p> 	<p>Part S30 56c-L-100 660 Watt <u>Shvrlok</u> Key Socket</p> 	<p>Part S21 23c-B-500 Keyless Socket</p> 	<p>Part S31 50c-L-100 Keyless <u>Shvrlok</u> Socket</p> 	<p>Part S22 53c-B-250 Pull Socket</p> 	<p>Part S32 80c-L-100 Pull <u>Shvrlok</u> Socket</p> 
 <p>1226 BO-S20 B Std. Pkg. 50 List .56</p>	<p>The data and cut are omitted, as the device is not practical.</p>	 <p>1227 BO-S21 B Std. Pkg. 50 List .50</p>	<p>The data and cut are omitted, as the device is not practical.</p>	 <p>1228 BO-S22 B Std. Pkg. 50 List .80</p>	<p>The data and cut are omitted, as the device is not practical.</p>
 <p>613 BA-S20 B Std. Pkg. 250 List .52</p>	 <p>613 <u>Shvrlok</u> BA-S30 L Std. Pkg. 100 List .79</p>	 <p>7535 BA-S21 B Std. Pkg. 250 List .46</p>	 <p>7535 <u>Shvrlok</u> BA-S31 L Std. Pkg. 100 List .73</p>	 <p>4535 BA-S22 B Std. Pkg. 100 List .76</p>	 <p>4535 <u>Shvrlok</u> BA-S32 L Std. Pkg. 100 List 1.03</p>
 <p>618 BB-S20 B Std. Pkg. 250 List .47</p>	 <p>618 <u>Shvrlok</u> BB-S30 L Std. Pkg. 100 List .74</p>	 <p>146 BB-S21 B Std. Pkg. 250 List .41</p>	 <p>146 <u>Shvrlok</u> BB-S31 L Std. Pkg. 100 List .68</p>	 <p>129 BB-S22 B Std. Pkg. 100 List .71</p>	 <p>129 <u>Shvrlok</u> BB-S32 L Std. Pkg. 100 List .98</p>
 <p>617 BC-S20 B Std. Pkg. 250 List .47</p>	 <p>617 <u>Shvrlok</u> BC-S30 L Std. Pkg. 100 List .74</p>	 <p>60387 BC-S21 B Std. Pkg. 250 List .41</p>	 <p>60387 <u>Shvrlok</u> BC-S31 L Std. Pkg. 100 List .68</p>	 <p>98 BC-S22 B Std. Pkg. 100 List .71</p>	 <p>98 <u>Shvrlok</u> BC-S32 L Std. Pkg. 100 List .98</p>
 <p>619 BD-S20 B Std. Pkg. 250 List .52</p>	 <p>619 <u>Shvrlok</u> BD-S30 L Std. Pkg. 100 List .79</p>	 <p>60431 BD-S21 B Std. Pkg. 250 List .46</p>	 <p>60431 <u>Shvrlok</u> BD-S31 L Std. Pkg. 100 List .73</p>	 <p>156 BD-S22 B Std. Pkg. 100 List .76</p>	 <p>156 <u>Shvrlok</u> BD-S32 L Std. Pkg. 100 List 1.03</p>
 <p>615 BE-S20 B Std. Pkg. 100 List .52</p>	 <p>615 <u>Shvrlok</u> BE-S30 L Std. Pkg. 100 List .79</p>	 <p>61456 BE-S21 B Std. Pkg. 100 List .46</p>	 <p>61456 <u>Shvrlok</u> BE-S31 L Std. Pkg. 100 List .73</p>	 <p>99 BE-S22 B Std. Pkg. 50 List .76</p>	 <p>99 <u>Shvrlok</u> BE-S32 L Std. Pkg. 50 List 1.03</p>
 <p>611 BF-S20 B Std. Pkg. 250 List .47</p>	 <p>611 <u>Shvrlok</u> BF-S30 L Std. Pkg. 100 List .74</p>	 <p>7533 BF-S21 B Std. Pkg. 250 List .41</p>	 <p>7533 <u>Shvrlok</u> BF-S31 L Std. Pkg. 100 List .68</p>	 <p>460 BF-S22 B Std. Pkg. 100 List .71</p>	 <p>460 <u>Shvrlok</u> BF-S32 L Std. Pkg. 100 List .98</p>
 <p>601 BG-S20 B Std. Pkg. 250 List .52</p>	 <p>601 <u>Shvrlok</u> BG-S30 L Std. Pkg. 100 List .79</p>	 <p>7531 BG-S21 B Std. Pkg. 250 List .46</p>	 <p>7531 <u>Shvrlok</u> BG-S31 L Std. Pkg. 100 List .73</p>	 <p>4531 BG-S22 B Std. Pkg. 100 List .76</p>	 <p>4531 <u>Shvrlok</u> BG-S32 L Std. Pkg. 100 List 1.03</p>












































Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

FLUTO Parts (Patented) RATING: Key Devices on this page, 250 Watts, 250 Volts. Key Devices on next page, 660 Watts, 250 Volts. Keyless Devices, 660 Watts, 250 Volts. Pull Devices, 250 Watts, 250 Volts.	Part S18 26c-B-500 S. P. Key Socket 	Part S28 53c-L-100 S. P. <u>Ghvrlok</u> Key Socket 	Part S19 26c-B-500 D. P. Key Socket 	Part S29 53c-L-100 D. P. <u>Ghvrlok</u> Key Socket 
 Part BJ 28c-B-250 Small Covered Base	 68136 BJ-S18 B Std. Pkg. 250 List .54	 68136 <u>Ghvrlok</u> BJ-S28 L Std. Pkg. 100 List .81	 68136 BJ-S19 B Std. Pkg. 250 List .54	 68136 <u>Ghvrlok</u> BJ-S29 L Std. Pkg. 100 List .81
Part BK 37c-B-100 Medium Covered Base 	 62350 BK-S18 B Std. Pkg. 100 List .63	 62350 <u>Ghvrlok</u> BK-S28 L Std. Pkg. 100 List .90	 62350 BK-S19 B Std. Pkg. 100 List .63	 62350 <u>Ghvrlok</u> BK-S29 L Std. Pkg. 100 List .90
 Part BL 37c-B-100 3 1/4" Box Base	 7 BL-S18 B Std. Pkg. 100 List .63	 7 <u>Ghvrlok</u> BL-S28 L Std. Pkg. 100 List .90	 7 BL-S19 B Std. Pkg. 100 List .63	 7 <u>Ghvrlok</u> BL-S29 L Std. Pkg. 100 List .90
Part BM 67c-B-100 Large Covered Base 	 421 BM-S18 B Std. Pkg. 100 List .93	 421 <u>Ghvrlok</u> BM-S28 L Std. Pkg. 100 List 1.20	 421 BM-S19 B Std. Pkg. 100 List .93	 421 <u>Ghvrlok</u> BM-S29 L Std. Pkg. 100 List 1.20
 Part BN 67c-B-100 4" Box Base	 42 BN-S18 B Std. Pkg. 100 List .93	 42 <u>Ghvrlok</u> BN-S28 L Std. Pkg. 100 List 1.20	 42 BN-S19 B Std. Pkg. 100 List .93	 42 <u>Ghvrlok</u> BN-S29 L Std. Pkg. 100 List 1.20
Part BP 36c-B-100 Concealed Term. Base 	 7556 BP-S18 B Std. Pkg. 250 List .62	 7556 <u>Ghvrlok</u> BP-S28 L Std. Pkg. 100 List .89	 7556 BP-S19 B Std. Pkg. 250 List .62	 7556 <u>Ghvrlok</u> BP-S29 L Std. Pkg. 100 List .89
 Part BQ 57c-B-100 4" Porcelain Base	 7558 BQ-S18 B Std. Pkg. 100 List .83	 7558 <u>Ghvrlok</u> BQ-S28 L Std. Pkg. 100 List 1.10	 7558 BQ-S19 B Std. Pkg. 100 List .83	 7558 <u>Ghvrlok</u> BQ-S29 L Std. Pkg. 100 List 1.10








































Note: Double Pole and Single Pole devices are given the same Trade Numbers. If you desire a particular type, use the Part Numbers. Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Part S20 29c-B-500 660 Watt Key Socket 	Part S30 56c-L-100 660 Watt <u>Shvrlok</u> Key Socket 	Part S21 23cB-500 Keyless Socket 	Part S31 50c-L-100 Keyless <u>Shvrlok</u> Socket 	Part S22 53c-B-250 Pull Socket 	Part S32 80c-L-100 Pull <u>Shvrlok</u> Socket 
 627 BJ-S20 B Std. Pkg. 250 List .57	 627 <u>Shvrlok</u> BJ-S30 L Std. Pkg. 100 List .84	 68137 BJ-S21 B Std. Pkg. 250 List .51	 68137 <u>Shvrlok</u> BJ-S31 L Std. Pkg. 100 List .78	 68138 BJ-S22 B Std. Pkg. 100 List .81	 68138 <u>Shvrlok</u> BJ-S32 L Std. Pkg. 100 List 1.08
 620 BK-S20 B Std. Pkg. 100 List .66	 620 <u>Shvrlok</u> BK-S30 L Std. Pkg. 100 List .93	 62351 BK-S21 B Std. Pkg. 100 List .60	 62351 <u>Shvrlok</u> BK-S31 L Std. Pkg. 100 List .87	 97 BK-S22 B Std. Pkg. 50 List .90	 97 <u>Shvrlok</u> BK-S32 L Std. Pkg. 50 List 1.17
 621 BL-S20 B Std. Pkg. 100 List .66	 621 <u>Shvrlok</u> BL-S30 L Std. Pkg. 100 List .93	 1 BL-S21 B Std. Pkg. 100 List .60	 1 <u>Shvrlok</u> BL-S31 L Std. Pkg. 100 List .87	 128 BL-S22 B Std. Pkg. 50 List .90	 128 <u>Shvrlok</u> BL-S32 L Std. Pkg. 50 List 1.17
 622 BM-S20 B Std. Pkg. 100 List .96	 622 <u>Shvrlok</u> BM-S30 L Std. Pkg. 100 List 1.23	 414 BM-S21 B Std. Pkg. 100 List .90	 414 <u>Shvrlok</u> BM-S31 L Std. Pkg. 100 List 1.17	 413 BM-S22 B Std. Pkg. 50 List 1.20	 413 <u>Shvrlok</u> BM-S32 L Std. Pkg. 50 List 1.47
 623 BN-S20 B Std. Pkg. 100 List .96	 623 <u>Shvrlok</u> BN-S30 L Std. Pkg. 100 List 1.23	 44 BN-S21 B Std. Pkg. 100 List .90	 44 <u>Shvrlok</u> BN-S31 L Std. Pkg. 100 List 1.17	 149 BN-S22 B Std. Pkg. 50 List 1.20	 149 <u>Shvrlok</u> BN-S32 L Std. Pkg. 50 List 1.47
 656 BP-S20 B Std. Pkg. 250 List .65	 656 <u>Shvrlok</u> BP-S30 L Std. Pkg. 100 List .92	 7557 BP-S21 B Std. Pkg. 250 List .59	 7557 <u>Shvrlok</u> BP-S31 L Std. Pkg. 100 List .86	 95 BP-S22 B Std. Pkg. 100 List .89	 95 <u>Shvrlok</u> BP-S32 L Std. Pkg. 100 List 1.16
 657 BQ-S20 B Std. Pkg. 100 List .86	 657 <u>Shvrlok</u> BQ-S30 L Std. Pkg. 100 List 1.13	 7559 BQ-S21 B Std. Pkg. 100 List .80	 7559 <u>Shvrlok</u> BQ-S31 L Std. Pkg. 100 List 1.07	 96 BQ-S22 B Std. Pkg. 50 List 1.10	 96 <u>Shvrlok</u> BQ-S32 L Std. Pkg. 50 List 1.37

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

FLUTo Parts (Patented)		Part S23 53c-XA-100 Ceiling Pull Switch 	Part S37 68c-XA-50 FLUTo Fixture Switch 	Part S24 53c-XA-100 Pull Switch Rosette 	Part S17 53c-XA-50 Pull Wall Switch 
 Part CA 7c-B-500 1/8" Cap		3003 CA-S23 XA Std. Pkg. 100 List .60		725 CA-S24 XA Std. Pkg. 20 List .60	
Part CB 16c-B-100 1/4" Cap 		3004 CB-S23 XA Std. Pkg. 20 List .69			
 Part CC 13c-B-250 3/8" Cap		3005 CC-S23 XA Std. Pkg. 20 List .66			
Part CN 19c-B-50 1/2" Cap 		3020 CN-S23 XA Std. Pkg. 20 List .72			
 Part CO 7c-B-100 1/8" Male Cap		3047 CO-S23 XA Std. Pkg. 20 List .60			
Part CD 16c-R-100 3/8" Male Cap 		3007 CD-S23 XA Std. Pkg. 20 List .69			
 Part CE 13c-B-100 1/8" Fixture Cap		3021 CE-S23 XA Std. Pkg. 20 List .66			
Part CF 16c-B-100 1/4" Fixture Cap 		3022 CF-S23 XA Std. Pkg. 20 List .69			











































Part S25: The data and cuts are omitted, as the devices are not practical.
 The Pull Devices on this page, 250 Watts, 250 Volts. Standard finish is Brush Brass.
 The Pull Devices on this page are supplied with Short Chain (2 1/2" below Bell Mouth or Chain opening), Splicing Link, and
 6 foot Linen Cord with Ball. See P & S 575.

FLUTO Parts (Patented)				
	Part S23 53c-XA-100 Ceiling Pull Switch	Part S37 68c-XA-50 FLUTO Fixture Switch	Part S24 53c-XA-100 Pull Switch Rosette	Part S17 53c-XA-50 Pull Wall Switch
				
 Part CG 12c-B-100 1/8" Angle Cap	 3023 CG-S23 XA Std. Pkg. 20 List .65	 3036 CG-S37 XA Std. Pkg. 20 List .80	 733 CG-S24 XA Std. Pkg. 20 List .65	 759 CG-S17 XA Std. Pkg. 20 List .65
 Part CH 21c-B-50 1/4" Angle Cap	 3024 CH-S23 XA Std. Pkg. 20 List .74	 3037 CH-S37 XA Std. Pkg. 20 List .89	 734 CH-S24 XA Std. Pkg. 20 List .74	 760 CH-S17 XA Std. Pkg. 20 List .74
 Part CI 18c-B-50 3/8" Angle Cap	 3025 CI-S23 XA Std. Pkg. 20 List .71	 3042 CI-S37 XA Std. Pkg. 20 List .86	 735 CI-S24 XA Std. Pkg. 20 List .71	 761 CI-S17 XA Std. Pkg. 20 List .71
 Part CJ 18c-B-50 1/8" Angle Fixture Cap	 3026 CJ-S23 XA Std. Pkg. 20 List .71	 3038 CJ-S37 XA Std. Pkg. 20 List .86	 736 CJ-S24 XA Std. Pkg. 20 List .71	 762 CJ-S17 XA Std. Pkg. 20 List .71
 Part CK 21c-B-50 1/4" Angle Fixture Cap	 3027 CK-S23 XA Std. Pkg. 20 List .74	 3039 CK-S37 XA Std. Pkg. 20 List .89	 737 CK-S24 XA Std. Pkg. 20 List .74	 763 CK-S17 XA Std. Pkg. 20 List .74
 Part CL 7c-B-500 Pendent Cap	 3006 CL-S23 XA Std. Pkg. 20 List .60	 3040 CL-S37 XA Std. Pkg. 20 List .75	 728 CL-S24 XA Std. Pkg. 20 List .60	 764 CL-S17 XA Std. Pkg. 20 List .60
 Part CM 7c-B-500 Strain Relief Cap	 3028 CM-S23 XA Std. Pkg. 20 List .60	 3041 CM-S37 XA Std. Pkg. 20 List .75	 738 CM-S24 XA Std. Pkg. 20 List .60	 765 CM-S17 XA Std. Pkg. 20 List .60







































Part S25: The data and cuts are omitted, as the devices are not practical.

The Pull Devices on this page, 250 Watts, 250 Volts. Standard finish is Brush Brass.

The Pull Devices on this page are supplied with Short Chain (2 1/2" below Bell Mouth or Chain opening), Splicing Link, and 6 foot Linen Cord with Ball. See P & S 575.

<div>FLUTO Parts</div> <div>(Patented)</div>	<div>Part S23</div> <div>53c-XA-100</div> <div>Ceiling</div> <div>Pull</div> <div>Switch</div> <div></div>	<div>Part S24</div> <div>53c-XA-100</div> <div>Pull</div> <div>Switch</div> <div>Rosette</div> <div></div>	<div>Part S17</div> <div>53c-XA-50</div> <div>Pull</div> <div>Wall</div> <div>Switch</div> <div></div>	<div>Part S25</div> <div>13c-XA-20</div> <div>FLUTO</div> <div>Rosette</div> <div></div>	
<div></div> <div>Part BO 27c-B-50</div> <div>Attachment Plug Base</div>	The data and cut are omitted, as the device is not practical.		The data and cut are omitted, as the device is not practical.		<div></div> <div>1232</div> <div>BO-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .40</div>
<div></div> <div>Part BA 23c-B-250</div> <div>Cleat Base</div> <div></div>	<div></div> <div>3013</div> <div>BA-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>705</div> <div>BA-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>766</div> <div>BA-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>718</div> <div>BA-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .36</div>	
<div></div> <div>Part BB 18c-B-250</div> <div>Slotted Base</div>	<div></div> <div>3009</div> <div>BB-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>707</div> <div>BB-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>767</div> <div>BB-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>714</div> <div>BB-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .31</div>	
<div></div> <div>Part BC 18c-B-250</div> <div>Small Concealed Base</div>	<div></div> <div>3008</div> <div>BC-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>706</div> <div>BC-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>768</div> <div>BC-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>713</div> <div>BC-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .31</div>	
<div></div> <div>Part BD 23c-B-100</div> <div>Large Concealed Base</div>	<div></div> <div>3014</div> <div>BD-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>708</div> <div>BD-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>769</div> <div>BD-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>720</div> <div>BD-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .36</div>	
<div></div> <div>Part BE 23c-B-100</div> <div>Angle Concealed Base</div>	<div></div> <div>3029</div> <div>BE-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>739</div> <div>BE-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>770</div> <div>BE-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>744</div> <div>BE-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .36</div>	
<div></div> <div>Part BF 18c-B-100</div> <div>Wood Moulding Base</div>	<div></div> <div>3012</div> <div>BF-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>704</div> <div>BF-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>771</div> <div>BF-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .71</div>	<div></div> <div>717</div> <div>BF-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .31</div>	
<div></div> <div>Part BG 23c-B-100</div> <div>Condulet Base</div>	<div></div> <div>3043</div> <div>BG-S23</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>740</div> <div>BG-S24</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>772</div> <div>BG-S17</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .76</div>	<div></div> <div>745</div> <div>BG-S25</div> <div>XA</div> <div>Std. Pkg.</div> <div>20</div> <div>List .36</div>	

Part S37: The data and cuts are omitted, as the devices are not practical.
 The Pull Devices on this page, 250 Watts, 250 Volts. Standard finish is Brush Brass.
 6 foot Linen Cord with Ball. See P & S 575.




























































FLUTO Parts (Patented)	Part S23 53c-XA-100 Ceiling Pull Switch 	Part S24 53c-XA-100 Pull Switch Rosette 	Part S17 53c-XA-50 Pull Wall Switch 	Part S25 13c-XA-20 FLUTO Rosette 
 Part BJ 28c-B-250 Small Covered Base	 3015 BJ-S23 XA Std. Pkg. 20 List .81	 712 BJ-S24 XA Std. Pkg. 20 List .81	 773 BJ-S17 XA Std. Pkg. 20 List .81	 719 BJ-S25 XA Std. Pkg. 20 List .41
Part BK 37c-B-100 Medium Covered Base 	 3016 BK-S23 XA Std. Pkg. 20 List .90	 709 BK-S24 XA Std. Pkg. 20 List .90	 774 BK-S17 XA Std. Pkg. 20 List .90	 721 BK-S25 XA Std. Pkg. 20 List .50
 Part BL 37c-B-100 3 1/4" Box Base	 3018 BL-S23 XA Std. Pkg. 20 List .90	 700 BL-S24 XA Std. Pkg. 20 List .90	 775 BL-S17 XA Std. Pkg. 20 List .90	 723 BL-S25 XA Std. Pkg. 20 List .50
Part BM 67c-B-100 Large Covered Base 	 3017 BM-S23 XA Std. Pkg. 20 List 1.20	 710 BM-S24 XA Std. Pkg. 20 List 1.20	 776 BM-S17 XA Std. Pkg. 20 List 1.20	 722 BM-S25 XA Std. Pkg. 20 List .80
 Part BN 67c-B-100 4" Box Base	 3019 BN-S23 XA Std. Pkg. 20 List 1.20	 711 BN-S24 XA Std. Pkg. 20 List 1.20	 777 BN-S17 XA Std. Pkg. 20 List 1.20	 724 BN-S25 XA Std. Pkg. 20 List .80
Part BP 36c-B-100 Concealed Term. Base 	 3044 BP-S23 XA Std. Pkg. 20 List .89	 742 BP-S24 XA Std. Pkg. 20 List .89	 780 BP-S17 XA Std. Pkg. 20 List .89	 746 BP-S25 XA Std. Pkg. 20 List .49
 Part BQ 57c-B-100 4" Porcelain Base	 3045 BQ-S23 XA Std. Pkg. 20 List 1.10	 743 BQ-S24 XA Std. Pkg. 20 List 1.10	 781 BQ-S17 XA Std. Pkg. 20 List 1.10	 747 BQ-S25 XA Std. Pkg. 20 List .70

Part S37: The data and cuts are omitted, as the devices are not practical.




























































The Pull Devices on this page, 250 Watts, 250 Volts. Standard finish is Brush Brass.

The Pull Devices on this page are supplied with Short Chain (2 1/2" below Bell Mouth or Chain opening), Splicing Link, and 6 foot Linen Cord with Ball. See P & S 575.

FLUTOLIER PARTS

<p>RATING: Key Devices, 250 Watts, 250 Volts. Push Button Devices, 660 Watts, 250 Volts. Keyless Devices, 660 Watts, 250 Volts. Pull Devices, 250 Watts, 250 Volts.</p>	<p>Part S33 26c-B-500 S. P. Key Socket</p> 	<p>Part S43 53c-L-100 <u>Shvrlok</u> S. P. Key Socket</p> 	<p>Part S34 35c-B-500 Push Button 660 W. Socket 250 V. Car. 25</p> 	<p>Part S44 62c-L-100 <u>Shvrlok</u> Push Button 660 W. Socket 250 V. Car. 25</p> 
 <p>Part FA 7c-B-500 1/8" Cap</p>	 <p>7000 FA-S33 B Std. Pkg. 500 List .33</p>	 <p>7000 <u>Shvrlok</u> FA-S43 L Std. Pkg. 100 List .60</p>	 <p>7035 FA-S34 B Std. Pkg. 500 List .42</p>	 <p>7035 <u>Shvrlok</u> FA-S44 L Std. Pkg. 100 List .69</p>
<p>Part FB 16c-B-100 1/4" Cap</p> 	 <p>7010 FB-S33 B Std. Pkg. 250 List .42</p>	 <p>7010 <u>Shvrlok</u> FB-S43 L Std. Pkg. 100 List .69</p>	 <p>7036 FB-S34 B Std. Pkg. 250 List .51</p>	 <p>7036 <u>Shvrlok</u> FB-S44 L Std. Pkg. 100 List .78</p>
 <p>Part FC 13c-B-250 3/8" Cap</p>	 <p>7004 FC-S33 B Std. Pkg. 250 List .39</p>	 <p>7004 <u>Shvrlok</u> FC-S43 L Std. Pkg. 100 List .66</p>	 <p>7037 FC-S34 B Std. Pkg. 250 List .48</p>	 <p>7037 <u>Shvrlok</u> FC-S44 L Std. Pkg. 100 List .75</p>
<p>Part FD 13c-B-50 1/8" Fixture Cap</p> 	 <p>7014 FD-S33 B Std. Pkg. 250 List .39</p>	 <p>7014 <u>Shvrlok</u> FD-S43 L Std. Pkg. 100 List .66</p>	 <p>7038 FD-S34 B Std. Pkg. 250 List .48</p>	 <p>7038 <u>Shvrlok</u> FD-S44 L Std. Pkg. 100 List .75</p>
 <p>Part FE 16c-B-50 1/4" Fixture Cap</p>	 <p>7017 FE-S33 B Std. Pkg. 250 List .42</p>	 <p>7017 <u>Shvrlok</u> FE-S43 L Std. Pkg. 100 List .69</p>	 <p>7039 FE-S34 B Std. Pkg. 250 List .51</p>	 <p>7039 <u>Shvrlok</u> FE-S44 L Std. Pkg. 100 List .78</p>
<p>Part FF 12c-B-100 1/8" Angle Cap</p> 	 <p>7002 FF-S33 B Std. Pkg. 100 List .38</p>	 <p>7002 <u>Shvrlok</u> FF-S43 L Std. Pkg. 100 List .65</p>	 <p>7040 FF-S34 B Std. Pkg. 100 List .47</p>	 <p>7040 <u>Shvrlok</u> FF-S44 L Std. Pkg. 100 List .74</p>
 <p>Part FG 21c-B-50 1/4" Angle Cap</p>	 <p>7021 FG-S33 B Std. Pkg. 100 List .47</p>	 <p>7021 <u>Shvrlok</u> FG-S43 L Std. Pkg. 100 List .74</p>	 <p>7041 FG-S34 B Std. Pkg. 100 List .56</p>	 <p>7041 <u>Shvrlok</u> FG-S44 L Std. Pkg. 100 List .83</p>
<p>Part FH 18c-B-50 3/8" Angle Cap</p> 	 <p>7024 FH-S33 B Std. Pkg. 100 List .44</p>	 <p>7024 <u>Shvrlok</u> FH-S43 L Std. Pkg. 100 List .71</p>	 <p>7042 FH-S34 B Std. Pkg. 100 List .53</p>	 <p>7042 <u>Shvrlok</u> FH-S44 L Std. Pkg. 100 List .80</p>
 <p>Part FI 18c-B-50 1/8" Angle Fixture Cap</p>	 <p>7027 FI-S33 B Std. Pkg. 100 List .44</p>	 <p>7027 <u>Shvrlok</u> FI-S43 L Std. Pkg. 100 List .71</p>	 <p>7043 FI-S34 B Std. Pkg. 100 List .53</p>	 <p>7043 <u>Shvrlok</u> FI-S44 L Std. Pkg. 100 List .80</p>
<p>Part FJ 21c-B-50 1/4" Angle Fixture Cap</p> 	 <p>7030 FJ-S33 B Std. Pkg. 100 List .47</p>	 <p>7030 <u>Shvrlok</u> FJ-S43 L Std. Pkg. 100 List .74</p>	 <p>7044 FJ-S34 B Std. Pkg. 100 List .56</p>	 <p>7044 <u>Shvrlok</u> FJ-S44 L Std. Pkg. 100 List .83</p>
 <p>Part FK 7c-B-500 Pendent Cap</p>	 <p>7033 FK-S33 B Std. Pkg. 500 List .33</p>	 <p>7033 <u>Shvrlok</u> FK-S43 L Std. Pkg. 100 List .60</p>	 <p>7045 FK-S34 B Std. Pkg. 500 List .42</p>	 <p>7045 <u>Shvrlok</u> FK-S44 L Std. Pkg. 100 List .69</p>

Standard length of Key is 7/8 inches. Standard finish is Brush Brass.

Flutolier Parts (Patented) RATING: Key Devices, 250 Watts, 250 Volts. Push Button Devices, 660 Watts, 250 Volts. Keyless Devices, 660 Watts, 250 Volts. Pull Devices, 250 Watts, 250 Volts.	Part S35 23c-B-500 Short Keyless Socket 	Part S45 50c-L-100 Shvrlok Keyless Socket 	Part S36 53c-B-250 Pull Socket 	Part S46 80c-L-100 Shvrlok Pull Socket 
 Part FA 7c-B-500 1/8" Cap	 7001 FA-S35 B Std. Pkg. 500 List .30	 7001 Shvrlok FA-S45 L Std. Pkg. 100 List .57	 7006 FA-S36 B Std. Pkg. 250 List .60	 7006 Shvrlok FA-S46 L Std. Pkg. 100 List .87
Part FB 16c-B-100 1/4" Cap 	 7100 FB-S35 B Std. Pkg. 250 List .39	 7100 Shvrlok FB-S45 L Std. Pkg. 100 List .66	 7012 FB-S36 B Std. Pkg. 100 List .69	 7012 Shvrlok FB-S46 L Std. Pkg. 100 List .96
 Part FC 13c-B-250 3/8" Cap	 7005 FC-S35 B Std. Pkg. 250 List .36	 7005 Shvrlok FC-S45 L Std. Pkg. 100 List .63	 7007 FC-S36 B Std. Pkg. 100 List .66	 7007 Shvrlok FC-S46 L Std. Pkg. 100 List .93
Part FD 13c-B-50 1/8" Fixture Cap 	 7101 FD-S35 B Std. Pkg. 250 List .36	 7101 Shvrlok FD-S45 L Std. Pkg. 100 List .63	 7016 FD-S36 B Std. Pkg. 100 List .66	 7016 Shvrlok FD-S46 L Std. Pkg. 100 List .93
 Part FE 16c-B-50 1/4" Fixture Cap	 7102 FE-S35 B Std. Pkg. 250 List .39	 7102 Shvrlok FE-S45 L Std. Pkg. 100 List .66	 7019 FE-S36 B Std. Pkg. 100 List .69	 7019 Shvrlok FE-S46 L Std. Pkg. 100 List .96
Part FF 12c-B-100 1/8" Angle Cap 	 7003 FF-S35 B Std. Pkg. 100 List .35	 7003 Shvrlok FF-S45 L Std. Pkg. 100 List .62	 7008 FF-S36 B Std. Pkg. 50 List .65	 7008 Shvrlok FF-S46 L Std. Pkg. 50 List .92
 Part FG 21c-B-50 1/4" Angle Cap	 7104 FG-S35 B Std. Pkg. 100 List .44	 7104 Shvrlok FG-S45 L Std. Pkg. 100 List .71	 7023 FG-S36 B Std. Pkg. 50 List .74	 7023 Shvrlok FG-S46 L Std. Pkg. 50 List 1.01
Part FH 18c-B-50 3/8" Angle Cap 	 7105 FH-S35 B Std. Pkg. 100 List .41	 7105 Shvrlok FH-S45 L Std. Pkg. 100 List .68	 7026 FH-S36 B Std. Pkg. 50 List .71	 7026 Shvrlok FH-S46 L Std. Pkg. 50 List .98
 Part FI 18c-B-50 1/8" Angle Fixture Cap	 7106 FI-S35 B Std. Pkg. 100 List .41	 7106 Shvrlok FI-S45 L Std. Pkg. 100 List .68	 7029 FI-S36 B Std. Pkg. 50 List .71	 7029 Shvrlok FI-S46 L Std. Pkg. 50 List .98
Part FJ 21c-B-50 1/4" Angle Fixture Cap 	 7107 FJ-S35 B Std. Pkg. 100 List .44	 7107 Shvrlok FJ-S45 L Std. Pkg. 100 List .71	 7032 FJ-S36 B Std. Pkg. 50 List .74	 7032 Shvrlok FJ-S46 L Std. Pkg. 50 List 1.01
 Part FK 7c-B-500 Pendent Cap	 7108 FK-S35 B Std. Pkg. 500 List .30	 7108 Shvrlok FK-S45 L Std. Pkg. 100 List .57	 7034 FK-S36 B Std. Pkg. 250 List .60	 7034 Shvrlok FK-S46 L Std. Pkg. 100 List .87

Standard length of Chain is 8 inches. Standard finish is Brush Brass.

PORCELAIN PARTS

P&S Porcelain Interchangeable Parts
RATING:
 Key Devices, 250 Watts, 250 Volts.
 Push Button Devices, 660 Watts, 250 Volts.
 Keyless Devices, 660 Watts, 250 Volts.
 Pull Devices, 250 Watts, 250 Volts.
 Pull Devices in last two columns, 660 Watts, 250 Volts.

Part PA
 10c-B-250
 Pendent Cap
 Carton 10
 Reinforced Cord

Part PB
 10c-B-250
 Pendent Cap
 Carton 10
 Twisted Lamp Cord

Part PC
 20c-B-100
 1/8" Brass Cap
 Carton 10

Part PD
 30c-B-100
 1/4" Brass Cap
 Carton 10

Part PE
 24c-B-100
 3/8" Brass Cap
 Carton 10

Part PF
 40c-B-100
 3/8" Aluminum Cap
 Carton 10

Part PG
 42c-B-100
 1/2" Aluminum Cap
 Carton 10

Part PO
 50c-B-100
 3/8" Brass Angle Cap
 Carton 10

Part PQ
 65c-B-100
 3/8" Aluminum Angle Cap
 Carton 10

Part S26
 26c-B-250
 Key Socket-Body
 Carton 10



Part S38
 53c-L-100
 Shvrllok
 Key Socket-Body
 Carton 10




Part S48
 29c-B-100
 Push Button Body
 Carton 10
 Rating 660 W.-250 V.




Part S58
 56c-L-100
 Shvrllok
 Push Button Body
 Carton 10
 Rating 660 W.-250 V.



61317
 PA-S26
 B
 Std. Pkg.
 250
 List .36
 Carton 10



800
 Shvrllok
 PA-S38
 L
 Std. Pkg.
 100
 List .63
 Carton 10




1249
 PA-S48
 B
 Std. Pkg.
 250
 List .37
 Carton 10




880
 Shvrllok
 PA-S58
 L
 Std. Pkg.
 100
 List .66
 Carton 10




61217
 PB-S26
 B
 Std. Pkg.
 250
 List .36
 Carton 10




802
 Shvrllok
 PB-S38
 L
 Std. Pkg.
 100
 List .63
 Carton 10




1250
 PB-S48
 B
 Std. Pkg.
 250
 List .37
 Carton 10



881
 Shvrllok
 PB-S58
 L
 Std. Pkg.
 100
 List .66
 Carton 10




61227
 PC-S26
 B
 Std. Pkg.
 100
 List .46
 Carton 10



804
 Shvrllok
 PC-S38
 L
 Std. Pkg.
 100
 List .73
 Carton 10




1251
 PC-S48
 B
 Std. Pkg.
 100
 List .49
 Carton 10



882
 Shvrllok
 PC-S58
 L
 Std. Pkg.
 100
 List .76
 Carton 10



434
 PD-S26
 B
 Std. Pkg.
 100
 List .56
 Carton 10



806
 Shvrllok
 PD-S38
 L
 Std. Pkg.
 100
 List .83
 Carton 10




1252
 PD-S48
 B
 Std. Pkg.
 100
 List .59
 Carton 10



883
 Shvrllok
 PD-S58
 L
 Std. Pkg.
 100
 List .86
 Carton 10



61327
 PE-S26
 B
 Std. Pkg.
 100
 List .50
 Carton 10



808
 Shvrllok
 PE-S38
 L
 Std. Pkg.
 100
 List .77
 Carton 10




1253
 PE-S48
 B
 Std. Pkg.
 100
 List .53
 Carton 10




884
 Shvrllok
 PE-S58
 L
 Std. Pkg.
 100
 List .80
 Carton 10



488
 PF-S26
 B
 Std. Pkg.
 100
 List .66
 Carton 10



812
 Shvrllok
 PF-S38
 L
 Std. Pkg.
 100
 List .93
 Carton 10




1254
 PF-S48
 B
 Std. Pkg.
 100
 List .69
 Carton 10




885
 Shvrllok
 PF-S58
 L
 Std. Pkg.
 100
 List .96
 Carton 10




485
 PG-S26
 B
 Std. Pkg.
 100
 List .68
 Carton 10




814
 Shvrllok
 PG-S38
 L
 Std. Pkg.
 100
 List .95
 Carton 10




1255
 PG-S48
 B
 Std. Pkg.
 100
 List .71
 Carton 10




886
 Shvrllok
 PG-S58
 L
 Std. Pkg.
 100
 List .98
 Carton 10



1218
 PO-S26
 B
 Std. Pkg.
 100
 List .76
 Carton 10



816
 Shvrllok
 PO-S38
 L
 Std. Pkg.
 100
 List 1.03
 Carton 10




1256
 PO-S48
 B
 Std. Pkg.
 100
 List .79
 Carton 10




887
 Shvrllok
 PO-S58
 L
 Std. Pkg.
 100
 List 1.06
 Carton 10



1220
 PQ-S26
 B
 Std. Pkg.
 100
 List .91
 Carton 10




818
 Shvrllok
 PQ-S38
 L
 Std. Pkg.
 100
 List 1.18
 Carton 10



1257
 PQ-S48
 B
 Std. Pkg.
 100
 List .94
 Carton 10



888
 Shvrllok
 PQ-S58
 L
 Std. Pkg.
 100
 List 1.21
 Carton 10



PORCELAIN PARTS

91

Part S27
23c-B-250
Keyless Socket-Body
Carton 10



Part S39
50c-L-100
Shvrlok
Keyless Socket-Body
Carton 10



Part S47
75c-B-100
Pull Socket
Carton 10



Part S57
1.02-L-100
Shvrlok
Pull Socket
Carton 10




Part S66
81c-B-100
Pull Socket
660 Watt
Carton 10




Part S76
1.08-L-100
Shvrlok
Pull Socket
660 Watt
Carton 10




60317
PA-S27
B
Std. Pkg.
250
List .33
Carton 10




60217
PB-S27
B
Std. Pkg.
250
List .33
Carton 10



60227
PC-S27
B
Std. Pkg.
100
List .43
Carton 10




435
PD-S27
B
Std. Pkg.
100
List .53
Carton 10




60327
PE-S27
B
Std. Pkg.
100
List .47
Carton 10




448
PF-S27
B
Std. Pkg.
100
List .63
Carton 10




241
PG-S27
B
Std. Pkg.
100
List .65
Carton 10



1219
PO-S27
B
Std. Pkg.
100
List .73
Carton 10




1221
PQ-S27
B
Std. Pkg.
100
List .88
Carton 10



801
Shvrlok
PA-S39
L
Std. Pkg.
100
List .60
Carton 10




803
Shvrlok
PB-S39
L
Std. Pkg.
100
List .60
Carton 10



805
Shvrlok
PC-S39
L
Std. Pkg.
100
List .70
Carton 10




807
Shvrlok
PD-S39
L
Std. Pkg.
100
List .80
Carton 10




809
Shvrlok
PE-S39
L
Std. Pkg.
100
List .74
Carton 10




813
Shvrlok
PF-S39
L
Std. Pkg.
100
List .90
Carton 10



815
Shvrlok
PG-S39
L
Std. Pkg.
100
List .92
Carton 10




817
Shvrlok
PO-S39
L
Std. Pkg.
100
List 1.00
Carton 10




819
Shvrlok
PQ-S39
L
Std. Pkg.
100
List 1.15
Carton 10




901
PA-S47
B
Std. Pkg.
100
List .85
Carton 10




902
PB-S47
B
Std. Pkg.
100
List .85
Carton 10




903
PC-S47
B
Std. Pkg.
100
List .95
Carton 10




904
PD-S47
B
Std. Pkg.
50
List 1.05
Carton 10




905
PE-S47
B
Std. Pkg.
100
List .99
Carton 10




906
PF-S47
B
Std. Pkg.
50
List 1.15
Carton 10




907
PG-S47
B
Std. Pkg.
50
List 1.17
Carton 10




908
PO-S47
B
Std. Pkg.
50
List 1.25
Carton 10




909
PQ-S47
B
Std. Pkg.
50
List 1.40
Carton 10




931
Shvrlok
PA-S57
L
Std. Pkg.
100
List 1.12
Carton 10




932
Shvrlok
PB-S57
L
Std. Pkg.
100
List 1.12
Carton 10




933
Shvrlok
PC-S57
L
Std. Pkg.
50
List 1.22
Carton 10




934
Shvrlok
PD-S57
L
Std. Pkg.
50
List 1.32
Carton 10




935
Shvrlok
PE-S57
L
Std. Pkg.
50
List 1.26
Carton 10




936
Shvrlok
PF-S57
L
Std. Pkg.
50
List 1.42
Carton 10



937
Shvrlok
PG-S57
L
Std. Pkg.
50
List 1.44
Carton 10




938
Shvrlok
PO-S57
L
Std. Pkg.
50
List 1.52
Carton 10



939
Shvrlok
PQ-S57
L
Std. Pkg.
50
List 1.67
Carton 10




6901
PA-S66
B
Std. Pkg.
100
List .91
Carton 10




6902
PB-S66
B
Std. Pkg.
100
List .91
Carton 10




6903
PC-S66
B
Std. Pkg.
50
List 1.01
Carton 10




6904
PD-S66
B
Std. Pkg.
50
List 1.11
Carton 10




6905
PE-S66
B
Std. Pkg.
50
List 1.05
Carton 10




6906
PF-S66
B
Std. Pkg.
50
List 1.21
Carton 10




6907
PG-S66
B
Std. Pkg.
50
List 1.23
Carton 10




6908
PO-S66
B
Std. Pkg.
50
List 1.31
Carton 10




6909
PQ-S66
B
Std. Pkg.
50
List 1.46
Carton 10




6931
Shvrlok
PA-S76
L
Std. Pkg.
100
List 1.18
Carton 10




6932
Shvrlok
PB-S76
L
Std. Pkg.
100
List 1.18
Carton 10




6933
Shvrlok
PC-S76
L
Std. Pkg.
50
List 1.28
Carton 10




6934
Shvrlok
PD-S76
L
Std. Pkg.
50
List 1.38
Carton 10




6935
Shvrlok
PE-S76
L
Std. Pkg.
50
List 1.32
Carton 10




6936
Shvrlok
PF-S76
L
Std. Pkg.
50
List 1.48
Carton 10



6937
Shvrlok
PG-S76
L
Std. Pkg.
50
List 1.50
Carton 10



6938
Shvrlok
PO-S76
L
Std. Pkg.
50
List 1.58
Carton 10



6939
Shvrlok
PQ-S76
L
Std. Pkg.
50
List 1.73
Carton 10



PORCELAIN PARTS

P&S Porcelain Interchangeable Parts
RATING:
 Key Devices, 250 Watts, 250 Volts.
 Push Button Devices, 660 Watts, 250 Volts.
 Keyless Devices, 660 Watts, 250 Volts.
 Pull Devices, 250 Watts, 250 Volts.
 Pull Devices in last two columns, 660 Watts, 250 Volts.

Part S26
 26c-B-250
 Key Socket-Body
 Carton 10



Part S38
 53c-L-100
Shvrlok
 Key Socket-Body
 Carton 10



Part S48
 29c-B-100
 Push Button Body
 Rating 660 W.-250 V.
 Carton 10



Part S58
 56c-L-100
Shvrlok
 Push Button Body
 Rating 660 W.-250 V.
 Carton 10




Part PR
 75c-B-100
 1/2" Aluminum
 Angle Cap
 Carton 10



1222
 PR-S26
 B
 Std. Pkg.
 100
 List 1.01
 Carton 10



820
Shvrlok
 PR-S38
 L
 Std. Pkg.
 100
 List 1.28
 Carton 10



1258
 PR-S48
 B
 Std. Pkg.
 100
 List 1.04
 Carton 10



889
Shvrlok
 PR-S58
 L
 Std. Pkg.
 100
 List 1.31
 Carton 10




Part PU
 60c-B-100
 1/2" Brass Angle
 Cap
 Carton 10



1239
 PU-S26
 B
 Std. Pkg.
 100
 List .86
 Carton 10




822
Shvrlok
 PU-S38
 L
 Std. Pkg.
 100
 List 1.13
 Carton 10



1259
 PU-S48
 B
 Std. Pkg.
 100
 List .89
 Carton 10



890
Shvrlok
 PU-S58
 L
 Std. Pkg.
 100
 List 1.16
 Carton 10



Part PH
 12c-B-100
 Concealed
 Base
 Carton 10



61237
 PH-S26
 B
 Std. Pkg.
 100
 List .38
 Carton 10



824
Shvrlok
 PH-S38
 L
 Std. Pkg.
 100
 List .65
 Carton 10



1264
 PH-S48
 B
 Std. Pkg.
 100
 List .41
 Carton 10




891
Shvrlok
 PH-S58
 L
 Std. Pkg.
 100
 List .68
 Carton 10




Part PI
 14c-B-100
 Cleat Base
 Carton 10



61087
 PI-S26
 B
 Std. Pkg.
 100
 List .40
 Carton 10



826
Shvrlok
 PI-S38
 L
 Std. Pkg.
 100
 List .67
 Carton 10



1265
 PI-S48
 B
 Std. Pkg.
 100
 List .43
 Carton 10




892
Shvrlok
 PI-S58
 L
 Std. Pkg.
 100
 List .70
 Carton 10




Part PK
 20c-B-100
 Wood
 Moulding
 Base
 Carton 10



100136
 PK-S26
 B
 Std. Pkg.
 100
 List .46
 Carton 10



832
Shvrlok
 PK-S38
 L
 Std. Pkg.
 100
 List .73
 Carton 10



1266
 PK-S48
 B
 Std. Pkg.
 100
 List .49
 Carton 10



893
Shvrlok
 PK-S58
 L
 Std. Pkg.
 100
 List .76
 Carton 10



Part PV
 23c-B-100
 Condulet
 Base
 Carton 10



1241
 PV-S26
 B
 Std. Pkg.
 100
 List .49
 Carton 10




840
Shvrlok
 PV-S38
 L
 Std. Pkg.
 100
 List .76
 Carton 10



1267
 PV-S48
 B
 Std. Pkg.
 100
 List .52
 Carton 10



894
Shvrlok
 PV-S58
 L
 Std. Pkg.
 100
 List .79
 Carton 10



Part PL
 12c-B-100
 Large
 Concealed
 Base
 Carton 10



62247
 PL-S26
 B
 Std. Pkg.
 100
 List .38
 Carton 10



834
Shvrlok
 PL-S38
 L
 Std. Pkg.
 100
 List .65
 Carton 10



1268
 PL-S48
 B
 Std. Pkg.
 100
 List .41
 Carton 10



895
Shvrlok
 PL-S58
 L
 Std. Pkg.
 100
 List .68
 Carton 10



Part PM
 30c-B-100
 3 1/4" Box
 Base
 Carton 1



46
 PM-S26
 B
 Std. Pkg.
 100
 List .56
 Carton 1



836
Shvrlok
 PM-S38
 L
 Std. Pkg.
 100
 List .83
 Carton 1



1269
 PM-S48
 B
 Std. Pkg.
 100
 List .59
 Carton 1



896
Shvrlok
 PM-S58
 L
 Std. Pkg.
 100
 List .86
 Carton 1



Part PN
 40c-B-100
 4" Box
 Base
 Carton 1



82
 PN-S26
 B
 Std. Pkg.
 100
 List .65
 Carton 1



838
Shvrlok
 PN-S38
 L
 Std. Pkg.
 100
 List .93
 Carton 1



1270
 PN-S48
 B
 Std. Pkg.
 100
 List .69
 Carton 1































































897
Shvrlok
 PN-S58
 L
 Std. Pkg.
 100
 List .96
 Carton 1



PORCELAIN PARTS

93

<p>Part S27 23c-B-250 Keyless Socket-Body Carton 10</p> 	<p>Part S39 50c-L-100 <u>Shvrlok</u> Keyless Socket-Body Carton 10</p> 	<p>Part S47 75c-B-100 Pull Socket Carton 10</p> 	<p>Part S57 1.02-L-100 <u>Shvrlok</u> Pull Socket Carton 10</p> 	<p>Part S66 81c-B-100 Pull Socket 660 Watt Carton 10</p> 	<p>Part S76 1.08-L-100 <u>Shvrlok</u> Pull Socket 660 Watt Carton 10</p> 
 <p>1223 PR-S27 B Std. Pkg. 100 List .98 Carton 10</p>	 <p>821 <u>Shvrlok</u> PR-S39 L Std. Pkg. 100 List 1.25 Carton 10</p>	 <p>910 PR-S47 B Std. Pkg. 50 List 1.50 Carton 10</p>	 <p>940 <u>Shvrlok</u> PR-S57 L Std. Pkg. 50 List 1.77 Carton 10</p>	 <p>6910 PR-S66 B Std. Pkg. 50 List 1.56 Carton 10</p>	 <p>6940 <u>Shvrlok</u> PR-S76 L Std. Pkg. 50 List 1.83 Carton 10</p>
 <p>1240 PU-S27 B Std. Pkg. 100 List .83 Carton 10</p>	 <p>823 <u>Shvrlok</u> PU-S39 L Std. Pkg. 100 List 1.10 Carton 10</p>	 <p>911 PU-S47 B Std. Pkg. 50 List 1.35 Carton 10</p>	 <p>941 <u>Shvrlok</u> PU-S57 L Std. Pkg. 50 List 1.62 Carton 10</p>	 <p>6911 PU-S66 B Std. Pkg. 50 List 1.41 Carton 10</p>	 <p>6941 <u>Shvrlok</u> PU-S76 L Std. Pkg. 50 List 1.68 Carton 10</p>
 <p>60237 PH-S27 B Std. Pkg. 100 List .35 Carton 10</p>	 <p>825 <u>Shvrlok</u> PH-S39 L Std. Pkg. 100 List .62 Carton 10</p>	 <p>912 PH-S47 B Std. Pkg. 50 List .87 Carton 10</p>	 <p>942 <u>Shvrlok</u> PH-S57 L Std. Pkg. 50 List 1.14 Carton 10</p>	 <p>6912 PH-S66 B Std. Pkg. 50 List .93 Carton 10</p>	 <p>6942 <u>Shvrlok</u> PH-S76 L Std. Pkg. 50 List 1.20 Carton 10</p>
 <p>61107 PI-S27 B Std. Pkg. 100 List .37 Carton 10</p>	 <p>827 <u>Shvrlok</u> PI-S39 L Std. Pkg. 100 List .64 Carton 10</p>	 <p>913 PI-S47 B Std. Pkg. 50 List .89 Carton 10</p>	 <p>943 <u>Shvrlok</u> PI-S57 L Std. Pkg. 50 List 1.16 Carton 10</p>	 <p>6913 PI-S66 B Std. Pkg. 50 List .95 Carton 10</p>	 <p>6943 <u>Shvrlok</u> PI-S76 L Std. Pkg. 50 List 1.22 Carton 10</p>
 <p>426 PK-S27 B Std. Pkg. 100 List .43 Carton 10</p>	 <p>833 <u>Shvrlok</u> PK-S39 L Std. Pkg. 100 List .70 Carton 10</p>	 <p>914 PK-S47 B Std. Pkg. 50 List .95 Carton 10</p>	 <p>944 <u>Shvrlok</u> PK-S57 L Std. Pkg. 50 List 1.22 Carton 10</p>	 <p>6914 PK-S66 B Std. Pkg. 50 List 1.01 Carton 10</p>	 <p>6944 <u>Shvrlok</u> PK-S76 L Std. Pkg. 50 List 1.28 Carton 10</p>
 <p>1242 PV-S27 B Std. Pkg. 100 List .46 Carton 10</p>	 <p>841 <u>Shvrlok</u> PV-S39 L Std. Pkg. 100 List .73 Carton 10</p>	 <p>918 PV-S47 B Std. Pkg. 50 List .98 Carton 10</p>	 <p>948 <u>Shvrlok</u> PV-S57 L Std. Pkg. 50 List 1.25 Carton 10</p>	 <p>6918 PV-S66 B Std. Pkg. 50 List 1.04 Carton 10</p>	 <p>6948 <u>Shvrlok</u> PV-S76 L Std. Pkg. 50 List 1.31 Carton 10</p>
 <p>60247 PL-S27 B Std. Pkg. 100 List .35 Carton 10</p>	 <p>835 <u>Shvrlok</u> PL-S39 L Std. Pkg. 100 List .62 Carton 10</p>	 <p>915 PL-S47 B Std. Pkg. 50 List .87 Carton 10</p>	 <p>945 <u>Shvrlok</u> PL-S57 L Std. Pkg. 50 List 1.14 Carton 10</p>	 <p>6915 PL-S66 B Std. Pkg. 50 List .93 Carton 10</p>	 <p>6945 <u>Shvrlok</u> PL-S76 L Std. Pkg. 50 List 1.20 Carton 10</p>
 <p>4 PM-S27 B Std. Pkg. 100 List .53 Carton 1</p>	 <p>837 <u>Shvrlok</u> PM-S39 L Std. Pkg. 100 List .80 Carton 1</p>	 <p>916 PM-S47 B Std. Pkg. 50 List 1.05 Carton 1</p>	 <p>946 <u>Shvrlok</u> PM-S57 L Std. Pkg. 50 List 1.32 Carton 1</p>	 <p>6916 PM-S66 B Std. Pkg. 50 List 1.11 Carton 1</p>	 <p>6946 <u>Shvrlok</u> PM-S76 L Std. Pkg. 50 List 1.38 Carton 1</p>
 <p>83 PN-S27 B Std. Pkg. 100 List .63 Carton 1</p>	 <p>839 <u>Shvrlok</u> PN-S39 L Std. Pkg. 100 List .90 Carton 1</p>	 <p>917 PN-S47 B Std. Pkg. 50 List 1.15 Carton 1</p>	 <p>947 <u>Shvrlok</u> PN-S57 L Std. Pkg. 50 List 1.42 Carton 1</p>	 <p>6917 PN-S66 B Std. Pkg. 50 List 1.21 Carton 1</p>	 <p>6947 <u>Shvrlok</u> PN-S76 L Std. Pkg. 50 List 1.48 Carton 1</p>

P & S *FLUTO* INTERCHANGEABLE SOCKETS


Rating—Key and Pull Sockets 250W.—250V. Keyless Sockets 660W.—250V.



P & S 100421
Patented
(3/8 Actual Size)



P & S 90
Patented
(3/8 Actual Size)



P & S 60
Patented
(3/8 Actual Size)



P & S 120
Patented
(3/8 Actual Size)

Sockets with 1/8-inch Cap—*FLUTO* Interchangeable Shell

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
100421	B	\$0.33	500	Key, Double Pole	25	130
298	B	.33	500	Key, Double Pole	25	135
59480	B	.33	500	Key, Single Pole..	25	130
600	B	.36	500	Key, 660 Watts....	25	130
59482	B	.30	500	Keyless	25	125
100421 <i>Shvrlok</i>	L	.60	100	Key, Double Pole	25	30
298 <i>Shvrlok</i>	L	.60	100	Key, Double Pole	25	30
59480 <i>Shvrlok</i>	L	.60	100	Key, Single Pole..	25	30
600 <i>Shvrlok</i>	L	.63	100	Key, 660 Watts....	25	30
59482 <i>Shvrlok</i>	L	.57	100	Keyless	25	29

Shvrlok is part of Trade No. Remember this when ordering.Sockets with 1/8-inch Cap—*Fluto* Interchangeable Shell

National Code Standard

90	B	.60	250	Pull	25	65
90 <i>Shvrlok</i>	L	.87	100	Pull	25	30

Shvrlok is part of Trade No. Remember this when ordering.Sockets with 1/4-inch Cap—*Fluto* Interchangeable Shell

National Code Standard

60	B	.42	250	Key, Double Pole	25	75
7509	B	.42	250	Key, Single Pole..	25	75
606	B	.45	250	Key, 660 Watts....	25	75
7510	B	.39	250	Keyless	25	72
60 <i>Shvrlok</i>	L	.69	100	Key, Double Pole	25	30
7509 <i>Shvrlok</i>	L	.69	100	Key, Single Pole..	25	30
606 <i>Shvrlok</i>	L	.72	100	Key, 660 Watts....	25	30
7510 <i>Shvrlok</i>	L	.66	100	Keyless	25	29

Shvrlok is part of Trade No. Remember this when ordering.Sockets with 1/4-inch Cap—*Fluto* Interchangeable Shell

National Code Standard

120	B	.69	100	Pull	25	30
120 <i>Shvrlok</i>	L	.96	100	Pull	25	30

Shvrlok is part of Trade No. Remember this when ordering.

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

ALADDIN SOCKETS

Sockets with Attachment Plug Base—FLUTo Interchangeable Shell

National Code Standard

1225	B	.53	50	Key, Double Pole..	10	40
1224	B	.53	50	Key, Single Pole....	10	40
1226	B	.56	50	Key, 660 Watts....	10	40
1227	B	.50	50	Keyless	10	30




P & S 1225
Patented
(3/8 Actual Size)

Sockets with Attachment Plug Base—FLUTo Interchangeable Shell

National Code Standard

1228	B	.80	50	Pull	10	40
------------	---	-----	----	------------	----	----



P & S 1228
Patented
(3/8 Actual Size)

Aladdin Sockets are easy to use. It is only necessary to remove the Lamp and insert the Key, Keyless or Chain Pull Socket shown on this page, then replace the Lamp in the new Socket.

No extra wiring is necessary—they attach just like a lamp.

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

Sockets with Pendent Cap—FLUTo Interchangeable Shell

National Code Standard

100425	B	.33	500	Key, Double Pole..	25	125
59486	B	.33	500	Key, Single Pole....	25	125
614	B	.36	500	Key, 660 Watts....	25	125
59487	B	.30	500	Keyless	25	120
100425 Shvrluk	L	.60	100	Key, Double Pole..	25	30
59486 Shvrluk	L	.60	100	Key, Single Pole....	25	30
614 Shvrluk	L	.63	100	Key, 660 Watts....	25	30
59487 Shvrluk	L	.57	100	Keyless	25	29



P & S 100425
Patented
(3/8 Actual Size)

Shvrluk is part of Trade No. Remember this when ordering.

Sockets with Pendent Cap—FLUTo Interchangeable Shell

National Code Standard

92	B	.60	250	Pull	25	70
92 Shvrluk	L	.87	100	Pull	25	30



P & S 92
Patented
(3/8 Actual Size)

Shvrluk is part of Trade No. Remember this when ordering.

The Pendent Cap is especially recommended for drop-cord work in Industrial Plants where reinforced cord is used and for ordinary drop-cord work, because the Cap is provided with a Double Bushing; the inner Bushing with 1/2-inch hole, may be removed for reinforced cord, as the remaining Bushing provides a 1 1/2-inch hole for the cord.

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

P & S FLUTo INTERCHANGEABLE RECEPTACLES

Rating—Key and Pull Receptacles 250W.—250V. Keyless Receptacles 660W.—250V.

**Receptacles with Standard Porcelain Base—FLUTo
Interchangeable Shell
National Code Standard**

Trade No.	Sched- ule	List Price Each	Std. Pkg.		Car- ton	Pkg. Wt. Lbs.
61387	B	\$0.44	250	Key	10	115
617	B	.47	250	Key, 660 Watts....	10	115
60387	B	.41	250	Keyless	10	105
61387 <i>Shvrlok</i>	L	.71	100	Key	10	46
617 <i>Shvrlok</i>	L	.74	100	Key, 660 Watts....	10	46
60387 <i>Shvrlok</i>	L	.68	100	Keyless	10	42

Shvrlok is part of Trade No. Remember this when ordering.**Receptacles with Standard Porcelain Base—FLUTo
Interchangeable Shell
National Code Standard**

98	B	.71	100	Pull	10	46
98 <i>Shvrlok</i>	L	.98	100	Pull	10	46

Shvrlok is part of Trade No. Remember this when ordering.Holes for supporting screws are spaced $1\frac{1}{8}$ inches on centers. Outside diameter of base is $2\frac{1}{16}$ inches.**Receptacles with Large Porcelain Base—FLUTo
Interchangeable Shell
National Code Standard**


60430	B	.49	250	Key	10	155
619	B	.52	250	Key, 660 Watts....	10	155
60431	B	.46	250	Keyless	10	154
60430 <i>Shvrlok</i>	L	.76	100	Key	10	69
619 <i>Shvrlok</i>	L	.79	100	Key, 660 Watts....	10	69
60431 <i>Shvrlok</i>	L	.73	100	Keyless	10	65

Shvrlok is part of Trade No. Remember this when ordering.**Receptacles with Large Porcelain Base—FLUTo
Interchangeable Shell
National Code Standard**

156	B	.76	100	Pull	10	69
156 <i>Shvrlok</i>	L	1.03	100	Pull	10	69

Shvrlok is part of Trade No. Remember this when ordering.Holes for supporting screws are spaced $2\frac{3}{16}$ inches on centers. Recess in base is $\frac{1}{2}$ inch deep and $1\frac{7}{8}$ inches wide. Outside diameter of base is $2\frac{5}{8}$ inches.Standard length of Keys is $\frac{7}{8}$ -inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.


**P & S 61387**
Patented
($\frac{3}{8}$ Actual Size)**P & S 98**
Patented
($\frac{3}{8}$ Actual Size)**P & S 60430**
Patented
($\frac{3}{8}$ Actual Size)**P & S 156**
Patented
($\frac{3}{8}$ Actual Size)

P & S *FLuTo* INTERCHANGEABLE RECEPTACLES


Rating—Key and Pull Receptacles 250W.—250V. Keyless Receptacles 660W.—250V.




P & S 7534
Patented
(3/8 Actual Size)



P & S 4535
Patented
(3/8 Actual Size)



P & S 132
Patented
(3/8 Actual Size)



P & S 129
Patented
(3/8 Actual Size)

Receptacles with Base for Surface Wiring—*FLuTo*
Interchangeable Shell
National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
7534	B	\$0.49	250	Key	10	146
613	B	.52	250	Key, 660 Watts....	10	146
7535	B	.46	250	Keyless	10	143
7534 <i>Shvrlok</i>	L	.76	100	Key	10	60
613 <i>Shvrlok</i>	L	.79	100	Key, 660 Watts....	10	60
7535 <i>Shvrlok</i>	L	.73	100	Keyless	10	60

Shvrlok is part of Trade No. Remember this when ordering.

Receptacles with Base for Surface Wiring—*FLuTo*
Interchangeable Shell
National Code Standard

4535	B	.76	100	Pull	10	69
4535 <i>Shvrlok</i>	L	1.03	100	Pull	10	69

Shvrlok is part of Trade No. Remember this when ordering.

Holes for supporting screws are spaced 2 1/8 inches on centers. Outside dimensions of base 3 1/8 by 2 3/4 inches.

Receptacles with Slotted Porcelain Base—*FLuTo* Interchangeable
Shell
National Code Standard

132	B	.44	250	Key	10	108
618	B	.47	250	Key, 660 Watts....	10	108
146	B	.41	250	Keyless	10	105
132 <i>Shvrlok</i>	L	.71	100	Key	10	46
618 <i>Shvrlok</i>	L	.74	100	Key, 660 Watts....	10	46
146 <i>Shvrlok</i>	L	.68	100	Keyless	10	42

Shvrlok is part of Trade No. Remember this when ordering.

Receptacles with Slotted Porcelain Base—*FLuTo* Interchangeable
Shell
National Code Standard

129	B	.71	100	Pull	10	46
129 <i>Shvrlok</i>	L	.98	100	Pull	10	46

Shvrlok is part of Trade No. Remember this when ordering.

Holes for supporting screws are spaced 1 1/8 inches on centers. Outside diameter of base is 2 1/16 inches.

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.


Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

P & S *FLUTo* INTERCHANGEABLE RECEPTACLES

Rating—Key and Pull Receptacles 250W.—250V. Keyless Receptacles 660W.—250V.



P & S 62350
Patented
($\frac{3}{8}$ Actual Size)



P & S 97
Patented
($\frac{3}{8}$ Actual Size)



P & S 7
Patented
($\frac{3}{8}$ Actual Size)



P & S 128
Patented
($\frac{3}{8}$ Actual Size)

Receptacles with Medium Brass Covered Base—*FLUTo* Interchangeable Shell

National Code Standard

May be used on $3\frac{1}{4}$ -inch Outlet Boxes

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
62350	B	\$0.63	100	Key	1	100
620	B	.66	100	Key, 660 Watts....	1	100
62351	B	.60	100	Keyless	1	96
62350 <i>Shvrlok</i>	L	.90	100	Key	1	100
620 <i>Shvrlok</i>	L	.93	100	Key, 660 Watts....	1	100
62351 <i>Shvrlok</i>	L	.87	100	Keyless	1	96

Shvrlok is part of Trade No. Remember this when ordering.

Receptacles with Medium Brass Covered Base—*FLUTo* Interchangeable Shell

National Code Standard

May be used on $3\frac{1}{4}$ -inch Outlet Boxes

97	B	.90	50	Pull	1	50
97 <i>Shvrlok</i>	L	1.17	50	Pull	1	50

Shvrlok is part of Trade No. Remember this when ordering.

Holes for supporting screws are spaced $2\frac{3}{4}$ inches on centers. Outside diameter of base $3\frac{17}{32}$ inches.

Receptacles with $3\frac{1}{4}$ -inch Box Base—*FLUTo* Interchangeable Shell

National Code Standard

May be used on Metal Ceilings and Concrete Walls

7	B	.63	100	Key	1	102
621	B	.66	100	Key, 660 Watts....	1	102
1	B	.60	100	Keyless	1	98
7 <i>Shvrlok</i>	L	.90	100	Key	1	102
621 <i>Shvrlok</i>	L	.93	100	Key, 660 Watts....	1	102
1 <i>Shvrlok</i>	L	.87	100	Keyless	1	98

Shvrlok is part of Trade No. Remember this when ordering.

Receptacles with $3\frac{1}{4}$ -inch Box Base—*FLUTo* Interchangeable Shell

National Code Standard

May be used on Metal Ceilings and Concrete Walls

128	B	.90	50	Pull	1	55
128 <i>Shvrlok</i>	L	1.17	50	Pull	1	55

Shvrlok is part of Trade No. Remember this when ordering.

Holes for supporting screws are spaced $2\frac{3}{4}$ inches on centers, and $2\frac{5}{16}$ inches on centers (two sets of screw holes). Outside diameter of base $3\frac{21}{32}$ inches.

Standard length of Keys is $\frac{7}{8}$ -inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.

Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

P & S BRASS RECEPTACLES

Rating—Keyless Receptacles 660W.—250V.



P & S 50717
Patented
(3/8 Actual Size)

“Bayonet” Shell Receptacles with Small Concealed Base
National Code Standard

Trade No.	Sched- ule	List Price Each	Std. Pkg.		Car- ton	Pkg. Wt. Lbs.
50717	B	\$0.25	250	Keyless	10	60
50717 <i>Shvrlok</i>	L	.52	100	Keyless	10	35

Shvrlok is part of Trade No. Remember this when ordering.

“Bayonet” Shell Receptacles with Small Slotted Base
National Code Standard

108	B	.25	250	Keyless	10	60
108 <i>Shvrlok</i>	L	.52	100	Keyless	10	35

Shvrlok is part of Trade No. Remember this when ordering.




P & S 7558
Patented
(3/8 Actual Size)

Receptacles with 4-inch Porcelain Base—*FLuTo*
Interchangeable Shell

May be used on Metal Ceilings, Concrete or Tile Walls, as well as 3 1/4 and 4-inch Outlet Boxes

7558	B	.83	100	Key	1	180
657	B	.86	100	Key, 660 Watts....	1	180
7559	B	.80	100	Keyless	1	180
7558 <i>Shvrlok</i>	L	1.10	100	Key	1	180
657 <i>Shvrlok</i>	L	1.13	100	Key, 660 Watts....	1	180
7559 <i>Shvrlok</i>	L	1.07	100	Keyless	1	180



P & S 96
Patented
(3/8 Actual Size)

Receptacles with 4-inch Porcelain Base—*FLuTo*
Interchangeable Shell
National Code Standard

96	B	1.10	50	Pull	1	90
96 <i>Shvrlok</i>	L	1.37	50	Pull	1	90

Shvrlok is part of Trade No. Remember this when ordering.

The base of the above devices is fitted with a special slotted metal supporting bridge which will fit the 3 1/4 or 4-inch Outlet Boxes. Outside diameter of base 4 21/32 inches.

Standard length of Keys is 7/8-inch. Standard length of chain is 8 inches. Standard finish is Brush Brass.
Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

P & S CEILING PULL SWITCHES

Rating—3 Amperes, 125 Volts—1 Ampere, 250 Volts.

FLuTo Interchangeable Shell
National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
S23	XA	\$0.53	100	Body Only.....	10	17
3003	XA	.60	100	With 1/8-inch Cap.....	10	30
3004	XA	.69	20	With 1/4-inch Cap.....	10	15
3005	XA	.66	20	With 3/8-inch Cap.....	10	15
3020	XA	.72	20	With 1/2-inch Cap.....	10	15
3047	XA	.60	20	With 1/8-inch Male Cap.....	10	15
3007	XA	.69	20	With 3/8-inch Male Cap.....	10	15
3021	XA	.66	20	With 1/8-inch Fixture Cap.....	10	15
3022	XA	.69	20	With 1/4-inch Fixture Cap.....	10	15
3023	XA	.65	20	With 1/8-inch Angle Cap.....	10	15
3024	XA	.74	20	With 1/4-inch Angle Cap.....	10	15
3025	XA	.71	20	With 3/8-inch Angle Cap.....	10	15
3026	XA	.71	20	With 1/8-inch Angle Fixture Cap..	10	15
3027	XA	.74	20	With 1/4-inch Angle Fixture Cap..	10	15
3006	XA	.60	20	With Pendent Cap.....	10	15
3028	XA	.60	20	With Strain Relief Cap.....	10	15
3013	XA	.76	20	With Surface Wiring Base.....	10	25
3009	XA	.71	20	With Slotted Base.....	10	17
3008	XA	.71	20	With Small Concealed Base.....	10	17
3014	XA	.76	20	With Large Concealed Base.....	10	20
3029	XA	.76	20	With Angle Concealed Base.....	10	20
3012	XA	.71	20	With Wood Moulding Base.....	10	20
3043	XA	.76	20	With Condulet Base.....	10	20
3015	XA	.81	20	With Small Covered Base.....	10	15
3016	XA	.90	20	With Medium Covered Base.....	1	25
3018	XA	.90	20	With 3 1/4-inch Box Base.....	1	28
3017	XA	1.20	20	With Large Covered Base.....	1	30
3019	XA	1.20	20	With 4-inch Box Base.....	1	30
3044	XA	.89	20	With Concealed Cleat Base.....	10	30
3045	XA	1.10	20	With 4-inch Porcelain Base.....	1	30

Each switch is supplied with short chain, splicing link, and 6-foot linen cord with ball. See P & S 575.

**P & S 3003**
Patented
(3/8 Actual Size)**P & S 3015**
Patented
(3/8 Actual Size)**P & S FLuTo FIXTURE SWITCHES**

Rating—3 Amperes, 125 Volts—1 Ampere, 250 Volts.

FLuTo Interchangeable Shell
National Code Standard

S37	XA	.68	50	Body Only.....	10	20
3030	XA	.75	50	With 1/8-inch Cap.....	10	25
3031	XA	.84	20	With 1/4-inch Cap.....	10	17
3032	XA	.81	20	With 3/8-inch Cap.....	10	17
3046	XA	.87	20	With 1/2-inch Cap.....	10	17
3048	XA	.75	20	With 1/8-inch Male Cap.....	10	17
3033	XA	.84	20	With 3/8-inch Male Cap.....	10	17
3034	XA	.81	20	With 1/8-inch Fixture Cap.....	10	17
3035	XA	.84	20	With 1/4-inch Fixture Cap.....	10	17
3036	XA	.80	20	With 1/8-inch Angle Cap.....	10	17
3037	XA	.89	20	With 1/4-inch Angle Cap.....	10	17
3042	XA	.86	20	With 3/8-inch Angle Cap.....	10	17
3038	XA	.86	20	With 1/8-inch Angle Fixture Cap..	10	17
3039	XA	.89	20	With 1/4-inch Angle Fixture Cap..	10	17
3040	XA	.75	20	With Pendent Cap.....	10	15
3041	XA	.75	20	With Strain Relief Cap.....	10	15

Each switch is supplied with short chain, splicing link, and 6-foot linen cord with ball. See P & S 575.

Advance in list for special finishes same as for Pull Sockets.

**P & S 3030**
Patented
(3/8 Actual Size)

Read carefully pages 42 to 50 inclusive, for standard information on Brass and Special Length Keys, Chain Guides, Special Finishes, Shade Holders, Socket Wrenches and Accessories.

P & S STANDARD SWITCHES



P & S 3000
Patented
($\frac{3}{8}$ Actual Size)



P & S 3090
Patented
($\frac{3}{8}$ Actual Size)



P & S 3091
Patented
($\frac{3}{8}$ Actual Size)



P & S 3300
($\frac{3}{8}$ Actual Size)



P & S 3301
($\frac{3}{8}$ Actual Size)

Two-Button Single Circuit Pendant Switch
National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
3000	XA	\$0.60	100	Screw Shell	25	33

The rating of this switch is 6 Amperes, 125 Volts; 3 Amperes, 250 Volts. The switch is provided with double bushing, with a normal inner diameter of $\frac{9}{32}$ inch and by removing the inner bushing a diameter of $\frac{13}{32}$ inch. A slight turn locks the shell and a double shoulder protects the buttons from mechanical injury. The lower half of the shell is secured to the body. For special finishes add \$0.10 to list.

Pony Pendant Push Button Switch
National Code Standard

Rating—6 A.-125 V.; 3 A.-250 V.

3090	XA	.50	100	Pendent Cap	10	30
------------	----	-----	-----	-------------------	----	----

The Standard finish on the above Switches is Brush Brass, which will be supplied where no finish is specified. Polished Brass will be furnished without extra charge.

For special finishes add \$0.10 to list price.

Feed Through Push Button Switch
With Twin Composition Bushings

National Code Standard

Rating—6 A.-125 V.; 3 A.-250 V.

3091	XA	.60	50	Twin Bushings	10	13
------------	----	-----	----	---------------------	----	----

The Standard Finish of P&S 3091 is Polished Nickel, which will be supplied where no finish is specified.

For special finishes, add \$0.10 to list price.

Canopy Switches for Spun and Cast Canopies

National Code Standard

Rating—3 A.-125 V.; 1 A.-250 V.

3300	XA	.75	100	For Canopies $\frac{1}{16}$ " thick	10	14
------------	----	-----	-----	---	----	----

Rating—3 A.-125 V.; 1 A.-250 V.

3301	XA	.80	100	For Canopies $\frac{1}{4}$ " thick	10	15
------------	----	-----	-----	--	----	----

P & S 3300 and 3301 may be assorted to make Standard Package Quantities.

The Stem on P & S 3300 is of sufficient length to use with Canopies not more than $\frac{1}{16}$ -inch thick. P & S 3301 may be used with Canopies up to $\frac{1}{4}$ -inch thick. The Switch Stems are $\frac{3}{8}$ -inch outside diameter, 27 threads per inch. Fitted with 6 inches of No. 18 B. & S. Stranded Fixture Wire. Switches with longer wires furnished on special order at \$0.04 $\frac{1}{2}$ per foot each conductor.

P & S INTERCHANGEABLE PORCELAIN SOCKETS


Rating—Key and Pull Sockets 250W.—250V. Keyless Sockets 660W.—250V.



P & S 61227
Patented
(3/8 Actual Size)



P & S 903
Patent Applied For
(3/8 Actual Size)



P & S 434
Patented
(3/8 Actual Size)



P & S 904
Patent Applied For
(3/8 Actual Size)

Sockets with 1/8-inch Brass Cap

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
61227	B	\$0.46	100	Key	10	42
60227	B	.43	100	Keyless	10	38
804 <i>Shvrlok</i>	L	.73	100	Key	10	42
805 <i>Shvrlok</i>	L	.70	100	Keyless	10	38

Shvrlok is part of Trade No. Remember this when ordering.

Sockets with 1/8-inch Brass Cap

National Code Standard

903	B	.95	100	Pull	10	30
933 <i>Shvrlok</i>	L	1.22	50	Pull	10	30
6903	B	1.01	50	Pull 660 Watt.....	10	30
6933 <i>Shvrlok</i>	L	1.28	50	Pull 660 Watt.....	10	30

Shvrlok is part of Trade No. Remember this when ordering.

Sockets with 1/4-inch Brass Cap

National Code Standard

434	B	.56	100	Key	10	42
435	B	.53	100	Keyless	10	38
806 <i>Shvrlok</i>	L	.83	100	Key	10	42
807 <i>Shvrlok</i>	L	.80	100	Keyless	10	38

Shvrlok is part of Trade No. Remember this when ordering.

Sockets with 1/4-inch Brass Cap

National Code Standard

904	B	1.05	50	Pull	10	30
934 <i>Shvrlok</i>	L	1.32	50	Pull	10	30
6904	B	1.11	50	Pull 660 Watt.....	10	30
6934 <i>Shvrlok</i>	L	1.38	50	Pull 660 Watt.....	10	30

Shvrlok is part of Trade No. Remember this when ordering.

The Standard Finish on all Brass Caps is Brush Brass. For Special Finishes please refer to column 3, page 45.

P & S INTERCHANGEABLE PORCELAIN SOCKETS

Rating—Key and Pull Sockets 250W.—250V. Keyless Sockets 660W.—250V.

Sockets with Pendent Cap—For Reinforced Cord National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
61317	B	\$0.36	250	Key	10	100
60317	B	.33	250	Keyless	10	92
800 <i>Shvrllok</i>	L	.63	100	Key	10	42
801 <i>Shvrllok</i>	L	.60	100	Keyless	10	38

Shvrllok is part of Trade No. Remember this when ordering.

Sockets with Pendent Cap—For Reinforced Cord National Code Standard

901	B	.85	100	Pull	10	105
931 <i>Shvrllok</i>	L	1.12	100	Pull	10	105
6901	B	.91	100	Pull 660 Watt.....	10	105
6931 <i>Shvrllok</i>	L	1.18	100	Pull 660 Watt.....	10	105

Shvrllok is part of Trade No. Remember this when ordering.

Sockets with Pendent Cap—For Twisted Lamp Cord National Code Standard

61217	B	.36	250	Key	10	100
60217	B	.33	250	Keyless	10	88
802 <i>Shvrllok</i>	L	.63	100	Key	10	42
803 <i>Shvrllok</i>	L	.60	100	Keyless	10	38

Shvrllok is part of Trade No. Remember this when ordering.

Sockets with Pendent Cap—For Twisted Lamp Cord National Code Standard

902	B	.85	100	Pull	10	100
932 <i>Shvrllok</i>	L	1.12	100	Pull	10	100
6902	B	.91	100	Pull 660 Watt.....	10	100
6932 <i>Shvrllok</i>	L	1.18	100	Pull 660 Watt.....	10	100

Shvrllok is part of Trade No. Remember this when ordering.

The Key Movement in P & S Interchangeable Porcelain Sockets is of the Double Break, Single Pole Type. The Caps and Bases are secured to the bodies by means of a rugged center-screw, which permits the bodies to be removed from the Cap or Base while the current is on.


The Porcelain *Shvrllok* devices are designed to prevent the unauthorized removal of the Lamp, and furthermore when the Lamp is locked in place the body cannot be removed from the Cap or Base. This means double security, for the Lamps.



P & S 61317
Patented
(3/8 Actual Size)



P & S 901
Patent Applied For
(3/8 Actual Size)



P & S 61217
Patented
(3/8 Actual Size)



P & S 902
Patent Applied For
(3/8 Actual Size)

P & S INTERCHANGEABLE PORCELAIN SOCKETS

Rating—Key and Pull Sockets 250W.—250V. Keyless Sockets 660W.—250V.

Sockets with $\frac{3}{8}$ -inch Brass Cap

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
61327	B	\$0.50	100	Key	10	42
60327	B	.47	100	Keyless	10	38
808 <i>Shvrlok</i>	L	.77	100	Key	10	42
809 <i>Shvrlok</i>	L	.74	100	Keyless	10	38

Shvrlok is part of Trade No. Remember this when ordering.Sockets with $\frac{3}{8}$ -inch Brass Cap

National Code Standard

905	B	.99	100	Pull	10	30
935 <i>Shvrlok</i>	L	1.26	50	Pull	10	30
6905	B	1.05	50	Pull 660 Watt.....	10	30
6935 <i>Shvrlok</i>	L	1.32	50	Pull 660 Watt.....	10	30

Shvrlok is part of Trade No. Remember this when ordering.Sockets with $\frac{3}{8}$ -inch Aluminum Cap

National Code Standard

488	B	.66	100	Key	10	43
448	B	.63	100	Keyless	10	39
812 <i>Shvrlok</i>	L	.93	100	Key	10	43
813 <i>Shvrlok</i>	L	.90	100	Keyless	10	39



Shvrlok is part of Trade No. Remember this when ordering.Sockets with $\frac{3}{8}$ -inch Aluminum Cap

National Code Standard

906	B	1.15	50	Pull	10	32
936 <i>Shvrlok</i>	L	1.42	50	Pull	10	32
6906	B	1.21	50	Pull 660 Watt.....	10	32
6936 <i>Shvrlok</i>	L	1.48	50	Pull 660 Watt.....	10	32

Shvrlok is part of Trade No. Remember this when ordering.

The Standard Finish on all Brass Caps is Brush Brass. For Special Finishes please refer to column 3, page 45.

P & S 61327
Patented
($\frac{3}{8}$ Actual Size)P & S 905
Patent Applied For
($\frac{3}{8}$ Actual Size)P & S 488
Patented
($\frac{3}{8}$ Actual Size)P & S 906
Patent Applied For
($\frac{3}{8}$ Actual Size)

P & S OUTLET RECEPTACLES FOR LOOP WIRING

Rating—Chain Pull Receptacles 250W.—250V. Keyless Receptacles 660W.—250V.

May be used on Metal Ceilings, Concrete or Tiled Walls or 3 1/4 or 4-inch Outlet Boxes.

Porcelain Covered Outlet Receptacle without Shadeholder Groove

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
828	A	\$1.20	50	Pull, Insulated Chain	1	76

Illustration shows P & S 828 fitted with Frosted Ball Lamp as a suggestion. We do not furnish Lamps.

Porcelain Covered Outlet Receptacle with Shadeholder Groove
National Code Standard

829	A	1.20	50	Pull, 6-ft. Cord....	1	76
-----------	---	------	----	----------------------	---	----

Holes for supporting screws are slotted to accommodate both the 3 1/4 and 4-inch Outlet Box Spacing. Outside diameter of base is 4 21/32 inches. Height of receptacle 2 5/32 inches. Special attention is called to the unique radial supporting bridge, which is designed to permit its installation on horizontal or vertical conduit runs and yet allow the cord or chain to fall as desired. Especially recommended for Hospitals, Natatoria, Chemical Laboratories, Bath Rooms and various locations where a high percentage of humidity exists and where metal-covered receptacles would be subjected to excessive corrosive action.

Porcelain Covered Outlet Receptacle with Shadeholder Groove
National Code Standard

830	A	1.20	50	Pull, Insulated Chain	1	76
-----------	---	------	----	-----------------------------	---	----


Holes for supporting screws are slotted to accommodate both the 3 1/4 and 4-inch outlet box spacing. Outside diameter of base is 4 21/32 inches. Height of receptacle 2 5/32 inches. See suggestions for various uses in note under P & S 828, as well as description of radial bridge for supporting screws.

P & S 828 and 830 supplied with 8-inch Nickel Plated Chain with Insulator. P & S 829 supplied with 8-inch Nickel Plated Chain and 6 feet of Linen Cord with Ball.


Porcelain Covered Outlet Receptacle with Shadeholder Groove
National Code Standard

860	A	.60	100	Keyless	1	130
-----------	---	-----	-----	---------------	---	-----


Holes for supporting screws are slotted to accommodate both the 3 1/4 and 4-inch outlet box spacing. Outside diameter of base is 4 21/32 inches. Height of receptacle 2 5/32 inches. Fitted with a special slotted metal supporting bridge.



P & S 828
Patented (3/8 Actual Size)



P & S 829
Patented (3/8 Actual Size)



P & S 830
Patented (3/8 Actual Size)




P & S 860
Patented (3/8 Actual Size)

P & S CANOPY ROSETTES—LOOP WIRING

Rating—With Fixture Switch, 10A.—125V.; 5A.—250V.; without Switch 660W.—250V.

May be used on Metal Ceilings, Concrete or Tiled Walls or 3¼ or 4-inch Outlet Boxes.



P & S 1211
Patented
(¾ Actual Size)

Pull Canopy Fixture Switch Rosettes
National Code Standard

Trade No.	Schedule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
1211	XA	\$1.30	20	With ⅜-in. Nipple	1	45
1213	XA	1.30	20	With Porcelain Bushing	1	45

Supplied with 10 feet of Linen Cord with Ball.

Read description under P & S 1214.

The Bell Mouth and Spring Buttons on P & S 1211, 1213 and the Spring Buttons on 1214 are removable for the purpose of refinishing.


Drop-cord wires in P & S 1211 and 1213 are snubbed up and over the porcelain cord grip—this adds supporting strength to the cord and relieves the strain from the terminals. These Rosettes resist side sway and direct suspension of over 100 pounds.

Fuseless Canopy Rosette without Switch
National Code Standard

1214	XA	.80	50	With Porcelain Bushing	1	75
------------	----	-----	----	------------------------------	---	----

Holes for supporting screws are slotted to accommodate both the 3¼ and 4-inch Outlet Box Spacing. Outside diameter of base is 4²¹/₃₂ inches. Height of rosette 3½ inches. Terminals are ½ inch from surface wired-over, which permits their use for many types of concealed wiring.

The Brass Canopy on P & S 1211, 1213 and 1214 snaps on or off without the use of tools. Press the thumb and finger on the side buttons to separate the Canopy from the Base.



P & S 1214
Patented
(¾ Actual Size)

Fuseless Brass Covered Rosettes
National Code Standard

200	XA	.80	50	Spg. Clip Contact	1	75
112	XA	.80	50	Binding Screw Contact	1	72

Holes for supporting screws are slotted to accommodate both the 3¼ and 4-inch Outlet Box Spacing. Outside diameter of base is 4²¹/₃₂ inches. Height of rosette 1¾ inches. Terminals are ½ inch from surface wired-over, which permits their use for many types of concealed wiring. Supplied with Porcelain Bushing recessed for lock nut of P & S 1171, Brass Fixture Loop.

Used extensively for Chain and Cord Pendants—practical, inexpensive.

Standard finish of the Canopies, Bell Mouths and Spring Buttons on the Canopy Rosettes and the Covers of the Brass Covered Rosettes shown above is Brush Brass. For other finishes see page 45.



P & S 200
Patented
(¾ Actual Size)

P & S SOCKETS FOR CANDLE FIXTURES

Rating—Chain Pull Sockets 250W.—250V. Keyless Sockets 660W.—250V.

Chain Pull Candle Fixture Socket
National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
1215	B	\$0.75	50	1/8-inch Nipple.....	10	17

Length over all is 3¹¹/₁₆ inches. Length of body is 2⁷/₈ inches.

Designed to eliminate awkward and difficult wiring in a limited space, as the wires are brought through the fixture-arms and thence directly to the terminals on the outside of the socket-body. Large binding screws, deep raceways for wires, works smoothly in standard candles. The chain is fitted with a Snap Lock Ball which permits the chain to be brought through a bell-mouth in the bobesche when desired. Length of chain below body is 8 inches. This socket may be used in candles or tubing measuring not less than 1¹/₄ inches inside diameter.

For description of Yoke on P & S 1215 see note under P & S 198.

Standard No. 3 Socket Chain with Snap Lock Ball is used on P & S 1215. This small graceful Chain harmonizes perfectly with the design of Fixtures where P & S Candle Sockets are employed.

Standard length of Chain is 8 inches.

Keyless Socket for Candle Fixture
National Code Standard

198	B	.30	500	1/8-inch Nipple.....	25	60
-----------	---	-----	-----	----------------------	----	----

Length over all is 2⁵/₈ inches. Length of body is 1⁷/₈ inches. This socket may be used in candles or tubing measuring not less than 1¹/₄ inches inside diameter.

The Yoke is designed with OPEN THROAT, like the CAP of a Socket, and screws on the Pipe the full length of the threads. This allows the wires to run straight through the Pipe and Yoke without fishing, twisting or cutting the insulation.

No slot to file in the Pipe; no Wires to fish out of a hole.

The Side Screws draw and hold the Body and Yoke together.


This construction permits the Phosphor Bronze Spring Center Contact which prevents the flickering of the Lamps.

See Exploded View at right.

P & S CANDLE FIXTURE SPECIALTIES
Porcelain Candelabra Adapter
Rating—75W.—250V.
National Code Standard

1262	XA	.10	100	Medium to Can- delabra	25	6
------------	----	-----	-----	---------------------------------	----	---

Designed for use with the Candle Sockets when it is desired to use candelabra base lamps. Fits directly into the lamp-base of the socket.



P & S 1215
On Candle Bracket



P & S 1215
Patented
(3/8 Actual Size)



P & S 198
Patented
(3/8 Actual Size)
With Exploded
View



P & S 1262
(3/8 Actual Size)

P & S SOCKETS FOR CANDLE FIXTURES

Rating—Chain Pull Sockets 250W.—250V. Keyless Sockets 660W.—250V.



P & S 1900
Patented
($\frac{3}{8}$ Actual Size)



P & S 1901
Patented
($\frac{3}{8}$ Actual Size)

Keyless Extension Socket or Candle Length Socket National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
1900	B	\$0.50	50	$\frac{1}{8}$ -inch Nipple.....	10	22

See description below P & S 1901 listing.

Chain Pull Extension Socket or Candle Length Socket National Code Standard

1901	B	.90	50	$\frac{1}{8}$ -inch Nipple.....	10	22
------------	---	-----	----	---------------------------------	----	----

Length over all is $4\frac{7}{8}$ inches. Length of body is $4\frac{9}{16}$ inches. Interior is supported by a rigid hickey or leg which gives ample room for free wiring. This socket may be used in candles or tubing measuring not less than $1\frac{1}{4}$ inches inside diameter. The fibre casing having a highly finished white glazed enamel surface allows the socket to be used without casing if so desired. The chain in P & S 1901 is fitted with a Snap Lock Ball which permits the chain to be brought through a bell-mouth in the bobesche when desired. Length of chain below body is 8 inches.



P & S 328
Patented
($\frac{3}{8}$ Actual Size)



P & S 347
Patented
($\frac{3}{8}$ Actual Size)

PORCELAIN CANDELABRA SOCKETS

Rating—75 Watts, 125 Volts

Socket with $.312$ inch Male Thread Stud—27 Threads per Inch
Outside diameter of porcelain body is $\frac{3}{4}$ inch.

328	XA	.21	200	Candelabra Base ..	50	10
-----------	----	-----	-----	--------------------	----	----

Socket with $\frac{1}{8}$ -inch Female Thread Nipple
Outside diameter of porcelain body is $\frac{3}{4}$ inch.

347	XA	.21	200	Candelabra Base ..	50	11
-----------	----	-----	-----	--------------------	----	----

P & S 328 and 347 Candelabra Base Sockets are designed for use on Fixtures equipped with Glass Candles. The Socket is usually supported by a short tube, rod or nipple. When installed the glass candle covers the supporting tube, socket and the wires leading to the Socket Terminals. If Miniature Lamps are to be employed, a threaded bushing known as a Miniature Adapter may be inserted in the Candelabra Base Sockets.



P & S 831
Patented
($\frac{3}{8}$ Actual Size)

P & S PORCELAIN HUSK OR FIXTURE SOCKETS

Rating—660W.—250V.

National Code Standard

831	B	.43	100	Keyless	10	45
-----------	---	-----	-----	---------------	----	----

The small diameter of this Socket permits its use in tight husks. A special wrench for inserting the socket-cap in husks, supplied. See P & S 1260.

The Standard finish on all Brass Caps is Brush Brass. For Special Finishes please refer to column 3, page 45.

P & S SHADE HOLDERS

"Uno" Shade Holders are threaded to receive the Threaded Bead of Brass Sockets and Receptacles.

P & S "Uno" Shade Holders

Trade No.	Schedule	List Price per C.		Std. Pkg.	Size and Type	Carton	Pkg. Wt. Lbs.
		Finished	Unfinished				
501	D	\$7.50	\$6.75	500	2 1/4" with Screws.....	50	35
532	D	8.50	7.75	500	2 1/4" Solid, with Screws	50	35
502	D	9.25	8.75	250	2 1/4" Wire Spring.....	50	20
533	D	9.05	8.00	250	2 1/4" Solid, Wire Spring	50	20
503	D	15.50	13.75	250	Form H with Screws....	25	30
504	D	15.90	14.20	100	Form H Wire Spring..	25	15
505	D	14.85	13.05	250	3 1/4" with Screws.....	25	37
534	D	15.90	14.20	250	3 1/4" Solid, with Screws	25	37
506	D	19.00	17.50	100	3 1/4" Wire Spring.....	25	18
535	D	19.35	17.85	100	3 1/4" Solid, Wire Spring	25	18
511	D	20.55	18.35	100	4" with Screws.....	10	20
536	D	23.45	21.65	100	4" Solid, with Screws..	10	20

Old or brush brass is the regular finish and will be supplied when no finish is specified, but polished brass and rich gilt will be furnished when specified, without extra charge. All other finishes, excepting gold, silver and sand blast, add \$1.75 list per hundred. Prices for gold, silver and sand blast will be furnished on application.

Standard Shade Holder for Porcelain *Shurlok* Sockets and Receptacles

1245	XA	17.00		100	Shade Holder, 2 1/4"....	20	18
------	----	-------	--	-----	--------------------------	----	----

Standard Finish is Brush Brass.
No extra charge for polished brass. For all other finishes add \$3.50 per hundred to the list.

Shade Holders for Porcelain Sockets and Receptacles

119	SM	8.50		288	Shade Holder, 2 1/4"....	24	25
1190	SM	16.25		144	Shade Holder, 3 1/4"....	12	16

Standard Finish is Brush Brass.
No extra charge for polished brass. For all other finishes add \$3.50 per hundred to the list.



Socket with Threaded Bead for "Uno" Shade Holders
Patented
(3/8 Actual Size)



P & S "UNO" Screw Shade Holder
Patented
(3/8 Actual Size)



P & S "UNO" Spring Shade Holder
Patented
(3/8 Actual Size)



Solid "UNO" Shade Holder
Patented
(3/8 Actual Size)



P & S 1245
Patented
(3/8 Actual Size)




P & S 119
Patented
(3/8 Actual Size)

P & S PORCELAIN ROSETTES


Rating—Fuseless Rosettes 660W.—250V.; Fusible, 2A.—125V.



P & S 390
P & S 79
($\frac{3}{8}$ Actual Size)



P & S 400
P & S 76
($\frac{3}{8}$ Actual Size)



P & S 810
P & S 176
($\frac{3}{8}$ Actual Size)



P & S 604
Patented
($\frac{3}{8}$ Actual Size)

Little Gem Concealed Rosettes

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
390	XA	\$0.20	250	Fusible, 2-piece....	10	140
79	XA	.18	250	Fuseless, 2-piece ..	10	140

Holes for supporting screws are spaced $1\frac{13}{32}$ inches on centers. Outside diameter of base is $2\frac{1}{4}$ inches. Height of base 1 inch. Deep recessed base to accommodate loom or tube ends. Hole is recessed for Lock-nut of P & S 1171, Brass Fixture Loop.

Little Gem Cleat Rosettes

National Code Standard

400	XA	.20	250	Fusible, 2-piece....	10	115
76	XA	.18	250	Fuseless, 2-piece ..	10	115

Holes for supporting screws are spaced $1\frac{7}{16}$ inches on centers. Outside dimensions of base $2\frac{1}{8}$ inches by $2\frac{7}{8}$ inches. The base has the same width as the average cleat and may be used for cleat work, making a neat, practical job. Hole is recessed for Lock-nut of P & S 1171, Brass Fixture Loop.

Little Gem Moulding Rosettes

National Code Standard

810	XA	.20	250	Fusible, 2-piece....	10	117
176	XA	.18	250	Fuseless, 2-piece ..	10	117

Holes for supporting screws are spaced $1\frac{21}{32}$ inches on centers. Outside dimensions of base $2\frac{1}{16}$ inches by $2\frac{1}{16}$ inches.

The generous width of this base makes them practical for use with various styles of moulding.

Porcelain Concealed Rosettes

National Code Standard

604	XA	.19	250	Fuseless, 2-piece ..	10	125
605	XA	.12	250	Porcelain Cover only	10	115

Holes for supporting screws are spaced $1\frac{31}{32}$ inches on centers. Outside diameter of covers $2\frac{1}{2}$ inches. Height of rosette $1\frac{11}{16}$ inches. Generous space for wiring and knot in the cord.

P & S 605 is recommended where it is desired to tap the drop cord directly on the line wires. Wide enough to cover an unusual hole in the wall or ceiling and yet permit the screws to be secured to the wall.

P & S PORCELAIN RECEPTACLES

Rating—Keyless Receptacles 660W.—250V

Cleat Receptacle with Brass Shell for Uno Shadeholders

National Code Standard



P & S 9403
Patented
(3/8 Actual Size)

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
9403	B	\$0.27	250	Threaded Bead.....	10	92

Holes for supporting screws are spaced 2 3/8 inches on centers. Outside dimensions of base 2 15/16 by 2 11/16 inches. Height of receptacle 1 3/8 inches.

The ability to use the various types of Uno shadeholders makes this receptacle desirable for various installations where a wide variety of glass ware is required.



P & S 9402
Patented
(3/8 Actual Size)


Cleat Receptacles for Heavy Duty

National Code Standard

9402	B	.17	250	Without Groove.....	10	115
4013	B	.22	250	With Shadeholder Groove	10	115

Holes for supporting screws are spaced 2 3/8 inches on centers. Outside dimensions of base 2 15/16 by 2 11/16 inches. Height of receptacles 1 5/8 inches.

Special attention is called to the broad shoulders which receive the head of the supporting screws. Special provision is made to clear the shoulders of excess gloss so that the supporting screw heads will hold firmly in position.



P & S 4013
Patented
(3/8 Actual Size)

Cleat Receptacle for Standard Work

Known to the Trade as Pony Receptacles

National Code Standard



P & S 50715
Patented
(3/8 Actual Size)

50715	B	.15	250	Without Groove.....	10	82
-------	---	-----	-----	---------------------	----	----

Holes for supporting screws are spaced 1 15/16 inches on centers. Outside diameter of base 2 1/2 inches. Height of receptacle 1 5/8 inches.

Cleat or Concealed Rosette
National Code Standard

1999	XA	.10	500	Fuseless, 1-piece ..	10	124
------------	----	-----	-----	----------------------	----	-----

Holes for supporting screws are spaced 1 5/8 inches on centers. Outside dimensions of rosette are 2 25/32 inches by 2 7/32 inches. Height of rosette 1 3/8 inches.

Provision is made so that the wires may be brought from the back of the rosette to the terminals when concealed wiring is desirable.



P & S 1999
Patented
(3/8 Actual Size)

P & S WEATHERPROOF SOCKETS

Rating—660W.—600V.

Weatherproof Aluminum Shell Socket with Bayonet Shell

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
486	B	\$0.50	50	Keyless $\frac{3}{8}$ -inch Cap.....	10	23

The terminals of this socket are located sufficient distance from the skirt of the cap, so that the interior may be placed in position before the connections are made. This prevents a surplus of wire in the cap.



P & S 486
($\frac{3}{8}$ Actual Size)

Weatherproof Aluminum Shell Socket with Bayonet Shell

National Code Standard

487	B	.50	50	Keyless $\frac{1}{2}$ -inch Cap.....	10	22
-----	---	-----	----	--------------------------------------	----	----

The terminals of this socket are located sufficient distance from the skirt of the cap, so that the interior may be placed in position before the connections are made. This prevents a surplus of wire in the cap.



P & S 487
($\frac{3}{8}$ Actual Size)

Porcelain Weatherproof Socket with $\frac{1}{8}$ -inch Brass Cap

Rating—250W.—250V.

National Code Standard

0116 $\frac{1}{2}$	B	.60	100	Shadeholder Groove.....	25	35
--------------------	---	-----	-----	-------------------------	----	----

Fitted with 6-inch No. 18 rubber-covered fixture wires. Sockets with longer wires furnished to order at \$0.04 $\frac{1}{2}$ list per foot each conductor.

The brass cap supplied in special finishes at $\frac{1}{2}$ the advance for standard brass sockets.



P & S 0116 $\frac{1}{2}$
($\frac{3}{8}$ Actual Size)

Porcelain Weatherproof Socket with $\frac{3}{8}$ -inch Brass Cap

Rating—250W.—250V.

National Code Standard

116 $\frac{1}{2}$	B	.60	100	Shadeholder Groove.....	25	35
-------------------	---	-----	-----	-------------------------	----	----

Fitted with 6-inch No. 18 rubber-covered fixture wires. Sockets with longer wires furnished to order at \$0.04 $\frac{1}{2}$ list per foot each conductor.

The brass cap supplied in special finishes at $\frac{1}{2}$ the advance for standard brass sockets.



P & S 116 $\frac{1}{2}$
($\frac{3}{8}$ Actual Size)

PORCELAIN RECEPTACLES FOR CEILING LIGHTS

Rating—Pull Receptacles, 250 Watts, 250 Volts.

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
998	B	\$0.83	100	Pull, Short Chain and Cord	10	50

P & S 998 is fitted with a Porcelain Clamping Ring and gasket and is intended for use with units having 1½" throat.

An extra Bell Mouth supplied for use in running the chain through the shell of a Ceiling Unit. The device is fitted with short chain, 6 feet of Linen Cord with Composition Ball.

999	B	.83	100	Pull with 3' Chain.....	10	50
-----	---	-----	-----	-------------------------	----	----

P & S 999 is fitted with a Porcelain Clamping Ring and Gasket and is intended for use with units having 1½" throat.

An extra Bell-mouth supplied on the chain for use in running the chain through the shell of a Ceiling Unit.

The device is fitted with 3-foot chain and snap-lock ball.

These Receptacles, P & S 998 and 999, meet the most rigid requirements and are approved where heretofore weatherproof Receptacles were required because the raceways for the wires are deep and the terminals are enclosed in the outer Porcelain Shell.



Ceiling Light Fitted with Pull Receptacle



P & S 998
Patented
(3/8 Actual Size)



P & S 999
Patented
(3/8 Actual Size)

P & S SIGN RECEPTACLES

Keyless Receptacles, 660 Watt, 250 Volts.

Porcelain Sign Receptacle for Metal Signs and Outlet Boxes

National Code Standard

61988	C	\$0.20	250	Porc'n Ring and Gasket....	25	80
-------	---	--------	-----	----------------------------	----	----

Punch required for this receptacle is 1½ inches in diameter. The terminals are recessed to accommodate weatherproofing compound.

Length of back 1⅛ inches. Wires carried from surface 1 inch.


Porcelain Sign Receptacle for Metal Signs and Outlet Boxes

National Code Standard

497	C	.20	250	Porc'n Ring and Gasket....	25	80
-----	---	-----	-----	----------------------------	----	----

Punch required for this receptacle is 1½ inches in diameter. P & S 497 is similarly constructed to P & S 61988 with the exception of the five notches in the base as illustrated. Cut one projection in the sign face, bend this projection into the desired notch—this gives practically any position of the receptacle and insures against its turning.

Length of back 1⅛ inches. Wires carried from surface 1 inch.



P & S 61988
Patented
(3/8 Actual Size)

P & S 497
Patented
Exploded View
(3/8 Actual Size)

PORCELAIN SWITCH BACKS OR BASES

For Use with Wall Receptacles and 5 Ampere Switches

National Code Standard

Trade No.	Sched-ule	List Price Each	Std. Pkg.		Car-ton	Pkg. Wt. Lbs.
12	XA	\$0.06	100	5 Ampere Size....	10	30

For Moulding Terminal.
Outside dimensions $2\frac{7}{16}$ by $2\frac{5}{8}$ inches.

13	XA	.06	100	5 Ampere Size....	10	30
----------	----	-----	-----	-------------------	----	----

For Moulding Work.
Outside dimensions $2\frac{9}{32}$ by $2\frac{5}{8}$ inches.

14	XA	.06	100	5 Ampere Size....	10	30
----------	----	-----	-----	-------------------	----	----

For Cleat Work.
Outside diameter is $2\frac{1}{2}$ inches.

15	XA	.06	100	5 Ampere Size....	10	30
----------	----	-----	-----	-------------------	----	----

For Concealed Work.
Outside diameter is $2\frac{1}{2}$ inches.

16	XA	.06	100	5 or 10 Amp. Size	25	30
----------	----	-----	-----	-------------------	----	----


May be used for various types of Wall and Ceiling Receptacles.
Outside diameter is $2\frac{19}{32}$ inches.

62	XA	.15	25	20 & 30 Amp. Size	5	22
----------	----	-----	----	-------------------	---	----

May be used for various types of Medium Base Receptacles or 20 and 30 Ampere Standard Snap Switches.
Outside diameter is $3\frac{1}{2}$ inches.

17	XA	.06	100	5 or 10 Amp. Size	25	30
----------	----	-----	-----	-------------------	----	----

Designed primarily for Moulding Work but may be used in Cleat or Concealed Work. May be used for various types of Wall and Ceiling Receptacles, or 5 and 10 Ampere Standard Snap Switches.
Outside dimensions $2\frac{7}{16}$ by $2\frac{7}{16}$ inches.



P & S 12
($\frac{3}{8}$ Actual Size)



P & S 13
($\frac{3}{8}$ Actual Size)




P & S 14
($\frac{3}{8}$ Actual Size)



P & S 15
($\frac{3}{8}$ Actual Size)



P & S 16
($\frac{3}{8}$ Actual Size)



P & S 17
($\frac{3}{8}$ Actual Size)

SPECIAL FINISHES

The standard finish on all brass shell devices is Brush Brass, which will be supplied where no finish is specified.

Special Finishes	Complete Devices with Caps		Parts			
	Push, Key, and Keyless	Pull	Outlet Box Devices and Bases	Caps	Push, Key, Keyless Bodies, All Shadeholders	Pull Bodies
Bauer Barff.....	\$0.10	\$0.12	\$0.16	\$0.05	\$0.05	\$0.07
Brass, Sand Blast Antique.....	.22	.26	.30	.11	.11	.15
Brass, Sand Blast Brush.....	.18	.22	.28	.09	.09	.13
Brass, Flemish.....	.10	.12	.16	.05	.05	.07
Brass, Lemon.....	.06	.07	.12	.03	.03	.04
Brass, Oxidized.....	.10	.12	.16	.05	.05	.07
Brass, Polished.....	.06	.07	.12	.03	.03	.04
Bronze, Brush.....	.10	.12	.16	.05	.05	.07
Bronze, Japanese (Dark).....	.16	.20	.25	.08	.08	.12
Bronze, Polished.....	.10	.12	.16	.05	.05	.07
Bronze, Statuary (Light).....	.16	.20	.25	.08	.08	.12
Copper, Antique.....	.16	.20	.25	.08	.08	.12
Copper, Mottled.....	.10	.12	.16	.05	.05	.07
Copper, Brush.....	.10	.12	.16	.05	.05	.07
Copper, Oxidized.....	.10	.12	.16	.05	.05	.07
Copper, Polished.....	.10	.12	.16	.05	.05	.07
Enamel, White.....	.28	.32	.30	.14	.14	.18
Gilt, Rich.....	.06	.07	.12	.03	.03	.04
Gun Metal.....	.10	.12	.16	.05	.05	.07
Nickel, Dull.....	.10	.12	.16	.05	.05	.07
Nickel, Polished.....	.10	.12	.16	.05	.05	.07
Silver, Butler's (Brushed).....	.20	.30	.25	.10	.10	.20
Silver, Satin.....	.28	.32	.30	.14	.14	.18
Silver, Oxidized.....	.20	.30	.25	.10	.10	.20
Silver, Polished.....	.20	.30	.25	.10	.10	.20
Verde-Antique.....	.28	.32	.30	.14	.14	.18

Regular and Special finishes of one catalog number may be assorted to make up one standard package.

When Sockets are ordered in lots of 500 of one catalog number and one finish, the advanced list for special finish above will be reduced 10%.

Special Information on Special Finishes

Mogul Shells and Caps, page 46, take double the list prices shown above.

All shadeholders, page 47, see prices in next to last column.

Brass Keys, page 42, advance \$0.05 each; Devices with Brass Keys $\frac{7}{8}$ -inch, advance \$0.10; Devices with longer Brass Keys, advance \$0.15.

Chain Guides, page 43, advance \$0.04 for Standard and \$0.10 for Extension chain guides.

P & S ACCESSORIES

Extra Parts for Chain Pull Sockets and Receptacles

Trade No.	Sched-ule	List Per Foot or Each	Add for Special Finish	Std. Pkg.	Description
299	SM	\$0.02¹/₂	\$0.02	200	Chain Pull Splicing Link
†575	B	.20 each	.02	250	Short Chain, Splicing Link, 6-Ft. Linen Cord with Ball
576	SM	.01	120 Ft.	Linen Cord
*578	SM	.05	.02	1000 Ft.	Pull Chain
579	B	.09 each	250	3 Ft. Linen Cord with Ball
580	B	.16 each	250	6 Ft. Linen Cord with Ball
581	B	.13 each	.02	250	8-inch Pull Chain with Ball
582	B	.28 each	.02	250	8-inch Pull Chain with Fibre Insulation and Ball
583	B	.21 each	.03	250	18-inch Pull Chain with Ball
584	B	.36 each	.03	250	18-inch Pull Chain with Fibre Insulation and Ball
585	SM	.06 each	.02	250	Ball for Pull Socket Chain
586	SM	.06 each	250	Black Composition Ball
1120	SM	.08 each	.02	100	Insulating Link

†The Short Chain is 3³/₄ inches over all and will therefore extend about 2¹/₂ inches below the Bell Mouth or Chain opening in the device.

*P & S 578 Pull Chain cannot be supplied in Special Finishes in lengths greater than 100 feet.

Extra Pull Chain when sold attached to Sockets or Receptacles lists at \$0.10 per foot.


Pull Chain shorter than 8 inches, when attached to devices, will be charged at full 8-inch price.



**P & S 299 Patented
Chain Splicing Link**

FluTo and Flutolier Socket Parts

Caps, Shells, Linings and Interiors
Schedule B



**P & S 1120 Patented
Insulating Link**

Description	List Price	Std. Pkg.
Caps, 1/8 inch without Lining.....	\$0.06¹/₂	250
Caps, 1/4 inch without Lining.....	.15¹/₂	250
Caps, 3/8 inch without Lining.....	.12¹/₂	250
Caps, Pendent without Lining.....	.06¹/₂	250
Shells, Key, without Lining.....	.10	250
Shells, Keyless, without Lining.....	.10	250
Shells, Pull, without Lining.....	.10	250
Linings, Shell, all types.....	.03	250
Linings, Cap, all types.....	.00¹/₂	250
Interiors, Key.....	.20	250
Interiors, Key, 660 Watts.....	.23	250
Interiors, Keyless.....	.17	250
Interiors, Pull without Chain or Ball.....	.40	250
Interiors, Pull with Chain, Ball and Guide.....	.53	250

Brass Mogul Socket Parts


Caps, Shells, Linings and Interiors
Schedule B

Caps, 3/8-inch, without Lining.....	.75	50
Caps, 1/2-inch, without Lining.....	.75	50
Shells, Keyless, without Shadeholder or Lining.....	.55	50
Shells, Keyless with Shadeholder without Lining.....	.85	50
Linings, Cap, all types.....	.03	50
Linings, Shell, all types.....	.10	50
Interiors, Keyless.....	.37	50

For complete listing of Mogul Caps and Bodies see Mogul Charts on Pages 22 and 23.

P & S ACCESSORIES

The Wrenches shown on this page have been carefully designed to aid the users of P & S Material in assembling Fixtures or installing Sign Receptacles.




P & S 1140

P & S 1140 Porcelain Ring-Type Sign Receptacle Wrench

Trade No.	Schedule	List Price Each	Standard Package	Carton	Pkg. Wt. Lbs.
1140	XA	\$0.75	10	1	5

For use in installing the Ring-type Porcelain Receptacles in Ceiling Fixtures or Spun Brass Units. The Porcelain Rings of P & S Sign Receptacles fit closely in the cupped end of this wrench and may be installed where there is little room at the sides of the Receptacle.




P & S 1141

P & S 1141—Figs. 1 and 2 Metal Ring-Type Sign Receptacle Wrenches

1141	XA	.75	10	5	2
------	----	-----	----	---	---

P & S 86 requires a Spanner Wrench to tighten the Metal Ring on the Receptacle. Each Carton contains a convenient Metal Wrench as illustrated in figure 1. The larger Wrench illustrated herewith is designed especially for Sign and Fixture Manufacturers who use P & S 86. When these receptacles are used in Ceiling Fixtures or Units these Wrenches save time and labor.



P & S 1260
(3/8 Actual Size)

P & S 1260 Porcelain Fixture Socket Wrench

1260	XA	.75	10	5	1 1/2
------	----	-----	----	---	-------

Designed for exclusive use when installing P & S Porcelain Fixture Sockets in Socket-covers or Husks.



P & S 1261
(3/8 Actual Size)


P & S 1261 FLUTo and Flutolier Socket Wrench

1261	XA	.75	10	5	1 1/2
------	----	-----	----	---	-------

This Wrench is double-headed so that it may be used on both FLUTo and Flutolier Socket installations.

For Husk-work it is found invaluable. The caps fit snugly on the corrugations and with the aid of the wrench the caps may be inserted in Socket-covers or Husks and turned up to the shoulder on the Fixture-arm or Nipple.

Rayvac Electric Cleaner and Attachments



Rayvac Cleaning Attachments

- 1—Eight feet reinforced covered vacuum hose.
- 2—Hose connector for suction.
- 3—Fibre extension tube to connect hose and tools.
- 4—Nozzel for curtains, mattresses, pillows, etc.
- 5—Brush for cleaning clothes, curtains, cushions, etc.
- 6—Blower nozzle.
- 7—Blower connector.



Rayvac Electric Cleaner

Motor—Speed 9500 r.p.m.

Brush—Soft revolving hair brush, will not injure the most delicate fabric.

Current—Motors made to operate on voltages as low as 32, and as high as 256, also any cycle.

Electric Portables



Nº 1866 1/2 - Electric Portable - Finishes: Assyrian, Pompain & Babylon
Shade Nº 704 ◊ Dec. Nº 386 ◊ Dia. 16" - Height 21"
Twin Socket ◊ Silk Cord ◊ Separable Plug

Electric Portables



Nº 1865 1/2 Electric Portable - Finishes: Assyrian, Pompain & Babylon ◦ Shade Nº 704 ◦ Dec. Nº 321 ◦ Dia. 16" ◦ Height 22" Twin Socket ◦ Silk Cord ◦ Separable Plug

Electric Portables



*No 1849 1/2 - Electric Portable - Finishes: Assyrian, Pompeian & Babylon
Shade No 704 • Dec. No 331 • Dia. 16" Height 22"
Twin Socket • Silk Cord • Separable Plug*

Electric Portables



Electric Portables



*Nº 1868 1/2 - Electric Portable - Finishes: - Assyrian, Pompaine & Babylon
Shade Nº 704 - Dec. Nº 322 · Dia. 16" · Height 21"
Twin Socket · Silk Cord · Separable Plug*

Electric Portables



Nº 1867 1/2 - Electric Portable - Finishes: Assyrian, Pompain & Babylon • Shade Nº 704 - Dec. Nº 318 - Dia. 16" - Height 21" • Twin Socket • Silk Cord • Separable Plug

Electric Portables



No. 1849 $\frac{1}{2}$ Electric Portable

Finishes, Assyrian, Pompeian and Babylonian.
Shade No. 704—Dec. No. 337. Dia. 16". Height 22".
Twin Socket—Silk Cord—Separable Plug.

Electric Portables



No. 1849½ Electric Portable

Finishes, Assyrian, Pompeian and Babylonian.

Shade No. 704—Dec. No. 335. Dia. 16". Height 22".

Twin Socket—Silk Cord—Separable Plug.

Electric Portables



No. 1864 $\frac{1}{2}$ Electric Portable

Finishes, Assyrian, Pompeian and Babylonian.
Shade No. 704—Dec. 334. Dia. 16". Height 21 $\frac{1}{2}$ ".
Twin Socket—Silk Cord—Separable Plug.

Electric Portables



No. 1865 $\frac{1}{2}$ Electric Portable

Finishes, Assyrian, Pompeian and Babylonian.

Shade No. 704—Dec. No. 339. Dia. 16". Height 22".

Twin Socket—Silk Cord—Separable Plug.

Electric Portables



No. 1866½ Electric Portable

Finishes, Assyrian, Pompein and Babylonian.
Shade No. 704—Dec. No. 338. Dia. 16". Height 21".
Twin Socket—Silk Cord—Separable Plug.

Electric Portables



No. 1866 $\frac{1}{2}$ Electric Portable

Finishes, Assyrian, Pompeian and Babylonian.

Shade No. 704—Dec. No. 336. Dia. 16". Height 21".

Twin Socket—Silk Cord—Separable Plug.

Electric Portables



No. 1867 $\frac{1}{2}$ Electric Portable

Finishes, Assyrian, Pompeian and Babylonian.
Shade No. 704—Dec. 337. Dia. 16". Height 22".
Twin Socket—Silk Cord—Separable Plug.

Electric Portables




No. 1868 $\frac{1}{2}$ Electric Portable

Finishes, Assyrian, Pompein and Babylonian.

Shade No. 704—Dec. No. 333. Dia. 16". Height 21".

Twin Socket—Silk Cord—Separable Plug.

Boudoir Lamps




No. 402 Boudoir Lamp
Height 15". Shade 8".
Finish, Ivory
or Bronze-Green.



No. 401 Boudoir Lamp
Height 15". Shade 8".
Finish, Bronze-Green, Ivory or Gold.



No. 400 Boudoir Lamp
Height 15". Shade 8".
Finish, Silver or Gold.




No. 404 Boudoir Lamp
Height 16". Shade 10".
Finish, Jap Gold.

Boudoir Lamps wired with
Push Socket, Cord
and Plug.



No. 403 Boudoir Lamp
Height 15". Shade 8".
Finish, Ivory or Silver.

Boudoir Lamps




Base No 9344
 Finish - Smoked Silver
 Height 14 1/2"
 Shade 700/289
 Dia. of Shade 7"

All Are Fitted With
 Push Button Socket
 Silk Cord And
 Separable Plug


Base No 9328
 Finish - Gold
 Height 14 1/2"
 Shade 700/216

Base No 1857 1/2
 Finishes - Assyrian & Ivory
 Height 15 1/2"
 Shade 700/296

Boudoir Lamps




*Base No 9331
Height 14"
Shade 450/322*




*Base No 9330
Height 14"
Shade 450/311*

*FINISHES - Old Ivory,
Assyrian, Pompeian*



*Base No 9332
Height 14"
Shade 450/204*


Desk and Floor Lamps



No. 412 Floor Lamp


Flexible Neck.

Finish, Verdi Green, Statuary Bronze, and Pompeian Bronze.



No. 410 Desk Lamp

Finish, Verdi Green, Statuary Bronze, and Pompeian Bronze.




No. 411 Desk Lamp

Adjustable any angle.

Finish, Verdi Green, Statuary Bronze, and Pompeian Bronze.

Floor Lamps



No. 413 Floor Lamp


Finish, Flemish, Bronze.



No. 414 Floor Lamp

Finish, Pompeian Bronze,
Verdi Green and Flemish.

Panama Lites




No. 1219 With White Bowl
No. 1219 With Blue Bowl

Diameter of Ceiling Flange 19".
Diameter of Bowl 12".

We recommend 300 to 500 Watt Nitrogen Lamps for No. 1219.

This Fixture is a wonder for large stores, halls, public buildings, etc.

Furnished with Mogul socket, unless otherwise ordered.




No. 916 With White Bowl
No. 916 With Blue Bowl

Diameter of Ceiling Flange 16".
Diameter of Bowl 9".

For 200 or 250 Watt Nitrogen Lamps.

This size is suitable for stores, good sized offices, small halls, libraries, etc.

We recommend 200 Watt Nitrogen Lamps for this Fixture.



No. 714 With White Bowl
No. 714 With Blue Bowl

Diameter of Ceiling Flange 14".
Diameter of Bowl 7".

Especially suitable for 75 and 100 Watt Nitrogen Lamp.

This size is particularly adapted to moderate sized offices, show rooms, or stores with low ceilings, and makes an excellent show window unit.

We recommend 100 Watt Nitrogen Lamps for this Fixture.

The Ventilated Commercial Units



No. 952—911

150 to 200 Watt Size.
6" Fitter. 12" Diam.
10½" Depth.

A one-piece Unit, that will stand every test for scientific principals of illumination.

Furnished in three sizes.

For Offices, Stores, Schools, or any place requiring a clear bright light.

Especially selected and tested cased glass.

No. 951—912

300 to 500 Watt size.
6" Fitter. 14" Diam.
12" Depth.

No. 950—906

75 to 100 Watt size
4" Fitter. 7" Diam.
8" Depth.

Fixtures: Spun from heavy gauge metal, furnished any length.

Stock Finishes: Brushed Brass, Flemish and Bronze.

Can be furnished with No. 1213 P & S Ceiling Pull Switch at \$1.30 extra. See page 106.


Commercial Units



No. 13 Holder

Showing Doric Unit or Ceiling Holder.

Finish, Brush Brass, Flemish or Bronze.



No. 15 Doric Unit

Length 36 inches.

No. 12—100 Watt

$2\frac{1}{4}$ " Fitter. Diameter $9\frac{1}{2}$ ".

No. 13—150 Watt


$3\frac{1}{4}$ " Fitter. Diameter 11".

No. 14—200 Watt

$3\frac{1}{4}$ " Fitter. Diameter 13".

No. 15—300 Watt

$3\frac{1}{4}$ " Fitter. Diameter 15".



No. 17 Pendant

Made in $3\frac{1}{4}$ ", 4", 5" or 6" Fitter.

Length 36 inches.


Doric Commercial Units

Moonstone Glass



No. 1392 Doric Unit

6" Fitter. 12" Diameter. $8\frac{3}{4}$ " deep.



No. 1393 Doric Unit

6" Fitter. 14" Diameter. $9\frac{3}{8}$ " deep.



No. 1394 Doric Unit

9" Fitter. 16" Diameter. $11\frac{1}{2}$ " deep.


Our latest development in high efficiency Lighting Units possessing the double feature of semi-indirect as well as an enclosed dust proof unit.

Made in the beautiful DORIC design which is simplicity itself; having no indented ribs or crevices, there is no place for dust to collect; an important point regarding cleaning,

The general contour of the DORIC-ALL-ONE has been carefully designed by our engineers and the shape is correct for the set with Type "C" Nitrogen Lamps assuring maximum efficiency.


DORIC-ALL-ONE is a one piece Unit simple to install; all that is required is a chain hanger with six inch holders for Nos. 1392 and 1393. A nine inch holder is necessary for No. 1394.

Cast Iron Porch Brackets



No. 400 Iron Porch Bracket

$3\frac{1}{4}$ " or 4" Fitter.




No. 400 Iron Porch Bracket

$3\frac{1}{4}$ " or 4" Fitter.

Finish
Black or Green

Lanterns




No. 14 Hinged Glass Bottom
Roof $6\frac{1}{4}$ ". Square $7\frac{1}{2}$ " Deep.

No. 15
Roof $7\frac{1}{2}$ ". Square 8" Deep.



No. 21 Open Bottom
Top $6\frac{1}{2}$ ". Square $7\frac{1}{2}$ " Deep.




No. 16 Hexagon Hinged Glass Bottom
Top Diameter $11\frac{1}{2}$ ". 7" Deep.



No. 17 Hinged Glass Bottom
Top $7\frac{1}{2}$ ". 8" Deep.

These Lanterns are made
of Galvanized Iron.
Finish Black.
Glass Clear Moss.



No. 22 Hanger Glass Bottom
Top $6\frac{1}{2}$ ". Square $7\frac{1}{2}$ " Deep.

Cast Iron Porch Lights



No. 1602 Ceiling Lantern
With C. R. I. Cylinder

Above Lantern can be finished in Bronze or Verde Green by adding 15% to the net price.

Canopy at base, 5" diameter.

Cage, 5" x 8".

Length over all 22".



No. 1800 Porch Light
With C. R. I. Cylinder

Above Lantern can be finished in Bronze or Verde Green by adding 15% to the net price.

Diameter of Base $6\frac{3}{4}$ ".

Length over all 11".



No. 1603 Ceiling Lantern
With C. R. I. Cylinder


Above Lantern can be finished in Bronze or Verde Green by adding 15% to the net price.

Diameter of Canopy at Base, 6".

Cage, $5\frac{1}{4}$ " x $8\frac{1}{2}$ ".

Length over all, 25".

CUT No 164



No 414 - Fitter 2 1/4"
Hgt. 5 1/2" Dia. 4 1/4"




Squat or Round
6 x 3 1/4" - 8 x 3 1/4"
7 x 3 1/4" - 8 x 4"



No 443 - Fitter 2 1/4"
Hgt. 6" Dia. 4 1/2"



No 442 - Fitter 2 1/4"
Hgt 5 1/4" Dia. 4"




No 481 - Fitter 2 1/4"
Hgt. 5 1/4" Dia. 4"




10" Bowl - 8" Fitter
12" " 10" "
14" " 12" "

No. 442 and 481	Std. Pkg.	6	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 414 and 443	Std. Pkg.	4 1/2	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
7" Balls	Std. Pkg.	1 1/2	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.



No. 407—442 and 481	Std. Pkg.	6 1/2 Doz.	8"	Balls	Std. Pkg.	1 Doz.
No. 414	Std. Pkg.	4 1/2 Doz.	8x10"	Bowls	Std. Pkg.	1 Doz.
6" Balls	Std. Pkg.	2 1/2 Doz.	10x12"	Bowls	Std. Pkg.	1/2 Doz.
7" Balls	Std. Pkg.	1 1/2 Doz.	12x14"	Bowls	Std. Pkg.	1/3 Doz.



No. 442—480 and 481.....	Std. Pkg.	6	Doz.	8"	Balls.....	Std. Pkg.	1	Doz.
No. 424.....	Std. Pkg.	4 1/2	Doz.	8x10"	Bowls.....	Std. Pkg.	1	Doz.
6" Balls.....	Std. Pkg.	2 1/2	Doz.	10x12"	Bowls.....	Std. Pkg.	1/2	Doz.
7" Balls.....	Std. Pkg.	1 1/2	Doz.	12x14"	Bowls.....	Std. Pkg.	1/3	Doz.

OPTIC IRIDESCENT

*No. 408 - Fitter 2 1/4"
Hgt. 5 3/4" - Dia. 4 1/4"*

*No. 521 - Gas Filter 3 3/8"
Hgt. 5" - Dia. 5"*

*No. 424 - Fitter 2 1/4"
Hgt. 6 1/2" - Dia. 4"*

*No. 419 - Fitter 2 1/4"
Hgt. 4 3/4" - Dia. 4 1/8"*

*A - Shape
6 x 3 1/4" - 7 x 3 1/4" - 8 x 4"*

*No. 414 - Fitter 2 1/4"
Hgt. 5 1/2" - Dia. 4 1/4"*

*No. 442 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"*


*No. 407 - Fitter 2 1/4"
Hgt. 4 3/4" - Dia. 4 1/4"*

*8 x 10" - A
10 x 12" - A*

No. 408	Std. Pkg.	4 1/2	Doz.
No. 419	Std. Pkg.	5	Doz.
No. 414	Std. Pkg.	4 1/2	Doz.
No. 424	Std. Pkg.	4 1/2	Doz.
No. 442	Std. Pkg.	6	Doz.
No. 407	Std. Pkg.	6	Doz.

No. 521	Std. Pkg.	3	Doz.
6 x 3 1/4" A	Std. Pkg.	2 1/2	Doz.
7 x 3 1/4" A	Std. Pkg.	1 1/2	Doz.
8 x 4"	Std. Pkg.	1	Doz.
8 x 10	Std. Pkg.	1	Doz.
10 x 12	Std. Pkg.	1/2	Doz.

Cut No 193 OPTIC IRIDESCENT




No 581 - Fitter 3 3/8"
Hgt. 5 3/8" Dia. 5"



No 424 - Fitter 2 1/4"
Hgt. 6 1/2" Dia. 4"




A - Shape
6"x3 1/4" 7"x3 1/4" 8"x4"



No 481 - Fitter 2 1/4"
Hgt. 5 1/4" Dia. 4"




No 442 - Fitter 2 1/4"
Hgt. 5 1/4" Dia. 4"




8" x 10" - A
10" x 12" - A


No. 442 and 481	Std. Pkg.	6	Doz.	7" Balls	Std. Pkg.	1 1/2	Doz.
No. 424	Std. Pkg.	4 1/2	Doz.	8" Balls	Std. Pkg.	1	Doz.
No. 581	Std. Pkg.	4	Doz.	8x10" Bowls	Std. Pkg.	1	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.	10x12" Bowls	Std. Pkg.	1/2	Doz.




No. 424	Std. Pkg.	4 $\frac{1}{2}$ Doz.	8" Balls	Std. Pkg.	1 Doz.
No. 435	Std. Pkg.	5 Doz.	8x10" Bowls	Std. Pkg.	1 Doz.
No. 442 and 481	Std. Pkg.	6 Doz.	10x12" Bowls	Std. Pkg.	$\frac{1}{2}$ Doz.
6" Balls	Std. Pkg.	2 $\frac{1}{2}$ Doz.	12x14" Bowls	Std. Pkg.	$\frac{1}{3}$ Doz.
7" Balls	Std. Pkg.	1 $\frac{1}{2}$ Doz.			




Cut No 139xx
Round or Squat Balls
6x3 1/4" - 8x3 1/4"
7x3 1/4" - 8x4"



Cut No 139xx
Use No 139 Shades
10" Bowl - 8" Fitter
12" " 10" "
14" " 12" "




Cut No 139x - Use No 139 Shades
10" Bowl - 8" Fitter
12" " 10" "
14" " 12" "



Cut No 139x
Round or Squat
6x3 1/4" - 8x3 1/4"
7x3 1/4" 8x4"

6" Balls.....	Std. Pkg.	2 1/2 Doz.	8x10" Bowls.....	Std. Pkg.	1 Doz.
7" Balls.....	Std. Pkg.	1 1/2 Doz.	10x12" Bowls.....	Std. Pkg.	1/2 Doz.
8" Balls.....	Std. Pkg.	1 Doz.	12x14" Bowls.....	Std. Pkg.	1/3 Doz.




No. 480 and 481	Std. Pkg.	6	Doz.	8" Balls	Std. Pkg.	1	Doz.
No. 435	Std. Pkg.	5	Doz.	8x10" Bowls	Std. Pkg.	1	Doz.
No. 443	Std. Pkg.	4 1/2	Doz.	10x12" Bowls	Std. Pkg.	1/2	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.	12x14" Bowls	Std. Pkg.	1/3	Doz.
7" Balls	Std. Pkg.	1 1/2	Doz.				


DECORATION No 204




No. 519 - Fitter 3 3/8"
Hgt. 4 3/4" Dia. 4 1/8"



No. 710 - Fitter 2 1/4"
Hgt. 5" Dia. 7"



No. 508 - Fitter 3 3/8"
Hgt. 5 1/2" Dia. 4 1/4"



No. 442 - Fitter 2 1/4"
Hgt. 5 1/4" Dia. 4"



K - Shape
6" x 3 1/4" 7" x 3 1/4" 8" x 4"



No. 407 - Fitter 2 1/4"
Hgt. 4 3/4" Dia. 4 1/4"




8" x 10" 10" x 12" 12" x 14"

Pink Roses and Green leaves on inside. Three blue lines on out side above flowers.

No. 407 and 442	Std. Pkg.	6	Doz.	7"	Balls	Std. Pkg.	1 1/2	Doz.
No. 519	Std. Pkg.	5	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 508	Std. Pkg.	4 1/2	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 710	Std. Pkg.	1 5/8	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.

DECORATION No 212

No 546 - Fitter $3\frac{3}{8}$ "
Hgt. $4\frac{3}{4}$ " Dia $5\frac{3}{8}$ "




No 710 - Fitter $2\frac{1}{4}$ "
Hgt. 5" Dia. 7"



No 500 - Fitter $3\frac{3}{8}$ "
Hgt. $4\frac{1}{2}$ " Dia. $4\frac{1}{4}$ "



No 446 - Fitter $2\frac{1}{4}$ "
Hgt. 5" Dia. $4\frac{1}{4}$ "



6" x $3\frac{1}{4}$ " - K
7" x $3\frac{1}{4}$ " - K
8" x 4" - K



No 407 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{3}{4}$ " Dia. $4\frac{1}{4}$ "



8" x 10"
10" x 12"
12" x 14"

Brown trees, tree stumps. Gray mountain and green grass with blue back-ground.

No. 407 and 446	Std. Pkg.	6	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 500	Std. Pkg.	5	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 546	Std. Pkg.	4	Doz.	10x12"	Bowls	Std. Pkg.	$\frac{1}{2}$	Doz.
6" Balls	Std. Pkg.	$2\frac{1}{2}$	Doz.	12x14"	Bowls	Std. Pkg.	$\frac{1}{3}$	Doz.
7" Balls	Std. Pkg.	$1\frac{1}{2}$	Doz.					

DECORATION No 255




No. 546 - Fitter 3 3/8"
Hgt. 4 3/4" Dia. 5 3/8"




No. 450 - Fitter 2 1/4"
Hgt. 4 7/8" Dia. 7"



No. 519 - Fitter 3 3/8"
Hgt. 4 3/4" Dia. 4 1/8"



No. 446 - Fitter 2 1/4"
Hgt. 5" Dia. 4 1/4"



7" x 3 1/4" - A
8" x 4" - A



No. 419 - Fitter 2 1/4"
Hgt. 4 3/4" Dia. 4 1/8"



8" x 10" - A
10" x 12" - A

Pink wild roses with green leaves and stems on inside. Brown briers on outside.

No. 446	Std. Pkg.	6	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 419 and 519	Std. Pkg.	5	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 546	Std. Pkg.	4	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
No. 450	Std. Pkg.	2 1/2	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.
7" Balls	Std. Pkg.	1 1/2	Doz.					

DECORATION No 262 - BLUE & PINK


No. 500 - Fitter $3\frac{3}{8}$ "
Hgt. $4\frac{1}{2}$ " - Dia. $4\frac{1}{4}$ "



No. 450 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{7}{8}$ " - Dia. 7"



No. 442 - Fitter $2\frac{1}{4}$ "
Hgt. $5\frac{1}{4}$ " - Dia. 4"




No. 481 - Fitter $2\frac{1}{4}$ "
Hgt. $5\frac{1}{4}$ " - Dia. 4"



K - Shape
 $6 \times 3\frac{1}{4}$ " - $7 \times 3\frac{1}{4}$ " - 8×4 "



No. 508 - Fitter $3\frac{3}{8}$ "
Hgt. $5\frac{1}{2}$ " - Dia. $4\frac{1}{4}$ "



8×10 " - 10×12 " - 12×14 "

Any Shape in Either Decoration

Drapery design of pink or blue flowers and leaves with two hair lines of the same color as flowers. Outside Decoration.

No. 442 and 481	Std. Pkg.	6	Doz.	7"	Balls	Std. Pkg.	$1\frac{1}{2}$	Doz.
No. 500	Std. Pkg.	5	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 508	Std. Pkg.	$4\frac{1}{2}$	Doz.	8×10 "	Bowls	Std. Pkg.	1	Doz.
No. 450	Std. Pkg.	$2\frac{1}{2}$	Doz.	10×12 "	Bowls	Std. Pkg.	$\frac{1}{2}$	Doz.
6" Balls	Std. Pkg.	$2\frac{1}{2}$	Doz.	12×14 "	Bowls	Std. Pkg.	$\frac{1}{3}$	Doz.

DECORATION No. 267



No. 442 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No. 480 - Fitter 2 1/4"
Hgt. 5" - Dia. 3 1/2"



No. 403 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4 1/8"




No. 580 - Fitter 3 3/8"
Hgt. 5 1/2" - Dia. 4 1/4"



K-Shape
6 x 3 1/4" - 7 x 3 1/4" - 8 x 4"



No. 508 - Fitter 3 3/8"
Hgt. 5 1/2" - Dia. 4 1/4"



8 x 10" - 10 x 12" - 12 x 14"

Summer scene. Brown trees—green foliage and grass. Gray mountains, Red tinted background.

No. 403—442 and 480	Std. Pkg.	6	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 508	Std. Pkg.	4 1/2	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 580	Std. Pkg.	4	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.
7" Balls	Std. Pkg.	1 1/2	Doz.					

DECORATION No 272 OPTIC

No 521 - Gas Fitter $3\frac{3}{8}$ "
Hgt. 5" - Dia. 5"



No 710 - Fitter $2\frac{1}{4}$ "
Hgt. 5" - Dia. 7"



No 443 - Fitter $2\frac{1}{4}$ "
Hgt. 6" - Dia. $4\frac{1}{2}$ "




No 442 - Fitter $2\frac{1}{4}$ "
Hgt. $5\frac{1}{4}$ " - Dia. 4"



A - Shape
 $6 \times 3\frac{1}{4}$ " - $7 \times 3\frac{1}{4}$ " - 8×4 "



No 419 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{3}{4}$ " - Dia. $4\frac{1}{8}$ "



10" Bowl - 8" Fitter
 $12\frac{1}{2}$ " $10\frac{1}{2}$ "
14" 12"

No. 521	Std. Pkg.	4	Doz.
No. 710	Std. Pkg.	$1\frac{5}{6}$	Doz.
No. 443	Std. Pkg.	$4\frac{1}{2}$	Doz.
No. 442	Std. Pkg.	6	Doz.
6" A Ball	Std. Pkg.	$2\frac{1}{2}$	Doz.
7" A Ball	Std. Pkg.	$1\frac{1}{2}$	Doz.

8" A Ball	Std. Pkg.	1	Doz.
No. 419	Std. Pkg.	5	Doz.
8x10" Bowls	Std. Pkg.	1	Doz.
10x12" Bowls	Std. Pkg.	$\frac{1}{2}$	Doz.
12x14" Bowls	Std. Pkg.	$\frac{1}{3}$	Doz.

DECORATION No 291



No 581 - Gas Filter 3 3/8"
Hgt. 5 1/2" - Dia. 5"



No 450 - Filter 2 1/4"
Hgt. 4 7/8" - Dia. 7"




No 481 - Filter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No 508 - Gas Filter 3 3/8"
Hgt. 5 1/2" - Dia. 4 1/4"



10" Bowl - 8" Fitter
12" 10"
14" 12"



No 442 - Filter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No 500 - Gas Filter 3 3/8"
Hgt. 9 1/2" - Dia. 4 1/4"



No 424 - Filter 2 1/4"
Hgt. 6 1/2" - Dia. 4"

K - Shape
6 x 3 1/4" - 7 x 3 1/4" - 8 x 9"

Pink roses, green leaves on inside. Scroll of yellow ice with two red hair lines on outside.

No. 442 and 481	Std. Pkg.	6	Doz.	7"	Balls	Std. Pkg.	1 1/2	Doz.
No. 500	Std. Pkg.	5	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 424 and 508	Std. Pkg.	4 1/2	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 581	Std. Pkg.	4	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
No. 450	Std. Pkg.	2 1/2	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.					

*DECORATION No 293 - BROWN or BLUE
EITHER COLOR ON ANY SHAPE*



No 403 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4 1/8"



No 450 - Fitter 2 1/4"
Hgt 5" - Dia 7"



No 442 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No 508 - Gas Fitter 3 3/8"
Hgt 5 1/2" - Dia. 4 1/4"



K - Shape
6 x 3 1/4" - 7 x 3 1/4" - 8 x 4"



No 546 - Gas Fitter 3 3/8"
Hgt. 5" - Dia. 5 3/8"



10" Bowl - 8" Fitter
12" 10"
14" 12"

Pink Wild roses and green leaves on inside. Solid color of Brown or Blue on outside.

No. 403 and 442	Std. Pkg.	6	Doz.	7"	Balls	Std. Pkg.	1 1/2	Doz.
No. 508	Std. Pkg.	4 1/2	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 546	Std. Pkg.	4	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 450	Std. Pkg.	2 1/2	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.

DECORATION No 296



No. 580 - Gas $3\frac{3}{8}$ "
Hgt $5\frac{1}{2}$ " - Dia $4\frac{1}{4}$ "




No. 700 - Fitter $2\frac{1}{4}$ "
Hgt $5\frac{1}{4}$ " - Dia. 7"



No. 521 - Gas $3\frac{3}{8}$ "
Hgt 5" - Dia. 5"



No. 407 - Elect. $2\frac{1}{4}$ "
Hgt $4\frac{3}{4}$ " - Dia. $4\frac{1}{4}$ "



A-Shape
 $6 \times 3\frac{1}{4}$ " - $7 \times 3\frac{1}{4}$ " - 8×4 "



No. 480 - Elect. $2\frac{1}{4}$ "
Hgt. 5" - Dia $3\frac{3}{4}$ "



10" Bowl 8" Fitter
 12 " " 10 " "
 14 " " 12 " "

Wreath of white and pink flowers and green leaves. Decoration on inside with Matt colors.

No. 407 and 480	Std. Pkg.	6	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 521 and 580	Std. Pkg.	4	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 700	Std. Pkg.	$1\frac{2}{3}$	Doz.	10x12"	Bowls	Std. Pkg.	$\frac{1}{2}$	Doz.
6" Balls	Std. Pkg.	$2\frac{1}{2}$	Doz.	12x14"	Bowls	Std. Pkg.	$\frac{1}{3}$	Doz.
7" Balls	Std. Pkg.	$1\frac{1}{2}$	Doz.					

DECORATION No 303



*No 521 - Fitter $3\frac{3}{8}$ "
Hgt. 5 - Dia. 5*

*No 508 - Fitter $3\frac{3}{8}$ "
Hgt $5\frac{1}{2}$ " - Dia. $4\frac{1}{4}$ "*

*No 450 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{7}{8}$ " - Dia. 7"*

*No 442 - Fitter $2\frac{1}{4}$ "
Hgt. $5\frac{1}{4}$ " - Dia. 4"*


*No 407 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{3}{4}$ " - Dia. $4\frac{1}{4}$ "*

8x10" - 10x12" - 12x14"

Red trees and Scenery. Yellow ground.

No. 407 and 442	Std. Pkg. 6 Doz.	8x10" Bowls	Std. Pkg. 1 Doz.
No. 508	Std. Pkg. $4\frac{1}{2}$ Doz.	10x12" Bowls	Std. Pkg. $\frac{1}{2}$ Doz.
No. 521	Std. Pkg. 4 Doz.	12x14" Bowls	Std. Pkg. $\frac{1}{3}$ Doz.
No. 450	Std. Pkg. $2\frac{1}{2}$ Doz.		

DECORATIONS No 208 & 209



No 508 - Dec. 208
Fitter 3 3/8"
Hgt. 5 1/8" Dia. 4 1/4"




No 700 - Dec. 209
Fitter 2 1/4"
Hgt. 5 1/4" Dia 7"



No 414 - Dec. 208
Fitter 3 3/8"
Hgt. 5 1/4" Dia. 4 1/4"



No 442 - Dec. 209
Fitter 2 1/4"
Hgt. 5 1/4" Dia. 4"



K - Shape Dec. 208
6" x 3 1/4" 7" x 3 1/4" 8" x 4"




No 414 - Dec. 209
Fitter 2 1/4"
Hgt. 5 1/2" Dia. 4 1/4"



A - Shape - Dec. 209
8" x 10" 10" x 12"

ANY SHAPE IN EITHER DECORATION


No. 508	Std. Pkg.	4 1/2 Doz.	No. 442	Std. Pkg.	4 1/2 Doz.
No. 700	Std. Pkg.	1 5/6 Doz.	No. 414	Std. Pkg.	4 1/2 Doz.
No. 514	Std. Pkg.	4 1/2 Doz.	8x10" Bowls	Std. Pkg.	1 Doz.
6" A Balls	Std. Pkg.	2 1/2 Doz.	10x12" A Bowls	Std. Pkg.	1/2 Doz.
7" A Balls	Std. Pkg.	1 1/2 Doz.	12x14" A Bowls	Std. Pkg.	1/3 Doz.
8" A Balls	Std. Pkg.	1 Doz.			

DECORATION No. 404


No. 519 - Fitter $3\frac{3}{8}$ "
Hgt. $4\frac{3}{4}$ " - Dia. $4\frac{1}{8}$ "




No. 450 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{1}{8}$ " - Dia. 7"




No. 508 - Fitter $3\frac{3}{8}$ "
Hgt. $5\frac{1}{2}$ " - Dia. $4\frac{1}{4}$ "



No. 419 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{3}{4}$ " - Dia. $4\frac{1}{8}$ "



No. 442 - Fitter $2\frac{1}{4}$ "
Hgt. $5\frac{1}{4}$ " - Dia. 4"



No. 407 - Fitter $2\frac{1}{4}$ "
Hgt. $4\frac{3}{4}$ " - Dia. $4\frac{1}{4}$ "



No. 481 - Fitter $2\frac{1}{4}$ "
Hgt. $5\frac{1}{4}$ " - Dia. 4"

8x4" M



8x10" - 10x12" - 12x14"

Pink wild roses, green leaves on inside. Blue hairline on bottom edge.

No. 407—442 and 481	Std. Pkg. 6 Doz.	8" Balls	Std. Pkg. 1 Doz.
No. 419 and 519	Std. Pkg. 5 Doz.	8x10" Bowls	Std. Pkg. 1 Doz.
No. 508	Std. Pkg. $4\frac{1}{2}$ Doz.	10x12" Bowls	Std. Pkg. $\frac{1}{2}$ Doz.
No. 450	Std. Pkg. $2\frac{1}{2}$ Doz.	12x14" Bowls	Std. Pkg. $\frac{1}{3}$ Doz.

BLUE BIRD DECORATION
Either Blue or Yellow on Any Shape




No 500 - Gas Fitter 3 3/8"
Hgt. 4 1/2" - Dia. 4 1/4"




No 710 - Fitter 2 1/4"
Hgt. 5" - Dia. 7"



No 442 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No 508 - Gas Fitter 3 3/8"
Hgt. 5 1/2" - Dia. 4 1/4"




K-Shape
6 x 3 1/4" - 7 x 3 1/4" - 8 x 4"




No 481 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No 581 - Gas Fitter
Hgt. 5 1/2" - Dia. 5"



No 424 - Fitter 2 1/4"
Hgt. 6 1/2" - Dia. 4"



10" Bowl - 8" Fitter
12" " 10" "
14" " 12" "

Blue Birds with blue or yellow ground.

No. 442 and 481	Std. Pkg.	6	Doz.	7"	Balls	Std. Pkg.	1 1/2	Doz.
No. 500	Std. Pkg.	5	Doz.	8"	Balls	Std. Pkg.	1	Doz.
No. 424 and 508	Std. Pkg.	4 1/2	Doz.	8x10"	Bowls	Std. Pkg.	1	Doz.
No. 581	Std. Pkg.	4	Doz.	10x12"	Bowls	Std. Pkg.	1/2	Doz.
No. 710	Std. Pkg.	1 5/6	Doz.	12x14"	Bowls	Std. Pkg.	1/3	Doz.
6" Balls	Std. Pkg.	2 1/2	Doz.					



No 801 - Dec. 2
Fitter 2 1/4" - Ht. 5" - Dia. 4 1/4"



No 801 - Dec. 3
Fitter 2 1/4" - Ht. 5" - Dia. 4 1/4"



No 801 - Dec. 4
Fitter 2 1/4" - Ht. 5" - Dia. 4 1/4"



No 812 - 12" Bowl - 10" Fitter - 6" Deep
Dec. 2-3-4




No 805 - Dec. 3
Fitter 3 3/8" - Ht. 4 1/4" - Dia. 5 1/4"



No 805 - Dec. 4
Fitter 3 3/8" - Ht. 4 1/4" - Dia. 5 1/4"

No. 801	Std. Pkg.	6	Doz.
No. 805	Std. Pkg.	5	Doz.
No. 812—10x12	Std. Pkg.	1/2	Doz.
No. 814—14x16	Std. Pkg.	1/3	Doz.
No. 807— 7x 2 1/4	Std. Pkg.	2	Doz.
No. 824— 4x 9	Std. Pkg.	1	Doz.
Dec. 2—Pink flower, Green Leaves.			

Dec. 3—Blue flower, Green Leaves.
Dec. 4—Yellow flower, Green Leaves.
Dec. 50—White Glass.
Dec. 51—Blue Tint Outside.
Dec. 52—Brown Tint Outside.
Dec. 53—Green Tint Outside.
Dec. 54—Pink Tint Outside.



No. 450.....Std. Pkg. 2 1/2 Doz.
 Dec. 316—Blue and Pink grapes with green and brown leaves.
 Dec. 289—Blue and Red flowers in bracket of yellow ice. 2 blue hair lines.
 Dec. 204—Pink roses, green lines. 3 Blue lines.

Dec. 216—Pink water lillies showing water on inside. Green leaves and grass on outside.
 Dec. 322—Green light house, green bushes, brown road, brown Mts. Red and Yellow ground.
 Dec. 290—Pink roses, green leaves on inside. Scroll yellow ice two red hair lines on outside.



No. 450.....Std. Pkg. 2 1/2 Doz.
 Dec. 311—Brown trees with Pink apple blossoms;
 Green foliage and grass.
 Dec. 314—Blue clematis flower, green leaves and Red
 stripes.
 Dec. 295—Pink flowers, green leaves. Green lines,
 flowers between lines.

Dec. 200—Winter scene, brown trees gray mountains,
 Red tint.
 Dec. 231—Red flowers, green leaves. Green line be-
 low decoration.
 Dec. 255—Pink wild roses, green leaves on inside.
 Brown briars on outside.



No 710 - Dec. 218



No 710 - Dec. 212




No 710 - Dec. 313



No 710 - Dec. 316



No 710 - Dec. 231



No 710 - Dec. 204

Fitter 2 1/4"

Height 5"

Diameter 7"

No. 710.....Std. Pkg. 1 1/2 Doz.
No. 313—Blue Mts. Light Brown ground. Brown
Palm Trees with Green Iced leaves.
Dec. 218—Dutch scene, Brown windmill with water
and green bushes in background.
Dec. 204—Pink roses, green leaves, 3 blue hair lines.

Dec. 212—Brown trees, tree stumps. Gray mountains
and Green grass with blue background.
Dec. 316—Blue and Pink grapes with green and brown
shadow leaves.
Dec. 231—Red flowers, Green leaves. Green line
below decoration.



No. 700.....Std. Pkg. 13 1/2 Doz.
 Dec. 289—Red and Blue flowers in basket of yellow
 ice. Two blue lines above decoration.
 Dec. 216—Pink water lilies showing water, green
 leaves and grass.
 Dec. 283—Green Band, Red flowers, Green leaves.

Dec. 290—Pink roses, green leaves on inside. Scroll
 Yellow ice, two red lines on outside.
 Dec. 296—Wreath continuous. Pink and White flow-
 ers around bottom with green leaves. Matt colors.
 Dec. 309—Brown trees, green ice, brown Mts. Green
 and Red tint.

DECORATION No. 200

20113-D



No. 424 - Fitter 2 1/4"
Hgt. 6 1/2" - Dia. 4"



No. 710 - Fitter 2 1/4"
Hgt. 5" - Dia. 7"



No. 414 - Fitter 2 1/4"
Hgt. 5 1/2" - Dia. 4 1/4"




No. 442 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



6 x 3 1/4" K
7 x 3 1/4" K
8 x 4" K



No. 481 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4"



No. 403 - Fitter 2 1/4"
Hgt. 5 1/4" - Dia. 4 1/8"



No. 446 - Fitter 2 1/4"
Hgt. 5" - Dia. 4 1/4"



10" Bowl - 8" Fitter
12" " 10" "
14" " 12" "

No. 414	Std. Pkg.	4 1/2	Doz.	6"	K Balls.	Std. Pkg.	2 1/2	Doz.
No. 710	Std. Pkg.	1 5/8	Doz.	7"	K Balls.	Std. Pkg.	1 1/2	Doz.
No. 424	Std. Pkg.	4 1/2	Doz.	8"	K Balls.	Std. Pkg.	1	Doz.
No. 442	Std. Pkg.	6	Doz.	8x10"	Bowls.	Std. Pkg.	1	Doz.
No. 403	Std. Pkg.	6	Doz.	10x12"	Bowls.	Std. Pkg.	1/2	Doz.
No. 446	Std. Pkg.	6	Doz.	12x14"	Bowls.	Std. Pkg.	1/3	Doz.
No. 481	Std. Pkg.	6	Doz.					

Doric and Fer Lux Glassware



No. 1211 Doric Reflector

60 Watt. $2\frac{1}{4}$ " Fitter. $7\frac{1}{2}$ " Diam. $4\frac{1}{8}$ " Deep.
4½ dozen in bbl.



No. 1210 Doric Reflector

60 Wt. $2\frac{1}{4}$ " Fitter. $7\frac{1}{8}$ " Diam. $3\frac{1}{2}$ " Deep.
5 dozen in bbl.

No. 1212

75 Wt. $2\frac{1}{2}$ " Fitter. $9\frac{1}{8}$ " Diam. $3\frac{5}{8}$ " Deep.
 $2\frac{1}{2}$ dozen in bbl.



No. 1209 Doric Reflector

No. 1201

40 Wt. $2\frac{1}{4}$ " Fitter. $5\frac{3}{4}$ " Diam. 5" Deep.
5 dozen in bbl.

No. 1202

60 Wt. $2\frac{1}{4}$ " Fitter. $7\frac{1}{4}$ " Diam. 5" deep.
 $3\frac{1}{2}$ dozen in bbl.

No. 1203

100 Wt. $2\frac{1}{2}$ " Fitter. $7\frac{1}{2}$ " Diam. $6\frac{1}{8}$ " Deep.
2 dozen in bbl.

No. 1209

150 or 200 Wt. $3\frac{1}{4}$ " Fitter. $10\frac{1}{4}$ " Diam. 7"
Deep. $\frac{3}{4}$ dozen in bbl.



No. 407 Fer Lux Reflector

40 Wt. $2\frac{1}{4}$ " Fitter. 7" Diam. $3\frac{3}{4}$ " Deep.
5 dozen in bbl.

No. 408

60 Wt. $2\frac{1}{4}$ " Fitter. 8" Diam. $3\frac{3}{4}$ " Deep.
4 dozen in bbl.

No. 410

100 Wt. $2\frac{1}{4}$ " Fitter. 10" Diam. $4\frac{1}{4}$ " Deep.
 $2\frac{1}{2}$ dozen in bbl.

No. 412

150-250 Wt. $3\frac{1}{4}$ " Fitter. 12" Diam. $5\frac{1}{2}$ " Deep.
 $5\frac{1}{4}$ dozen in bbl.



No. 1249 Doric Shade

40 Wt. $2\frac{1}{2}$ " Fitter. $4\frac{1}{4}$ " Diam. $4\frac{3}{8}$ " Deep.
8 dozen in bbl.



No. 1914 Una Urn

$3\frac{1}{4}$ " or 4" Fitter. 8" Deep. Can be furnished
either in Pink, Blue or Ivory.

Basket Glassware, Ivory and Polychrome


Decoration 597



No. 1415. Dec. 597
10 x 12 inches. Bowl.




No. 2611. Dec. 597. Shade
5" Diam. 5" Deep. 2 1/4" Fitter.



No. 1416. Dec. 597
12 x 14 inches. Bowl.



No. 1370. Dec. 597. Ball.
4 x 8 inches.




No. 1417. Dec. 597
14 x 16 inches. Bowl.




No. 2617. Dec. 597. Bedroom Shade
9 1/2" Diam. 6" Deep. 2 1/4" Fitter.

Glassware



No. 300 Shade

2 $\frac{1}{4}$ " Fitter. 4 $\frac{1}{4}$ " Deep.
C. R. I. or Una.




No. 1911 Shade

2 $\frac{1}{4}$ " Fitter. 5 $\frac{1}{8}$ " Deep.




No. 1520 Shade

6" Diam. 4" Deep.
7" Diam. 4 $\frac{1}{2}$ " Deep.
8" Diam. 5" Deep.
C. R. I. or Una.



No. 1961 Una Urn

3 $\frac{1}{4}$ " Fitter. 7 $\frac{1}{4}$ " Deep.



No. 1938 Una Shade

7" Diam. 2 $\frac{1}{4}$ " Fitter.



No. 1910 Una Bowl

10" Fitter. 12" Diam.
12" Fitter. 14" Diam.
14" Fitter. 16" Diam.

Glassware



C. R. I. Balls

No. 828. 6 x 3 $\frac{1}{4}$ " R. I. Balls.

No. 828. 7 x 3 $\frac{1}{4}$ " R. I. Balls.

No. 828. 8 x 4 " R. I. Balls.

6" Packed 3 Dozen in Case.

7" Packed 1 $\frac{1}{2}$ Dozen in Case.

8" Packed 1 Dozen in Case.



No. 720 Air Hole Chimney

Standard Package 6 Dozen



No. 718 Electric Shade

6 Dozen in Case.



No. 719 Frosted Top Globe. Inverted

6 Dozen in Case.

Alphabetical Index

	PAGES		PAGES
Accessories—P. and S.	116, 117	Floor Lamps.	136, 137
Accessories and Holders.	57	Flush Receptacles.	75
Accessories and Lamp Guards.	71	Fluto Parts.	76-87
Aladden Sockets.	95	Flutolier Parts.	88, 89
Armstrong Table Stove.	67	Fuse Plugs.	74
Assembled Hook Canopies.	53		
Attachments for Rayvac Cleaner.	118	Glassware.	172-175
		Glassware—Decorated.	145-170
Bases or Switch Backs.	114	Glassware—Doric and Fer Lux.	172
Basket Glassware, Ivory and Polychrome.	173	Glassware—Ivory and Polychrome.	173
Beam Lights.	47	Guards—Lamp.	70
Bowl Hangers.	61	Hangers—Bowl.	61
Boxes, Switch.	74	Hickeys.	72
Brackets.	13, 27, 43-46, 49	Holders and Accessories.	57
Brackets—Cast Iron Porch.	142	Holders—Ceiling.	59
Brass Receptacles.	99	Holder and Fixture Parts.	58
		Holders and Husks.	56
Candle Fixture Specialties.	107	Holders—Shade.	109
Candle Fixture Sockets.	107, 108	Hook Canopies, Assembled.	53
Canopies.	54, 55	Hooks and Loops.	63
Canopy Rosettes.	106		
Cast Iron Brackets.	142	Interchangeable Fluto Sockets.	94
Cast Iron Porch Lights.	144	Irons—Electric.	68
Ceiling Pull Switches.	100	Ivory and Polychronne Glassware.	173
Chain—Fixture and Pliers.	62	Lamp Cord.	73
Commercial Units.	139-141	Lamp Guards.	70, 71
Cleaner—Rayvac Electric.	118	Lamps—Boudoir.	133-135
Clusters—Plug.	71	Lamps—Desk and Floor.	136, 137
Clusters—Stem.	70	Lamps—Tungsten and Nitrogen.	69
Cord—Lamp.	73	Lanterns.	143
Covers—Socket.	56	Lights and Holder—Ceiling.	60
		Lights—Beam.	47
Decorated Glassware.	145-170	Lights—Cast Iron Porch.	144
Desk Lamps.	136	Lites—Panama.	138
Dim-A-Lites.	72	Loops and Hooks.	63
Doric Commercial Units.	141	Loom Wire.	73
Doric Glassware.	172		
		Nitorgen and Tungsten Lamps.	69
Electric Cleaner—Rayvac.	118		
Electric Fixtures.	3-44	Outlook Receptacles for Loop Wiring.	105
Electric Irons.	68		
		Panama Lites.	138
Fixtures for Candle Sockets.	107, 108	Pendants.	48
Fixture Chain and Pliers.	62	Pliers.	62
Fixtures—Combination.	49	Plug Clusters.	70
Fixtures—Electric.	3-44	Polychrome Glassware.	173
Fixture Fittings.	64	Porcelain.	74
Fixture Parts.	50-52	Porcelain Receptacles.	113
Fixture Parts and Holder.	58	Porcelain Rosettes.	110
Fixture Switches.	100	Porcelain Sockets.	102-104

Alphabetical Index—Continued

Porcelain Switch Backs.....	114	Sockets—Weatherproof.....	112
Porch Brackets, Cast Iron.....	142	Stem Clusters.....	70
Porcelain Parts.....	90-93	Stoves—Armstrong Table.....	67
Portables.....	199-132	Switch Backs or Bases.....	114
P. and S. Accessories.....	116, 117	Switch Boxes.....	74
P. and S. Sign Receptacles.....	113	Switches.....	75
		Switches—Ceiling Pull O.....	100
Rayvac Cleaner and Attachments.....	118	Switches—Fixture.....	100
Receptacles—Brass.....	99	Switches—Standard.....	101
Receptacles—Flush.....	75		
Receptacles—Fluto Interchangeable.....	76-98	Tape.....	74
Receptacles—Outlook, for Loop Wring.....	105	Table Stove—Armstorng.....	67
Receptacles—Porcelain.....	111	Tungsten Lamps.....	69
Receptacles—Porcelain, for Ceiling Lights.....	113		
Receptacles—P. and Sign.....	113	Units—Commercial.....	140
Rosettes—Canopy.....	106	Units—Doric.....	141
Rosettes—Porcelain.....	110	Units—Ventilated.....	139
Shade Holders.....	109	Vibrators.....	65, 66
Sockets—For Candle Fixtures.....	107, 108	Violet Rays.....	66
Sockets—Fluto Interchangeable.....	94		
Sockets—Porcelain.....	102-104	Wire Looms.....	73

Numerical Index

ARTICLE		ARTICLE		ARTICLE		ARTICLE	
NO	PAGE	NO	PAGE	NO	PAGE	NO	PAGE
2.....	74	35.....	68	117.....	22	143.....	33
6-D.....	68	41.....	65	118.....	22	144.....	34
10.....	73	46.....	70	119.....	23	145.....	34
12.....	73	47.....	70	120.....	24	146.....	35
12.....	140	92.....	70	121.....	25	147.....	35
13.....	140	93.....	70	122.....	26	148.....	35
14.....	73	94.....	70	123.....	26	149.....	36
14.....	140	95.....	70	124.....	27	150.....	36
14.....	143	100.....	7	125.....	27	151.....	37
15.....	140	101.....	8	126.....	28	152.....	37
15.....	143	102.....	9	127.....	28	153.....	38
16.....	73	103.....	10	128.....	29	154.....	38
16.....	75	104.....	11	129.....	29	155.....	39
16.....	143	105.....	12	132.....	30	156.....	39
17.....	75	108.....	13	133.....	30	157.....	40
17.....	140	108.....	13	134.....	30	158.....	40
17.....	143	109.....	14	135.....	30	159.....	41
21.....	65	110.....	15	136.....	30	160.....	41
21.....	143	111.....	16	137.....	30	161.....	42
22.....	65	112.....	17	138.....	31	162.....	24
22.....	143	113.....	18	139.....	32	163.....	43
23.....	72	114.....	19	140.....	32	164.....	43
25.....	65	115.....	20	141.....	32	165.....	43
31.....	72	116.....	21	142.....	33	166.....	43

Numerical Index—Continued

ARTICLE NO	PAGE	ARTICLE NO	PAGE	ARTICLE NO	PAGE	ARTICLE NO	PAGE
167	44	284	55	343	63	951	139
168	44	285	55	344	63	952	139
169	44	286	55	345	63	1201	171
170	44	287	55	346	63	1202	171
205	45	288	55	347	64	1203	171
206	45	289	55	348	64	1209	171
207	45	290	56	349	64	1210	171
208	45	291	56	350	64	1211	171
209	46	292	56	351	64	1212	171
210	46	293	56	352	64	1219	138
211	46	294	56	353	64	1249	171
212	46	295	56	354	64	1370	172
213	46	296	56	355	64	1392	141
215	46	297	56	356	64	1393	141
216	47	298	57	357	64	1394	141
217	47	299	57	358	64	1400	72
218	47	300	57	359	64	1415	172
219	47	300	173	360	64	1416	172
220	47	301	57	361	64	1417	172
221	47	302	57	362	64	1520	173
222	48	303	57	363	64	1602	144
223	48	304	58	364	64	1603	144
224	48	305	58	365	63	1708	75
225	49	306	58	400	133	1709	75
226	49	307	58	400	142	1800	144
227	49	308	58	401	133	1910	173
228	49	309	58	402	133	1911	173
251	50	310	58	403	133	1914	171
252	50	311	58	404	133	1938	173
253	50	312	58	407	171	1961	173
254	50	314	58	408	171	2617	172
255	50	315	59	410	136	4054	75
256	50	316	59	410	171	4077	75
257	51	317	59	411	136	4078	75
258	51	318	59	412	136	4079	75
259	51	319	59	412	171	6100	75
260	51	320	59	413	137	6101	75
261	51	321	60	414	137	6102	75
262	51	322	60	415	75	6103	75
263	52	323	60	475	72	6227	75
264	52	324	60	476	72	6228	75
265	52	325	60	477	72	6800	75
266	52	326	60	478	72	6802	75
267	52	327	60	479	72	8300	72
268	52	328	61	501	58	1849 $\frac{1}{2}$	121
269	53	329	61	505	58	1849 $\frac{1}{2}$	125
270	53	330	61	714	138	1849 $\frac{1}{2}$	126
271	53	331	61	718	174	1864 $\frac{1}{2}$	122
272	53	332	61	719	174	1864 $\frac{1}{2}$	127
273	53	333	61	720	174	1865 $\frac{1}{2}$	120
274	53	334	62	828	174	1865 $\frac{1}{2}$	128
275	53	335	62	839	70	1866 $\frac{1}{2}$	119
276	53	336	62	840	70	1866 $\frac{1}{2}$	129
278	54	337	62	849	70	1866 $\frac{1}{2}$	130
279	54	338	62	850	70	1867 $\frac{1}{2}$	124
280	54	339	62	903	72	1867 $\frac{1}{2}$	131
281	54	340	62	916	138	1868 $\frac{1}{2}$	123
282	54	341	63	950	139	1868 $\frac{1}{2}$	132
283	54	342	63				

Numerical Index—Continued

CUT NO	PAGE	CUT NO	PAGE	CUT NO.	PAGE	CUT NO.	PAGE
164	145	200	171	262	156	303	162
414—Shade.....	145	403—Shade.....	171	442—Shade.....	156	407—Shade.....	162
442—Shade.....	145	414—Shade.....	171	450—Shade.....	156	442—Shade.....	162
443—Shade.....	145	424—Shade.....	171	481—Shade.....	156	450—Shade.....	162
481—Shade.....	145	442—Shade.....	171	500—Shade.....	156	508—Shade.....	162
109	146	446—Shade.....	171	508—Shade.....	156	521—Shade.....	162
407—Shade.....	146	481—Shade.....	171	267	157	404	164
414—Shade.....	146	710—Shade.....	171	403—Shade.....	157	407—Shade.....	164
442—Shade.....	146	204	153	442—Shade.....	157	419—Shade.....	164
481—Shade.....	146	407—Shade.....	153	480—Shade.....	157	442—Shade.....	164
156	147	442—Shade.....	153	508—Shade.....	157	450—Shade.....	164
424—Shade.....	147	508—Shade.....	153	580—Shade.....	157	481—Shade.....	164
442—Shade.....	147	519—Shade.....	153	272	158	508—Shade.....	164
480—Shade.....	147	710—Shade.....	153	442—Shade.....	158	519—Shade.....	164
481—Shade.....	147	208	163	443—Shade.....	158	Blue Bird	165
407—Shade.....	148	414—Shade.....	163	521—Shade.....	158	424—Shade.....	165
408—Shade.....	148	442—Shade.....	163	710—Shade.....	158	442—Shade.....	165
414—Shade.....	148	508—Shade.....	163	291	159	481—Shade.....	165
419—Shade.....	148	574—Shade.....	163	424—Shade.....	159	500—Shade.....	165
424—Shade.....	148	700—Shade.....	163	442—Shade.....	159	508—Shade.....	165
442—Shade.....	148	209	163	470—Shade.....	159	710—Shade.....	165
193	149	414—Shade.....	163	481—Shade.....	159	801	166
424—Shade.....	149	442—Shade.....	163	500—Shade.....	159	805—Shade.....	166
442—Shade.....	149	508—Shade.....	163	508—Shade.....	159	807—Shade.....	166
481—Shade.....	149	574—Shade.....	163	581—Shade.....	159	812—Shade.....	166
581—Shade.....	149	700—Shade.....	163	293	160	814—Shade.....	166
139	150	212	154	403—Shade.....	160	450	167
424—Shade.....	150	407—Shade.....	154	442—Shade.....	160	450	168
435—Shade.....	150	446—Shade.....	154	450—Shade.....	160	700	170
442—Shade.....	150	500—Shade.....	154	508—Shade.....	160	710—Shade.....	169
481—Shade.....	150	546—Shade.....	154	546—Shade.....	160	BASE NO	PAGE
139—Shade.....	151	255	155	296	161	1857 ¹ / ₂	134
139X—Shade.....	151	419—Shade.....	155	407—Shade.....	161	9328.....	134
139XX—Shade.....	151	446—Shade.....	155	480—Shade.....	161	9330.....	135
194	152	450—Shade.....	155	521—Shade.....	161	9331.....	135
435—Shade.....	152	519—Shade.....	155	580—Shade.....	161	9332.....	135
443—Shade.....	152	546—Shade.....	155	700—Shade.....	161	9344.....	134
480—Shade.....	152					P. & S. Parts	
481—Shade.....	152					Pages 76 to 119 in-	
						clusive	

[BLANK PAGE]



CCA